

UNITED STATES OF AMERICA



FOUNDED 1836

WASHINGTON, D.C.



Hosack

ELGIN BOTANIC GARDEN






Scientific Books
for sale by
A. E. FOOTE.

9/10

Adm



Remondet del.

Long sc.

*View of the BOTANIC GARDEN of the STATE of NEW-YORK.
established in 1801*

HORTUS ELGINENSIS:
OR
A CATALOGUE
OF
PLANTS,
INDIGENOUS AND EXOTIC,
CULTIVATED IN THE
ELGIN BOTANIC GARDEN,
IN THE VICINITY OF THE CITY OF NEW-YORK.

ESTABLISHED IN 1801,

BY DAVID HOSACK, M.D. F.L.S.

Professor of Botany and Materia Medica in Columbia College,
Member of the American Philosophical Society, &c.

SECOND EDITION ENLARGED.

NEW-YORK:

Printed by *T. & J. Swords*, Printers to the Faculty of Physic
of Columbia College, No. 160 Pearl-Street.

1811.



TO
HIS EXCELLENCY
DANIEL D. TOMPKINS, Esq.
Governor of the State of New-York;
THE HONOURABLE
THE COUNCIL OF REVISION;
AND
THE MEMBERS OF THE
SENATE AND HOUSE OF ASSEMBLY,
THE PRESENT EDITION OF THE
CATALOGUE OF PLANTS
CULTIVATED IN THE
ELGIN BOTANIC GARDEN,
IS RESPECTFULLY INSCRIBED.

P R E F A C E.



THE establishment of a Botanic Garden in the United States, as a repository of the native plants of this country, and as subservient to the purposes of medicine, agriculture, and the arts, is doubtless an object of great importance. Impressed with the advantages to be derived from an institution of this nature, I have anxiously endeavoured ever since my appointment to the professorship of Botany and Materia Medica in Columbia College, to accomplish its establishment. Disappointed, however, in my first applications to the Legislature of this State, soliciting their assistance in so expensive and arduous an undertaking, I resolved to devote my own private funds to the prosecution of this object; trusting, that when the nature of the institution should be better, and more generally known, and its utility fully ascertained, it would receive the patronage and support of the public.

Accordingly, in the year 1801, I purchased of the Corporation of the city of New-York, twenty acres of ground, situated on the middle road between Bloomingdale and Kingsbridge, and distant from the city about three miles and an half. The view from the most elevated part, is variegated and extensive, and the soil itself of that diversified nature, as to be particularly well adapted to the cultivation of a great variety of vegetable productions. The greater

part of the ground is at present in a state of promising cultivation, arranged in a manner the best adapted to the different kinds of vegetables, and planted agreeably to the most approved style of ornamental gardening. Since that time, an extensive conservatory, for the more hardy green house plants, and two spacious hot houses, for the preservation of those which require a greater degree of heat, the whole exhibiting a front of one hundred and eighty feet, have been erected, and which, experience has shown, are well calculated for the purpose for which they were designed. The whole establishment is surrounded by a belt of forest trees and shrubs, both native and exotic, and these again are enclosed by a stone wall, two and an half feet in thickness, and seven feet in height.

As it has always been a primary object of attention to collect and cultivate in this establishment, the native plants of this country, especially such as are possessed of medicinal properties, or are otherwise useful, such gardeners as were practically acquainted with our indigenous productions, have been employed to procure them: how far this end has been attained, will be best seen by an examination of the Catalogue.

Although much has been done by the governments of Great-Britain, France, Spain, Sweden, and Germany, in the investigation of the vegetable productions of America: although much has been accomplished by the labours of *Catesby*, *Kalm*, *Wungenheim*, *Schoepf*, *Walter*, and the *Michaux*; and by our countrymen *Clayton*, the *Bartrams*, *Colden*, *Muhlenberg*, *Marshall*, *Cutler*, and the learned Professor *Barton* of Pennsylvania, much yet remains to be done in this western part of the globe. The numerous articles of medicine which this country has already furnished; the variety of soils and climates which it comprehends, encourage the belief, that many more remain to be discovered, and that the *Materia Medica* may still be enriched by the addition of many indigenous plants, whose virtues yet remain undiscovered.

Another object of importance is, to afford to students of medicine, the means of acquiring a knowledge of the natural history of plants, and the principles of botanic arrangement; a science intimately connected with their profession, as it not only enables them to distinguish one plant from another, but frequently leads to an acquaintance with their medicinal virtues. For this purpose the grounds are divided into different compartments, calculated to exhibit the various plants according to their several properties: and these again are so arranged as to afford a practical illustration of the systems of botany at present most esteemed, viz. the sexual system of *Linnæus*, and the natural orders of *Jussieu*.

Hitherto the botanical gardens of *Edinburgh, Oxford, Cambridge, London, Paris, Copenhagen, Leyden, Upsal, Goettengen, &c.* have instructed the American youth in this department of medical education; and it is in some degree owing to those establishments that the universities and colleges of those places have become so celebrated, and have been resorted to by students of medicine from all parts of the world.

Since the publication of the first edition of this catalogue, in 1806, this institution has been greatly improved, and by an act of the Legislature, passed on the 12th day of March, 1810, has been purchased by the State for the benefit of the Medical Schools of New-York. For information upon this subject the reader is referred to a production entitled, "*A Statement of Facts relative to the Establishment and Progress of the Elgin Botanic Garden, and the subsequent disposal of the same to the State of New-York,*" just published; in which the liberal and enlightened views of the Legislature, in making so large and honourable an appropriation for the promotion of science are more fully exhibited than would be proper upon this occasion. It will also be perceived by a comparison of the present with the former edition, that very considerable additions have been made to the collection both of the foreign and indigenous

plants contained in that establishment. Gratitude demands of me, on this occasion, an acknowledgment of the obligations I am under to many distinguished botanists, both abroad and at home, who have contributed to this institution. In this number are to be enumerated my much esteemed and respected friend and instructor, Dr. *James Edward Smith*, the learned President of the Linnæan Society of London; the late Professor *Vahl*, and Mr. *Hoffman Bang*, of Copenhagen; Mons. *Desfontaines* and *Thouin*, the celebrated Professors of Botany and Agriculture at the Medical Schools of Paris; Mr. *Salisbury*, Proprietor of the Botanic Garden at Brompton, near London; the late Dr. *Fabroni*, Director of the Royal Museum of Florence; Dr. *Bostock*, the learned President of the Botanic Institution of Liverpool; Dr. *Lettsom*, of London; Dr. *Andrew Michaux*, Editor of the *Flora Boreali Americana*, and Author of the very valuable History of the Forest Trees of North-America, now publishing at Paris; my much esteemed friend Dr. *Alire Raffineau Delile*, of the Institute of Egypt; Dr. *Alexander Anderson*, Superintendant of the Botanic Garden at St. Vincents; and *Baron De Schack*, of Martinique. From these gentlemen I have received many rare botanical works, and some of the most valuable plants in this collection.

Nor must I be unmindful of the obligations I am under to several gentlemen in this country, distinguished for their taste and talents in this department of science. The Hon. *Robert R. Livingston*, our former Minister in France; Professor *Mitchill*, of this city; *John Stevens*, Esq. of Hoboken; Mr. *Bernard M-Mahon*, of Philadelphia; Mr. *Stephen Elliot*, of Beaufort, South-Carolina; Dr. *Darlington*, and Mr. *John Vaughan*, of Pennsylvania; *John Le Conte*, Esq. of Georgia; Mr. *William Prince*, of Long-Island; and Mr. *Andrew Gentle*, seedsman, of this city; are also among the contributors to this institution. It is but justice to the merit of my nephew, Dr. *Caspar Wistar Eddy*, a young but accurate botanist, to add, that he has largely aug-

mented the collection of American plants, especially of those of the island of New-York; some of which, viz. two new species of *Gerardia*, were first discovered by him in the vicinity of this city. From my other pupils now industriously prosecuting the study of botany and medicine, more especially Mr. *John W. Francis*, and Mr. *Isaac Roosevelt*, of this city, and Mr. *Robert M. Barclay*, of Orange county, I also anticipate many fruits of their labours in this department of science.

It would be injustice to my late gardener, Mr. *Frederick Pursh*, who with a knowledge of the science of botany unites a very extensive and accurate acquaintance with the plants of this country, not to notice the very numerous contributions he has made to the collection, of the native plants of the United States, during the period he had charge of this establishment. The institution is also at present, and has been for some months past, in a very flourishing condition, under the direction of Mr. *Dennison*, who has been very particularly recommended to me by Messrs. *Lee* and *Kennedy*, of Hammersmith. The present state of the collection is an evidence of his attention and skill, and from which I expect great improvements in every part of the establishment.

I avail myself of this occasion to observe, that as soon as measures may be taken by the Regents of the University for the permanent preservation of the Botanic Garden, it is my intention immediately to commence the publication of *AMERICAN BOTANY*, or a *Flora of the United States*. In this work it is my design to give a description of the plant, noticing its essential characters, synonyms, and place of growth. with observations on the uses to which it is applied in medicine, agriculture, or the arts; to be illustrated by a coloured engraving, in the same manner in which the plants of Great-Britain have been published by Dr. *J. E. Smith*, in his *English Botany*. Considerable progress has already been made in obtaining materials for this publication: many of the drawings will be executed by Mr. *James Inderwick*,

a young gentleman of great genius and taste, and others by *John Le Conte*, Esq. whose acquaintance with botany and natural history in general will enable him to execute this part of the work with great fidelity. In *Mr. Pursh*, whose name has already been mentioned, I shall have a very industrious and skilful botanist to collect from different parts of the union such plants as have not yet been assembled at the Botanic Garden.

D. H.

New-York, March 12th, 1811.

ABBREVIATIONS.

AUTHORS.

<i>Ait.</i>	Aiton.
<i>Andw.</i>	Andrews.
<i>Auct.</i>	Auctores.
<i>Bartr.</i>	Bartram.
<i>Brous.</i>	Broussonet.
<i>Curt.</i>	Curtis.
<i>Cav.</i>	Cavinilles.
<i>Decand.</i>	Decandolle.
<i>Desf.</i>	Desfontaines.
<i>Ehrt.</i>	Ehrhardt.
<i>Forst.</i>	Forster.
<i>Fræl.</i>	Frølich.
<i>Gært.</i>	Gærtner.
<i>Haw.</i>	Haworth.
<i>Hort.</i>	Hortulanorum.
<i>H. P.</i>	Hortus Parisiensis.
<i>Huds.</i>	Hudson.
<i>Humb.</i>	Humboldt.
<i>Jacq.</i>	Jacquin.
<i>Juss.</i>	Jussieu.
<i>L.</i>	Linnæus.
<i>Lmk.</i>	Lamarck.
<i>l'Her.</i>	l'Heritier.
<i>Mich.</i>	Michaux.
<i>Mich. f.</i>	Michaux filius.
<i>Moench.</i>	Moenchausen.
<i>Muhl.</i>	Muhlenberg.
<i>Mur.</i>	Murray.
<i>Ort.</i>	Ortega.
<i>Pal.</i>	Pallas.
<i>Pers.</i>	Persoon.
<i>Retz.</i>	Retzius.
<i>Rox.</i>	Roxburgh.
<i>Sal.</i>	Salisbury.
<i>Schous.</i>	Schousboe.

<i>Schr.</i>	Schreber.
<i>Scop.</i>	Scopoli.
<i>Sm.</i>	Smith.
<i>Swz.</i>	Swartz.
<i>Thunb.</i>	Thunberg.
<i>Vent.</i>	Ventenat.
<i>Wald.</i>	Waldstein.
<i>Walt.</i>	Walter.
<i>Wang.</i>	Wangenheim.
<i>Wend.</i>	Wendland.
<i>Willd.</i>	Willdenow.

COUNTRIES.

<i>C. G. H.</i>	Cape of Good Hope.
<i>Can. Isl.</i>	Canary Isles.
<i>S. Europe.</i>	South of Europe.
<i>E. Indies.</i>	East-Indies.
<i>W. Indies.</i>	West-Indies.
<i>B. Indies.</i>	Both Indies.
<i>Phillip. Isl.</i>	Phillippine Isles.
<i>N. Holl.</i>	New-Holland.
<i>N. Amer.</i>	North-America.
<i>S. Amer.</i>	South-America.
<i>S. Sea Isl.</i>	South-Sea Islands.

<i>a.</i>	annual.
<i>b.</i>	biennial.
<i>p.</i>	perennial.
<i>s.</i>	shrub.
<i>t.</i>	tree.
<i>h.</i>	hardy.
<i>g. h.</i>	green-house.
<i>h. h.</i>	hot-house.
<i>Agr.</i>	Agriculture.
<i>Med.</i>	Medicine.

It is very probable, that owing to the engagements, professional and others, with which I am occupied, that some errors may be found in the following Catalogue; but I trust they are few in number, as it has been printed under the constant inspection of my nephew before mentioned.

D. H.

HORTUS ELGINENSIS.

<i>Scientific Name.</i>	<i>English Name.</i>	<i>Nat.country. use. cult. durat.</i>
ABROMA	ABROMA, or false cocoa	
<i>augusta</i> L.	maple leaved	E. Indies h.h s
ABRUS	WILD LIQUORICE	
<i>precatorius</i> L.	Jamaica	B. Indies h.h s
ACACIA Willd. }	ACACIA	
MIMOSA Auct. }		
<i>arborea</i> L. }	tree	W. Indies h.h s
<i>filicifolia</i> Lmk }		
<i>brachyloba</i> Muhl' }	short podded	N. Amer. h p
<i>illinoensis</i> Mich. }		
<i>discolor</i> Andr. }	two coloured	N. Holl. g.h s
<i>botrycephala</i> Vent. }		
<i>falcata</i> Willd. }	sickle leaved	do. g.h s
<i>obliqua</i> Vent. }		
<i>farnesiana</i> L.	Farnesian. <i>Sponge-tree</i>	W. Indies h.h s
<i>floribunda</i> Vent.	flowering	N. Holl. g.h s
<i>glauca</i> L.	glaucous	S. Amer. h.h s
<i>glaucescens</i> Willd. }	two nerved	N. Holl. g.h s
<i>binervia</i> Wend. }		
<i>julibrissin</i> Ait.	oriental	Levant h s
<i>latronum</i> L.	robbers	E. Indies h.h s
<i>lebbek</i> L.	Egyptian	Egypt h.h s
<i>pennata</i> L.	feathered	E. Indies h.h s
<i>pulcherrima</i> Willd.	beautiful	S. Amer. h.h s
<i>speciosa</i> Jacq.	shewy	E. Indies h.h s
<i>suaveolens</i> Sm.	sweet scented,	N. Holl. g.h s
<i>vera</i> Willd. }	gum-arabic tree	Egypt Med. h.h s
<i>nilotica</i> L. }		
ACALYPHA	ACALYPHA	
<i>caroliniana</i> Mich.	Carolinian	N. Amer. h a
<i>virginica</i> L.	common	do. h a
ACANTHUS	BEAR'S BREECH	
<i>mollis</i> L.	soft leaved	Europe Med. h p
<i>spinousus</i> L.	spinous	do. h p
ACER	MAPLE TREE	
<i>dasycarpum</i> Ehrt. }	silver leaved, or soft	N. Amer. Arts h t
<i>eriocarpum</i> Mich }		
<i>tomentosum</i> H. P }		
<i>montanum</i> Willd. }	shrubby, or mountain	do. h s
<i>spicatum</i> Lmk. }		
<i>pensylvanicum</i> L. }		
<i>striatum</i> Lmk. }	striped barked	do. Arts h t
<i>canadense</i> H. P. }		
<i>negundo</i> L.	ash leaved	do. h s
<i>rubrum</i> L.	common red	do. Arts h t
<i>saccharinum</i> L.	sugar	do. Arts & Diet h t
ACHANIA	ACHANIA	
<i>malvaceus</i> Swz. }	mallow leaved	W. Indies h.h s
<i>Hibiscus malvaceus</i> L. }	bashful mallow	
<i>Malvaceus arboreus</i> Car. }		

ACHILLEA	YARROW, or milfoil				
asplenifolia <i>Vent.</i> }	rose flowering	N. Amer.		h	p
rosea <i>H. P.</i> }	trailing	Asia.		h	p
decumbens <i>Lmk.</i>	common	N. Amer.	Med.	h	p
millefolium <i>L.</i>	sneeze wort	Europe	Med.	h	p
ptarmica <i>L.</i>	variety				
v. flore pleno	tansy leaved	do.		h	p
tanacetifolia <i>L.</i>	fine leaved	Levant		g.h	s
tenuifolia <i>Lmk.</i> }					
santolina <i>Willd.</i> }					
ACHRAS	SAPOTA				
Sapota <i>L.</i>	common, <i>sour sop</i>	W. Indies	Diet & Med.	g.h	s
ACHYRANTHES	CHAFF FLOWER				
argentea <i>Lmk.</i>	silvery	C. G. H.		h.h	a
ACNIDA	WILD HEMP				
cannabina <i>L.</i>	common	N. Amer.		h	a
ACONITUM	WOLF'S BANE				
napellus <i>L.</i>	common	Europe		h	p
ACORUS	SWEET FLAG				
calamus <i>L.</i>	aromatic <i>calamus</i>	N. Amer.	Med.	h	p
ACTÆA	HERB. CHRISTOPHER				
racemosa <i>L.</i>	black snake root	N. Amer.	Med.	h	p
spicata <i>L.</i>	common, <i>coral and pearl</i>	do.		h	p
ADENANTHERA	PEACOCK FLOWER				
pavonina <i>L.</i>	smooth leaved	B. Indies		h.h	s
ADIANTUM	MAIDEN HAIR				
pedatum <i>L.</i>	American	N. Amer.	Med.	h	p
ADONIS	FLOS ADONIS, or <i>pheasant's eye</i>				
æstivalis <i>L.</i>	summer	Europe		h	a
autumnalis <i>L.</i>	autumnal	do.		h	a
ÆGILOPS	HARD GRASS				
triuncialis <i>L.</i>	long spiked	Europe		h	a
ÆGLE	MARMELADE APPLE				
marmelos <i>Correa.</i> }	common	E. Indies	Diet & Med.	h.h	s
Cratæva marmelos <i>L.</i> }					
ÆSCHYNOMENE	ÆSCHYNOMENE, <i>Bastard sensitive plant</i>				
aspera <i>L.</i>	rough	E. Indies		h.h	a
ÆSCULUS	HORSE CHESNUT				
hippocastanum, <i>L.</i>	common	Asia	Med.	h	t
flava <i>Ait.</i>	yellow flowered	N. Amer.		h	s
lutea <i>Wang.</i> }					
macrostachya <i>Mich.</i> }	long spiked	do.		h	s
parviflora <i>Walt.</i> }	scarlet flowering	do.		h	s
pavia <i>L.</i>					
AGAVE	AGAVE				
americana <i>L.</i>	American	S. Amer.	Arts	g.h	s
v. variegata	variegated, do	do.		g.h	s
tuberosa <i>Ait.</i>	tubercous	N. Amer.		h	s
virginica <i>L.</i>	Virginian	S. Amer.		g.h	s
vivipara <i>L.</i>	viviparous				
AGRIMONIA	AGRIMONY				
eupatoria <i>L.</i>	common	N. Amer.	Med. & Arts	h	p
	small flowered	do.		h	p
AGROSTEMMA	ROSE CAMPION				
coronaria <i>L.</i>	common	Europe		h	b
githago <i>L.</i>	corn cockle	do.		h	a
Githago segetum <i>Desf.</i> }					
AGROSTIS	BENT GRASS				
alba <i>L.</i>	marsh or white <i>Herd's</i>	do.	Agr.	h	p
	grass. <i>Penn.</i>	do.			
canina <i>L.</i>	brown	do.	Agr.	h	p

HORTUS ELCINENSIS.

2

<i>compressa Willd.</i> }	small	Europe	h	p
<i>dubia Leers.</i> }	millet	do.	h	p
<i>miliacea L.</i>	sea	do.	h	p
<i>littoralis Sm.</i>	Mexican	S. Amer.	h	p
<i>mexicana L.</i>	rock	Europe	h	a
<i>rupestris Willd.</i>	bristly	do.	Agr.	h
<i>setacea Sm.</i>	silky	do.	Agr.	h
<i>spica venti L.</i>	upright	N. Amer.	h	p
<i>stricta Willd.</i>	barren	do.	h	p
<i>virginica L.</i>				
<i>vulgaris Sm.</i> }	common	Europe	Agr.	h
<i>hispida Willd.</i> }				
<i>capillaris Leers.</i> }				
AIRA	HAIR GRASS			
<i>aquatica L.</i>	water	Europe	h	p
<i>canescens L.</i>	grey	do.	h	p
<i>cespitosa L.</i>	turfy	do.	h	p
<i>caryophyllea L.</i>	silvery	do.	h	p
<i>flexuosa L.</i>	heath, or zigzag	do.	h	p
<i>melicoides Mich.</i>	melic like	N. Amer.	h	p
<i>obtusata Mich.</i>	blunt	do.	h	p
<i>praecox L.</i>	spring	Europe	h	p
ALCHEMILLA	LADIES MANTLE			
<i>hybrida L.</i> }	hairy	Europe	h	p
<i>pubescens Lmk.</i> }				
ALETIS	ALETIS			
<i>fariosa L.</i> }	mealy; <i>Devil's bit, star-</i>	N. Amer.	Med.	h
<i>alba Mich.</i> }	<i>grass</i>			p
ALISMA	WATER PLANTAIN			
<i>plantago L.</i>	common	N. Amer.	h	p
<i>v. minor</i>	lesser, do			
ALLAMANDA	ALLAMANDA			
<i>cathartica L.</i> }	purging; willow leaved	S. Amer.	h.h	s
<i>Orelia grandiflora Aubl.</i> }				
ALLIUM	ONION GARLICK			
<i>ascalonicum L.</i>	eschallots	Levant	Diet	h
<i>canadense L.</i>	wild, or American	N. Amer.	Diet	h
<i>cepa L.</i>	common onion	—	Diet & Med.	h
				p
<i>fistulosum L.</i>	Welch do	Siberia	Diet	h
<i>moly L.</i>	yellow do	Europe	Diet	h
<i>oleraceum L.</i>	purple striped do	do.	Diet	h
<i>porrum L.</i>	common leek	do.	Diet & Med.	h
				b
<i>sativum L.</i>	common garlick	do.	Diet & Med.	h
				p
<i>schœnoprassum L.</i>	chives	Siberia	Diet	h
<i>senscens L.</i>	narcissus leaved	do.	Diet	h
				p
ALNUS	ALDER			
<i>serrulata Willd.</i> }	common American	N. Amer.	h	s
<i>Betula rugosa Ehrh.</i> }				
ALOE	ALOE			
<i>fruticosa Pers.</i> }	tree	C. G. H.	g.h	s
<i>arborescens Mill.</i> }	tongue	do.	g.h	s
<i>lingua L.</i>	pearl	do.	g.h	s
<i>margaritifera L.</i> }				
<i>pumila Thunb.</i> }	great soap, <i>succotorine</i>	Africa	Med.	g.h
<i>perfoliata L.</i> }				s
<i>succotrina Lmk.</i> }				
<i>pieta Thunb.</i> }	spotted soap	C. G. H.	g.h	s
<i>maculosa Lmk.</i> }				
<i>umbellata Decand.</i> }	cushion; thumb	do.	g.h	s
<i>retusa L.</i>				

HORTUS ELGINENSIS.

spiralis L.	spiral	C. G. H.	g.h	s
variegata L.	partridge breast	do.	g.h	s
verrucosa <i>Ait.</i>	warted tongue	do.	g.h	s
ALOPECURUS	FOX TAIL GRASS			
bulbosus L.	bulbous	Europe	h	p
geniculatus L.	floating	do. Agr.	h	p
pratensis L.	meadow	do. Agr.	h	p
ALSINE	CHICKWEED			
media L.	common	N. Amer.	Diet	h a
ALSTROEMERIA	ALSTROEMERIA			
ligtu L.	striped flowered	Peru	g.h	p
ALTHÆA	MARSH MALLOW			
ficifolia <i>Willd.</i>	fig leaved holly hock	Levant	h	b
Alcea ficifolia L. }				
officinalis L.	common	Europe	Med.	h p
rosea <i>Car.</i>	common holly hock	China	Med.	h b
Alcea rosea L. }				
ALYSSUM	MADWORT			
clypeatum L.	shield seeded	Europe	h	a
incanum L.	hoary	do.	h	p
saxatile L.	rock	Levant	g.h	p
utriculatum L.	bladder	do.	g.h	p
AMARANTHUS	AMARANTH or Cock's comb			
albus L.	white	N. Amer.	h	a
blitum L.	strawberry	Europe	h	a
cruentus L.	various leaved	China	h	a
hybridus L.	clustered	N. Amer.	h	a
retroflexus <i>Lmk.</i> }				
hypochondriacus L.	Prince's feather	do.	h	a
lividus L.	lead coloured	do.	h	a
macrochloicus L.	Love lies bleeding	E. Indies	h	a
oleraceus L.	cultivated	do.	Diet	h a
paniculatus L.	panicked	N. Amer.	h	a
sanguineus L.	bloody	W. Indies	h	a
scandens L.	climbing	S. Amer.	h	a
spinosus L.	thorny	B. Indies	h	a
tricolor L.	three coloured	E. Indies	h	a
tristis L.	mourning	do.	h	a
AMARYLLIS	AMARYLLIS			
atamasco L.	Atamasco lily	Carolina	g.h	p
aurea <i>P. Her.</i>	golden	Peru	h.h	p
belladonna L.	Belladonna lily	S. Amer.	g.h	p
equestris <i>Ait.</i>	Barbadoes lily	W. Indies	h.h	p
formosissima L.	Jacobaea lily	S. Amer.	g.h	p
longifolia L.	long leaved	C. G. H.	g.h	p
lutea L.	yellow	S. Europe	g.h	p
ornata <i>Ait.</i>	Cape coast lily	Guinea	h.h	p
regine L.	Mexican lily	Mexico	g.h	p
saruiensis L.	Guernsey lily	Japan	g.h	p
undulata L.	waved leaved	C. G. H.	g.h	p
vittata <i>Ait.</i>	ribbon	do.	g.h	p
AMBROSIA	HOGWEED			
artemisiæfolia L.	rough	N. Amer.	h	a
elatior L.	smooth	do.	h	a
trifida L.	hemp	do.	h	a
AMOMUM	GINGER			
zingiber L.	true, narrow leaved	E. Indies	Med. & Diet	h.h p
AMORPHIA	BASTARD INDIGO			
fruticosa L.	shrubby	N. Amer.	Arts	h s
AMPELOPSIS	FALSE GRAPE			
cordata <i>Mich.</i>				
Cissus ampelopsis }	red berried	do.	h	s
Pers. }				

HORTUS ELGINENSIS.

5

quinquefolia <i>Mich.</i>	} Wild ivy	N. Amer.	h	s
Hedera quinquefolia L.				
Cissus hederacea Pers.				
bipinnata <i>Mich.</i>				
Vitis arborea L.	} upright	do.	h	s
Cissus stans Pers.				
AMYGDALUS	ALMOND			
communis L.	common	Barbary	h	t
nana L. <i>flore pleno</i>	dwarf double flowering	Tartary	h	t
persica L.	common peach		h	t
v. nuci persica	nectarine do.		h	t
v. <i>flore pleno</i>	double flowering do.		h	t
ANACARDIUM	CASHEW NUT			
occidentale L.	common	B. Indies	Diet & h.h	s
			Med.	
ANAGALLIS	PIMPERNEL, <i>Chick-weed</i>			
arvensis L.	common			
v. <i>flore coeruleo</i>	blue flowered	N. Amer.	Med.	h a
v. <i>flore phaniceo</i>	red flowered			
ANCHUSA	BUGLOSS			
augustifolia L.	narrow leaved	Europe	h	p
officinalis L.	common or officinal	do.	Med.	h p
sempervirens L.	evergreen	do.	h	p
ANDROMEDA	ANDROMEDA			
axillaris Lmk. }	saw leaved	N. Amer.	h	s
catesbaei Walt. }				
calyculata L.	box leaved	do.	h	s
ferruginea Ait.	ferrugineous	do.	h	s
mariana L.	oval leaved	do.	h	s
nitida Bartr. }	shining leaved	do.	h	s
lucida Lmk. }				
coriacea Ait. }				
paniculata Ait. }	panicled	do.	h	s
racemosa Lmk. }				
polifolia L. }	rosemary leaved	do.	h	s
v. subulata Pers. }				
racemosa L. }	sweet scented	do.	h	s
paniculata Walt. }				
speciosa Mich. }	cassine leaved	do.	h	s
cassinefolia Vent. }				
v. pulverulenta Bartr.	powdered			
ANDROPOGON	BEARD GRASS			
schoenanthus L.	Lemon grass	E. Indies	Med.	h.h p
scoparium Mich.	broom grass	N. Amer.	h	p
virginicum L.	yellow broom grass	do.	h	p
ANDRYALA	ANDRYALA			
cheiranthifolia l'Her. }	stock leaved	Madeira	g.h	p
glandulosa Lmk. }				
tomentosa Scop. }				
ANEMONE	ANEMONE— <i>Wind flower</i>			
aconitifolia Mich. }	wolf's bane leaved	N. Amer.	h	p
dichotoma L. }				
pennsylvanica L. }	common	Levant	g.h	p
coronaria L.	hepatica— <i>liver wort</i>	N. Amer.	Med.	h p
hepatica L.	double flowering			
v. <i>flore pleno</i>	garden	Europe	h	p
hortensis L.	wood	N. Amer.	Med.	h p
memorosa L.				
thalictroides L. }	rue leaved	do.	h	p
Thalictrum anemo- }				
noides Mich. }				
v. <i>flore pleno</i>	double flowered do.			
virginiana L.	crow foot leaved	do.	h	p

ANETHUM feniculum L. graveolens L.	FENNEL sweet dill	Europe do.	Med. do.	h h	a a
ANGELICA archangelica L. triquinata Mich.	ANGELICA garden or officinal American or wild	Europe N. Amer.	do. do.	h h	b p
ANONA muricata L. tripetala Ait. cherimolia Lmk. }	CUSTARD APPLE rough fruited broad leaved	S. Amer. Peru		h.h Diet h.h	s s
ANTHEMIS artemisiæfolia Willd. grandiflora H. P. stipulacea Moench. Chrysanthemum indi- cum Curt. }	CHAMOMILE artemisia leaved Chry- santhemum	China		h	p
cotula L. nobilis L. tinctoria L. trilobata Ort. Zaluzania trilobata Pers. }	stinking—May weed common dyers	N. Amer. Europe do.	Med. Med. Arts	h h h	p p p
	three lobed	Mexico		g.h	b
ANTHERICUM frutescens L. ramosum L. Phalangium ramosum Pers. }	SPIDER WORT shrubby branching	C. G. H. Europe		g.h h	p p
ANTHOLYZA æthiopica L. cunonia L. ringens L.	ÆTHIOPIAN CORN FLAG orange coloured scarlet gaping	C. G. H. do. do.		g.h g.h g.h	p p p
ANTHOXANTHUM odoratum L.	VERNAL GRASS sweet scented	N. Amer.	Agr.	h	p
ANTHYLLIS barba jovis L. cretica Lmk. Ebenus cretica L. }	KIDNEY VETCH Jupiter's beard black ebony	Europe Crete		g.h Arts g.h	s t
hermanniæ Vahl. Aspalathus cretica L. }	lavender leaved common yellow	Palest. Europe		g.h h	s p
ANTIRRHINUM canadense L. cymbalaria L. juncum L. linaria L. majus L. purpureum L. triphyllum L.	SNAP DRAGON Canadian wall rush toad flax great purple three leaved	N. Amer. Europe Spain N. Amer. Europe do. Barbary		h h h Med. h h h h	a p a p b p a
APIUM graveolens L. petroselinum L.	CELERY garden common parsley	Europe do.	Diet Med. & Diet	h h	b b
APOCYNUM androsemifolium L. cannabinum L.	DOG'S BANE tutsan leaved Indian hemp	N. Amer. do.		h h	p p
AQUILEGIA canadensis L. vulgaris L. v. variegata v. fl. pleno	COLUMBINE scarlet or wild common variegated do. double flowered	N. Amer. Europe		h h	p p
ARABIS canadensis L. lyrata L. pendula L.	WALL CRESS Canadian small tall	N. Amer. Europe do.		h h h	p a a

ARACHIS					
hypogæa L.					
ARALIA	GROUND or PEA NUT				
hispida Mich.	American	W. Indies	Diet	h	a
nudicaulis L.	ARALIA				
racemosa L.	bristly	N. Amer.		h	t
spinosa L.	wild sarsaparilla	do.	Med.	h	p
ARCTIUM	berry-bearing <i>spikenard</i>	do.	do.	h	p
lappa L.	angelica tree <i>Prickly ash</i>	do.	do.	h	t
ARDISIA	BURDOCK				
solonacca Roxb.	common	N. Amer.	do.	h	b
ARENARIA	ARDISIA				
canadensis Pers. }	night shade flowering	E. Indies		h.h	s
rubra v. marina L. }	SAND WORT				
rubra L.	marsh	N. Amer.		h	a
trinervia L.	field or red	Europe		h	a
serpillifolia L.	three nerved	do.		h	a
ARETHUSA	thyme leaved	N. Amer.		h	a
ophioglossoides L.	ARETHUSA				
ARGEMONE	adder's tongue leaved	N. Amer.		h	p
mexicana L.	HORNED POPPY				
ARISTIDA	Mexican	Mexico		h	a
dichotoma Mich.	ARISTIDA				
ARISTOLOCHIA	small	N. Amer.		h	p
odoratissima L.	BIRTH WORT—Snake-root				
serpentaria L.	sweet scented	W. Indies		h.h	s
ARTEMISIA	Virginian	N. Amer.	Med.	h	p
abrotanum L.	WORMWOOD				
absinthium L.	southernwood	Europe	Med.	h	s
dracunculus L.	common	do.	do.	h	p
ARTOCARPUS	Tarragon	Siberia	Diet	h	p
incisa L.	BREAD FRUIT TREE				
ARUM	South Sea	S. Sea Isl.	Diet	h.h	t
dracontium L.	INDIAN TURNIP				
triphyllum L.	many leaved	N. Amer.	Med.	h	p
ARUNDO	three leaved	do.	do.	h	p
arenaria L.	REED GRASS				
epigejos L.	sand	N. Amer.		h	p
phragmitis L.	small	do.		h	p
ASARUM	common	do.		h	p
arifolium Mich.	ASARABACCA—Wild ginger				
canadense L.	heart snake root	N. Amer.	Med.	h	p
ASCLEPIAS	white snake root	do.	do.	h	p
amœna L.	SWALLOW WORT—Silk weed, Milk weed				
eurassavica L.	oval leaved	N. Amer.		h	p
fruticosa L.	eurassao	W. Indies		g.h	s
hybrida Mich. }	willow leaved	C. G. H.		g.h	s
variegata Walt. }	variegated	N. Amer.		h	p
incarnata L.	flesh coloured	do.		h	p
longifolia Mich.	long leaved	do.		h	p
nigra L.					
Cynanchum nigrum } Pers. }	black	Europe	Med.	h	p
obtusifolia Mich.	obtusely leaved	N. Amer.		h	p
paupercula Mich.	linear leaved	do.		h	p
pulehra Ehrh.	river	do.		h	p
purpurascens L.	purple	do.		h	p
syriaca L.	common	do.	Arts	h	p
tuberosa L.	Pleurisy root. <i>Butter-fly</i>	do.	Med.	h	p
decumbens Walt. }	<i>weed</i>				
verticillata L.	whorl'd leaved	do.		h	p
vincetoxicum L.					
Cynanchum vincetoxi- cum Pers. }	official	Europe	Med.	h	p

ASPARAGUS	ASPARAGUS	Europe	Med. & h	
officinalis L.	common		Diet	
ASPHODELUS	ASPHODEL— <i>King's spear</i>			
fistulosus L.	fistulous	Europe	g.h	F
luteus L.	common	do.	h	P
ramosus L.	branching	do.	Med. h	P
ASPLENIUM	SPLEEN WORT			
rhizophyllum L.	walking leaf	N. Amer.	h	P
trichomanes L.	fine leaved	do.	Med. h	P
ASTER	STAR WORT			
amplexicaulis Muhl.	stem clasping	N. Amer.	h	a
annuus L.	annual	do.	h	a
chinensis L.	China Aster	China	h	a
concolor L.	axillary	N. Amer.	h	P
conyzoides Willd. }	flea bane	do.	h	P
Convza asteroides L. }	heart leaved	do.	h	P
cordifolius L.	clustered	do.	h	P
corymbosus Ait.	spreading	do.	h	P
diffusus Ait.	straggling	do.	h	P
divaricatus L.	bushy	do.	h	P
dumosus L.	heath leaved	do.	h	P
ericoides L.	leafy	do.	h	P
foliolosus Ait.	dwarf	do.	h	P
humilis Willd.	hyssop leaved	do.	h	P
hyssopifolius L.	toad flax leaved	do.	h	P
linariifolius L.	large leaved	do.	h	P
macrophyllum Ait.	many flowered	do.	h	P
multiflorus Willd.	wood	do.	h	P
memoralis Ait.	New-England	do.	h	P
noxe anglie L.	small flowered	do.	h	P
novi belgii L.	panicle	do.	h	P
paniculatus Ait.	open flowered	do.	h	P
patens Ait.	nodding	do.	h	P
pendulus Ait.	phlox leaved	do.	h	P
phlogifolius Muhl.	purple stalked	do.	h	P
puniceus L.	stiff leaved	do.	h	P
rigidus L.	golden rod	do.	h	P
solidaginoides Mich.	sea side	do.	h	P
subulatus Mich.	narrow leaved	do.	h	P
tenuifolius L.	smooth stemmed	do.	h	P
tradescantii L.	peach leaved	do.	h	P
umbellatus Ait. }	waved leaved	do.	h	P
amygdalinus Mich. }				
undulatus L.				
ASTRAGALUS	MILK VETCH			
alopecuroides L.	fox tail	Siberia	h	P
depressus L.	trailing	Europe	h	P
glauus L.	common	Spain	h	a
uliginosus L.	violet coloured	Siberia	h	P
ATRIPLEX	ORACHE			
hortensis L.	garden	Europe	Diet h	a
patula L.	spreading	N. Amer.	h	a
ATROPA	DEADLY NIGHT SHADE			
frutescens L.	shrubby	Spain	Med. g.h	s
physaloides L.				
Nicandra physaloides }	blue flowered	Peru	Med. h	a
Pers. }				
AUCUBA	AUCUBA— <i>Gold tree</i>			
japonica L.	japan	Japan	h.h	s
AVENA	OAT GRASS, OATS			
brevis Roth.	short	Europe	h	a
elatior L.	tall	do.	Agr. h	P
Holcus avenaceus Sm. }				

HORTUS ELGINENSIS.

9

fatua L.	wild	Europe		h	a
flavescens L.	yellow	do.		h	p
nuda L.	naked	—		h	a
pennsylvanica L.	Pennsylvanian	N. Amer.		h	a
pratensis L.	meadow	Europe		h	p
pubescens L.	downy	do.		h	p
sativa L.	cultivated	—	Diet & Agr.	h	a
sesquitertia L.	hairy	Europe		h	a
sibirica L.	Siberian	Siberia		h	p
spicata L.	rock	N. Amer.		h	p
glumosa Mich. }					
sterilis L.	barren	Europe		h	a
strigosa Schr.	slender	do.		h	a
AZALEA	UPRIGHT HONEY SUCKLE				
nudiflora L.	common	N. Amer.		h	s
v. alba	white flowered				
v. bicolor	two coloured				
v. carnea	flesh coloured				
v. coccinea	scarlet				
v. rutilans	deep red				
pontica L.	yellow flowered	do.		h	s
v. calendulacea Mich.	marygold leaved				
viscosa L.	viscous	do.		h	s
v. glauca	glaucous leaved				
v. odorata	sweet scented				
v. vittata	spotted flowered				
BALLOTA	STINKING HOREHOUND				
lanata					
Leonurus lanata Pers. }	woolly	Siberia		h	p
nigra	black	Europe		h	p
BALSAMITA	COSTMARY				
vulgaris Willd.					
major Desf.					
Tanacetum balsamita L. }	garden	Europe	Med.	h	p
BASELLA	MALABAR NIGHT SHADE				
rubra L.	red, or Chinese Spinach	E. Indies	Diet	h.h	b
BAUHINIA	BAUHINIA, or Mountain Ebony				
acuminata L.	sharp pointed	E. Indies		h.h	s
candida Ait.	white leaved	do.		h.h	s
divaricata L.	spreading	S. Amer.		h.h	s
porrecta Ait.	Jamaica	W. Indies		h.h	s
tomentosa L.	downy	E. Indies		h.h	s
variegata L.	variegated	do.		h.h	s
BELLIS	DAISY				
perennis, L.	garden	Europe		h	p
BERBERIS	BARBERRY				
vulgaris, L. }	common American	N. Amer.	Med. & Diet	h	s
v. canadensis }					
BETA	BEET				
cicla L.	white	Europe	Diet	h	b
v. —	scarcity root or mangel wurzel				
vulgaris L.	common	do.	Diet	h	b
BETONICA	BETONY				
officinalis	common or wood	Europe	Med.	h	p
BETULA	BIRCH				
alba L.	white	Europe	Arts	h	t
lanulosa Mich. }	sweet-scented, or black	N. Amer.	Arts	h	t
nigra L.					
lenta L.	horn-beam-leaved	do.	Arts	h	t
carpinifolia Mich. }					
populifolia Ait. }	poplar leaved	do.	Arts	h	t
acuminata Ehrh. }					

<i>pumila</i> L.	dwarf	N. Amer.	Arts	h	t
BIDENS	BURR-MARYGOLD				
<i>bipinnata</i> L.	hemlock leaved	N. Amer.		h	a
<i>chrysanthemoides</i> Mich.	large flowering	do.		h	a
<i>connata</i> Mich.	marsh	do.		h	a
<i>frondosa</i> L.	branching	do.		h	a
<i>nivea</i> L.					
<i>Melananthera deltoidea</i> Mich. }	deltoid leaved	W. Indies		g.h	p
BIGNONIA	TRUMPET FLOWER				
<i>capreolata</i> L.	two leaved	N. Amer.		g.h	s
<i>catalpa</i> L.					
<i>Catalpa bignonioides</i> Walt. }	Catalpa tree	do.		h	t
<i>radicans</i> L.	common	do.		h	t
<i>sempervirens</i> L.					
<i>Gelsemium nitidum</i> Mich. }	yellow Carolina jasmine	do.		g.h	s
<i>stans</i> L.	tree	S. Amer.		h.h	t
BIXA	ARNOTTO				
<i>orellana</i> L.	common	B. Indies	Arts	h.h	s
BLITUM	STRAWBERRY BLITE				
<i>capitatum</i> L.	common	Europe		h	a
<i>virgatum</i> L.	slender stalked	do.		h	a
BOERHAAVIA	HOGWOOD				
<i>diffusa</i> L.	spreading	Peru		h.h	p
BORAGO	BORAGE				
<i>africana</i> L.	African	Africa		h	a
<i>officinalis</i> L.	common	Europe	Med.	h	a
BOTRYPUS	HEMLOCK FERN				
<i>virginicus</i> Mich.					
<i>Osmunda virginica</i> L. }	snake root fern	N. Amer.		h	p
<i>lunarioides</i> Mich.	kidney leaved	do.		h	p
BRASSICA	CABBAGE				
<i>napus</i> L.	rape, or <i>Cole seed</i>	Europe	Med.	h	p
<i>oleracea</i> L.	common or esculent	do.	Diet	h	b
<i>orientalis</i> L.	perfoliate	do.	Diet	h	b
<i>rapa</i> L.	common Turnep	do.	Diet	h	b
BRIZA	QUAKING GRASS				
<i>media</i> L.	middle	Europe		h	b
BROMELIA	PINE APPLE				
<i>anas</i> L.	common	W. Indies	Diet	h.h	s
BROMUS	BROME GRASS				
<i>asper</i> L. }	rough	Europe		h	p
<i>hirsutus</i> Curt. }					
<i>canadensis</i> Mich.	Canadian	N. Amer.		h	p
<i>erectus</i> Sm.	upright	Europe		h	p
<i>inermis</i> L.	smooth	do.		h	p
<i>littorens</i> Retz.	sea	Siberia		h	p
<i>madritensis</i> Vahl.	wall	Europe		h	a
<i>mollis</i> L.	soft	N. Amer.		h	a
<i>pinnatus</i> L.	feathered	Europe		h	p
<i>racemosus</i> L.	variegated	do.		h	a
<i>secalinus</i> L.	rye	N. Amer.		h	a
<i>sterilis</i> L.	barren	Europe		h	a
<i>tectorum</i> L.	nodding	do.		h	a
BRYONIA	BRIONY				
<i>palmata</i> L.	palmated	E. Indies		h.h	p
BROUSSONETIA	BROUSSONETIA				
<i>papyrifera</i> Vent. }					
<i>Morus papyrifera</i> L.	paper mulberry	Japan	Arts	h	t
<i>Papyrus japonica</i> Lmk. }					
BROWALLIA	BROWALLIA				
<i>clata</i> L.	upright	Peru		h	a

BUBON laevigatum <i>Ait.</i>	BUBON smooth	C. G. H.	g.h	s
BUDDLEJA globosa L.	BUDDLEJA round headed	China	g.h	s
BUPITTHALMUM grandiflorum L. helianthoides <i>L'Her.</i> Helianthus laevis L. } Heliopsis laevis <i>Pers.</i> } salcicifolium	OX EYE large flowered	Europe	h	p
BUPTHEURUM rotundifolium L.	smooth	N. Amer.	h	p
BUXUS balcanica <i>Lmk.</i> sempervirens L. v. suffruticosa v. variegata	willow leaved	Europe	h	p
CACALIA articulata L. runcinatus <i>Lmk.</i> laciniata <i>Jacq.</i> atriplicifolia L. souchifolia L. }	HARE'S EAR — <i>Thorough wax</i> round leaved	Europe	Med. h	a
CACTUS coccinellifer L. ficus indica L. flagelliformis L. glomeratus <i>Lmk.</i> grandiflorus L. mamillaris L. melocactus L. opuntia L. pentagonus L. pereskia L. triangularis L. tuna L.	BOX TREE minorca evergreen dwarf do. variegated do.	Minorea Europe	g.h Med. h	s s
CÆSALPINIA puleherrima <i>Sswz.</i> Poinciana pulcherri- ma L. }	CACALIA jointed	C. G. H.	g.h	s
CALADIUM esculentum <i>Vent.</i> Arum esculentum L. }	orache leaved scarlet	N. Amer. E. Indies	h p	p a
CALENDULA officinalis L. v. flore pleno	CACTUS Cochineal Indian fig White spined Indian fig creeping cereus smallest Indian fig night flowering Cereus small Melon thistle great Melon thistle common Indian fig five sided torch thistle Barbadoes gooseberry triangular Cereus black spined Indian fig	S. Amer. do. do. do. W. Indies do. do. N. Amer. S. Amer. W. Indies S. Amer. W. Indies	h.h g.h g.h h.h h.h h.h h h.h h.h g.h h.h	s s s p s p s s s s s s
CALLA æthiopica L. palustris L.	CÆSALPINIA Barbadoes flower fence	B. Indies	h.h	s
CALLICARPA americana L. v. fructu albo	CALADIUM Esculent— <i>Tannier</i>	Africa	Diet h.h	s
CALTHA palustris L.	POT MARYGOLD common	Europe	Diet & h Med.	a
CALYCANTHUS floridus L.	double flowering			
CALYMENTIA prostrata <i>Cav.</i>	CALLA Æthiopian marsh	C. G. H. N. Amer.	g.h h	p p
CAMELLIA japonica L. v. flore pleno albo v. flore pleno rubra v. flore pleno variegata	CALLICARPA sage leaved white fruited	N. Amer.	h	s
	MARSH MARYGOLD common	N. Amer.	h	p
	CAROLINA ALLSPICE or <i>Sweet scented shrub</i> rough leaved	Carolina	h	s
	CALYMENTIA jointed	Peru	h.h	s
	CAMELLIA Japan rose double flowered white do. do. red variegated double flowered	Japan	g.h	s

CAMPANULA

grandiflora L. }
gentianoides Lmk. }
lanuginosa Lmk.
medium L.
perfoliata L.
amplexicaulis Mich. }
pyramidalis L.
rotundifolia L.
speculum L.

CANNA

glauca L. *v. flaccida*
indica L.
v. coccinea

CANNABIS

sativa L.

CAPRARIA

biflora L.

CAPSICUM

annuum L.
v. longum
baccatum L.
grossum L.

CARDAMINE

impatiens L.

CARDIOSPERMUM

halicacabum L.

CARDUUS

arvensis Sm. }
Scerratula arvensis L. }
Cnicus arvensis Pers. }
defloratus L. }
cirsioides Willd. }
horridulus Pers. }
Cirsium horridulum }
Mich. }
lanceolatus Sm. }
Cnicus lanceolatus }
Willd. }
marianus L. }
Carthamus maculatus }
Lmk. }
personata Willd. }
Arctium personata L. }

CARICA

papaya L.

CARLINA

corymbosa L.

CARPINUS

Americana Willd.

CARTHAMUS

ceruleus L.
mitissimus L.
tinctorius L.

CARUM

carui L.

CASSIA

alata L. }
herpetica Jacq. }
arborescens Vahl.
chamærista L.
corymbosa Lmk.
fasciculata Mich.

BELL FLOWER

large Siberia h p
woolly Tartary g.h b
Canterbury Europe h b
perfoliate N. Amer. h a
pyramidal Carniola g.h b
round leaved N. Amer. h p
Venus's looking-glass Europe h a

INDIAN REED or SHOT

glaucous Carolina g.h p
common B. Indies g.h p
scarlet flowered

HEMP

common E. Indies Arts h a

CAPRARIA

two flowered W. Indies h.h s

CAPSICUM or Guinea Pepper

common S. Amer. Diet h a
long podded
Bird pepper B. Indies Med. g.h s
Bell pepper do. Diet g.h s

CARDAMINE

naked flowering Europe h a

HEART PEA

smooth leaved N. Amer. h a

THISTLE

Canada thistle N. Amer. h b

long leaved Europe h b

thorny N. Amer. h b

lanceolate--*Spear thistle* do. h b

milk Europe Med. h b

dressed do. h b

PAPAW TREE

common E. Indies Diet h.h t

CARLINA

cluster flowering Italy g.h p

HORN BEAM

American N. Amer. Arts h t

CARTHAMUS or Safflower

blue Europe h p
smooth do. h p
bastard Saffron Egypt Med.& Arts h a

CARAWAY

common Europe Med. h b

CASSIA

winged--*Ring worm tree* S. Amer. Med. h.h t
tree E. Indies h.h t
dwarf. *Magothy bay bean* N. Amer. h a
clustered S. Amer. h.h s
fasciculated N. Amer. h a

marilandica L.	false Acacia	N. Amer.	Med.	h	p
nictitans L.	shining or sensitive	do.		h	a
senna L.	Egyptian senna	Egypt	Med.	h	a
sophora L.	white	E. Indies		h.h	p
tora L.	oval leaved	S. Amer.		h	a
limensis Lmk. }					
CASTANEA	CHESNUT				
vesca Gert. }	common	N. Amer.	Diet & Arts	h	t
Fagus castanea L. }					
pumila Mich. }	dwarf or <i>chinquapin</i>	do.	Diet	h	t
Fagus pumila L. }					
CATANANCHE	CATANANCHE				
lutea L.	yellow	Europe		h	a
CATESBEA	LILY THORN				
spinosa L.	Bahama	W. Indies		h.h	s
CAUCALIS	BASE PARSLEY				
mauritanica L.	small	Africa		h	a
CEANOTHUS	NEW-JERSEY TEA-TREE				
americanus L.	common	N. Amer.	Med.	h	p
CELASTRUS	STAFF-TREE				
scandens L.	climbing— <i>Bitter-sweet</i>	N. Amer.	Med.	h	s
CELOSIA	CELOSIA— <i>Cock's comb</i>				
argentea L.	silvery spiked	China		h	a
coccinea L.	scarlet spiked	do.		h	a
cristata L.	common	E. Indies		h	a
CELSIA	CELSIA				
cretica L.	large flowered	Africa		g.h	b
CELTIS	NETTLE TREE				
crassifolia Lmk. }	dwarf	N. Amer.		h	t
cordata H. P. }					
occidentalis L.	common American	do.		h	t
CENCHRUS	CENCHRUS				
tribuloides L.	hedge hog	N. Amer.		h	a
CENTAUREA	CENTAURY				
africana Desf.	African	Africa		g.h	b
atropurpurea Willd.	dark purple	Europe		h	p
benedicta L.	Blessed thistle	do.	Med.	h	a
centaureum L.	great	do.		h	p
crocodylum L.	blush flowered	Syria		h	a
crupina L.	black seeded	Levant		h	a
cyaneus L.	Blue Bottle	Europe	Med.	h	a
glauca Willd.	glaucous	N. Amer.		h	b
moschata L.	Sweet Sultan	Peru	Med.	h	a
phrygia L.	Austrian	Europe		h	p
scabiosa L.	scabious	do.	Med.	h	p
solstitialis L.	St. Barnaby's thistle	do.		h	a
spinosa L.	thorny	Crete		g.h	s
suaveolens Willd. }	yellow sweet Sultan	Europe		h	a
amberboi Lmk. }					
CEPHALANTHUS	BUTTON WOOD				
occidentalis L.	American	N. Amer.	Med.	h	s
CERASTIUM	MOUSE EAR CHICKWEED				
semidecandrum L.	small	N. Amer.		h	a
viscosum L.	clammy	do.		h	a
vulgatum L.	common	do.		h	a
CERATONIA	ST. JOHN'S BREAD				
siliqua L.	common	Levant	Med.	g.h	s
CERBERA	CERBERA or <i>Rattle tree</i>				
thevetia L.	willow leaved	W. Indies		h.h	t
CERCIS	JUDAS TREE or <i>Red bud</i>				
canadensis L.	American	N. Amer.	Diet	h	t
siliquastrum L.	European	Europe		h	t
CERINTHE	HONEY WORT				
major L.	purple	Siberia		h	a

CESTRUM	CESTRUM—Bastard Jasmine				
diurnum L.	day smelling	W. Indies	h.h	s	
vespertinum L.	fetid	do.	h.h	s	
CHEROPHYLLUM	WILD CHERVIL				
claytoni Pers.	} sweet scented	N. Amer.	h	b	
Myrrhis claytoni Mich.					
CHEIRANTHUS	STOCK JULY FLOWER				
annuus L.	ten week	Europe	h	a	
cheiri L.	common wall flower	do.	Med. h	b	
fenestralis L.	waved	do.	h	b	
incanus L.	Brompton—Queens	do.	h	b	
linifolius Pers.	} flax leaved	Spain	g.h	p	
Hesperis linifolius H. P.					
tricuspidatus L.	tricuspid	Africa	h	a	
CHELIDONIUM	CELANDINE				
glaucium L.	} yellow horned poppy	Europe	h	a	
Glaucium luteum Sm.					
majus L.	common—greater	N. Amer.	Med. h	p	
v. flore pleno	double flowered				
CHELONE	HUMMING BIRD TREE				
barbata Cav.	} scarlet	Mexico	g.h	p	
formosa Wend.					
melicoides Andr.					
glabra	white	N. Amer.	h	p	
CHENOPODIUM	GOOSE FOOT				
album L.	common lamb's quarters	N. Amer.	Diet h	a	
ambrosioides L.	Mexican	do.	Med. h	a	
anthelminticum L.	wormseed, Jerusalem oak	do.	Med. h	p	
atriplicis L.	purple	China	h	a	
bonus henricus L.	English mercury	Europe	Med. h	p	
botrys L.	cut leaved	N. Amer.	Med. h	p	
glaucum L.	glaucous	do.	h	a	
hybridum L.	fetid	do.	Med. h	a	
scoparia L.	{ Belvedere—Summer Cy- press	China	h	a	
villosum Lmk.					
viride L.	hairy	Siberia	h	a	
CHIONANTHUS	green lamb's quarters	N. Amer.	Diet h	a	
virginica L.	FRINGE TREE				
CHIRONIA	broad leaved	N. Amer.	h	s	
angularis L.	angular stemmed	N. Amer.	Med. h	b	
chloroides Mich.	} many petal'd	do.	h	p	
Chlora dodecandra L.					
linoides L.	flax leaved	C. G. H.	g.h	s	
CHLORIS	WIRE GRASS				
mucronata Mich.	common	N. Amer.	h	a	
CHRYSANTHEMUM	CHRYSANTHEMUM				
carinatum Schous.	} three coloured	Barbary	h	a	
tricolor Andr.					
coronarium L.	garden	Europe	h	a	
leucanthemum L.	ox eye daisy	N. Amer.	Med. h	p	
CHRYSOCOMA	GOLDY LOCKS				
cernua L.	nodding	C. G. H.	g.h	s	
CHRYSOPHYLLUM	STAR APPLE				
cañito L.	broad leaved	W. Indies	h.h	s	
CICER	CHICK PEA				
arretinum L.	common	Europe	Med. h	a	
CICORIUM	SUCCORY				
endivia L.	garden Endive	E. Indies	Diet & Med. h	b	
intybus L.	wild	Europe	Med. h	p	
CICUTA	WATER HEMLOCK				
maculata L.	American	N. Amer.	Med. h	p	

CINCHONA	CINCHONA			
pubens —				
Pineckneya pubens Mich.	} hairy— <i>Georgia bark</i>	Carolina	g.h	t
CINERARIA	ASH WORT			
eruenta <i>P'Her.</i>	purple	Can. Isl.	g.h	s
aurita <i>Andr.</i>	woolly	do.	g.h	s
lanata <i>P'Her.</i>	poplar leaved	do.	g.h	p
populifolia <i>P'Her.</i>				
CINNA	CINNA			
arundinacea L.	reedy	N. Amer.	h	p
CIRCEA	ENCHANTERS NIGHT SHADE			
alpina L.	mountain	N. Amer.	h	p
lutetiana L.	common	do.	h	p
CISTUS	CISTUS or ROCK ROSE			
albidus L.	white leaved	S. Europe	g.h	s
canadensis L.	Canada	N. Amer.	h	b
caroliniana Mich.	Carolinian	Carolina	g.h	s
halimifolius L.	sea purslain leaved	S. Europe	g.h	s
helianthemum L.				
Helianthemum vulgare Pers.	} dwarf	Europe	h	s
heterophyllus Desf.	different leaved	Barbary	g.h	s
ineanus L.	hairy leaved	S. Europe	g.h	s
ladaniferus L.	gum— <i>Labdanum</i>	do.	Med. g.h	s
monspeiliensis L.	Montpelier	do.	g.h	s
mutabilis Jacq.	changeable	do.	g.h	s
salicifolius L.	willow leaved	do.	g.h	a
salvifolius L.	sage leaved	do.	g.h	s
thymifolius L.	thyme leaved	do.	g.h	s
vaginatus Jacq.				
symplitifolius Lmk.	} sheathed	Teneriffe	g.h	s
villosus L.	hairy	S. Europe	g.h	s
umbellatus L.	umbelled	do.	g.h	s
CITRUS	CITRON TREE			
aurantium L.	common Orange	B. Indies	Med. & g.h	t
			Diet	
v. sinensis	China	China	Diet g.h	t
decumana L.	Chaddock	do.	Diet g.h	t
medica L.	Lemon tree	Levant	Med & g.h	t
			Diet	
v. limon	lime tree			
japonica Thunb.	Japan	Japan	Diet g.h	t
CLAYTONIA	CLAYTONIA			
virginica L.	Virginian	N. Amer.	h	p
CLEMATIS	VIRGIN'S BOWER			
flamula L.	sweet scented	Europe	h	s
ochroleuca Ait.	yellow flowered	N. Amer.	h	p
viorna L.	leather flowered	do.	h	s
virginiana L.	Virginian	do.	h	s
viticella L.	purple	Europe	h	s
v. flore pleno	double flowered			
CLEOME	BASE MUSTARD			
pentaphylla L.	five leaved	W. Indies	Diet h	a
CLETHRA	CLETHRA			
alnifolia L.	smooth alder leaved	N. Amer.	h	s
v. pubescens	hairy do.	do.	h	s
CLINOPODIUM	FIELD THYME			
vulgare L.	common	N. Amer.	Med. h	p
CLITORIA	CLITORIA			
galactia L.				
Galactia pendula Pers.	} nodding	W. Indies	h.h	p
ternatea L.	winged	E. Indies	h.h	p
virginica L.	small flowered	N. Amer.	h	p

CNEORUM tricoeum L.	WIDOW WAIL yellow	S. Europe	g.h	s
CNICUS casabonæ Willd. discolor Muhl. oleraceus L.	CNICUS—Thistle fish two coloured yellow	S. Europe N. Amer. Europe	g.h h h	b b p
COCCOLOBA excoriata L.	SEA SIDE GRAPE small fruited	S. Amer.	h.h	t
COCHLEARIA armoracia L.	SCURVY GRASS horse radish	Europe	Diet & Med.	h p
officinalis L.	common	do.	Diet & Med.	h b
COFFEA arabica L.	COFFEE TREE common	Arabia	Diet & Med.	h.h s
COIX lacryma L.	JOB'S TEARS common	E. Indies	g.h	p
COLCHICUM autumnale L. v. flore pleno	MEADOW SAFFRON common double flowered do.	Europe	Med.	h p
COLLINSONIA canadensis L.	COLLINSONIA—Horse balm common	N. Amer.	Med.	h p
COLUTEA arborescens L. cruenta Ait. orientalis Lmk. } frutescens L. pocockii Ait. } halepica Lmk. }	BLADDER SENNA common variegated scarlet pocock's	Europe do. C. G. H. Levant	h h g.h g.h	s s s s
COMMELINA communis L.	COMMELINA common	S. Amer.	g.h	p
COMPTONIA aspleniifolia VHer. Liquidambar aspleni- folium L. }	COMPTONIA sweet fern	N. Amer.	Med.	h s
CONVALLARIA bifolia L. majalis L. multiflora L. polygonatum L. racemosa L.	SOLOMON'S SEAL two leaved or small common lily of the valley many flowered common clustered	N. Amer. Europe N. Amer. do. do.	h Med. h Med. h Med. h Med. h	p p p p p
CONVOLVULUS batatas L. farinosus L. panduratus L. sagittifolius Mich. sepium L. soldanella L. tricolor L. umbellatus L.	BIND WEED tuberous—sweet potatoe mealy fiddle leaved wild potatoe arrow leaved hedge kidney leaved three coloured unbelled	B. Indies Madeira N. Amer. do. do. Europe do. W. Indies	Diet g.h Med. h Med. Med. h h.h	h s p p p a a p
CONYZA fetida Willd. Erigeron fetidum L. } marilandica Mich. } Erigeron camphora- tum L. }	FLEA BANE fetid marsh	Africa N. Amer.	g.h h	p a
saxatilis L.	hyssop leaved	S. Europe	g.h	p
COPAIFERA officinalis L.	COPAIBA BALSAM TREE officinal	S. Amer.	Med.	h.h t
CORCHORUS olitorius L. siliquosus L.	CORCHORUS bristly leaved germander leaved	B. Indies do.	h h.h	a s

CORDIA		CORDIA			
flavescens L.		yellow fruited	S. Amer.	h h	s
COREOPSIS		TICK-SEED SUN-FLOWER			
angustifolia Ait.		narrow leaved	N. Amer.	h	p
anniculata L.		ear leaved	do.	h	p
tripteris L.		three leaved	do.	h	p
verticillata L.		whorl leaved	do.	h	p
CORIANDRUM		CORIANDER			
sativum		common	Europe	Med.	h a
CORNUS		DOGWOOD			
alba L.		white berried	N. Amer.	h	s
alternifolia L.		alternate leaved	do.	h	s
canadensis L.		Canadian	do.	h	p
circinata <i>P Her.</i>	} Mich.	hairy	do.	h	s
tomentulosa <i>Mich.</i>		common	do.	Med.	h t
florida L.		Cornelian Cherry	Europe	h	t
mascula L.		paniculated	N. Amer.	h	s
paniculata L.		bloody	do.	h	s
sanguinea L.		blue berried	do.	h	s
sericea <i>P Her.</i>	} Lmk.	creeping	do.	h	s
cœrulea <i>Lmk.</i>		upright	do.	h	s
stolonifera <i>Mich.</i>					
stricta <i>P Her.</i>					
CORONILLA		CORONILLA			
aculeata <i>Willd.</i>	} Pers.	prickly	E. Indies	h	a
Sesbania aculeata <i>Pers.</i>		silvery	Crete	g.h	s
argentea L.	} Lmk.				
stipularis <i>Lmk.</i>		hemp	E. Indies	h	a
canabina <i>Willd.</i>	} Pers.				
Sesbania cannabin-					
coccinea <i>Willd.</i>	} Pers.	scarlet flowered	do.	h.h	s
Æschynomene coccinea L.		scorpion senna	Europe	h	s
Sesbania coccinea <i>Pers.</i>		seven leaved	S. France	g.h	s
emerus L.					
glauca L.		large flowered	E. Indies	h.h	s
grandiflora <i>Willd.</i>	} Lmk.	various coloured	Europe	h	p
Æschynomene grandiflora L.					
varia L.					
CORYLUS		HAZEL-NUT or <i>Filbert</i>			
americana <i>Mich.</i>		American common	N. Amer.	Diet	h t
avellana L.		European common	Europe	Diet & Arts	h t
		eucold or beaked	N. Amer.	Diet	h t
rostrata <i>Ait.</i>	} Lmk.	large Spanish	Europe	Diet	h t
tubulosa <i>Willd.</i>					
maxima <i>Lmk.</i>					
COSTUS		COSTUS			
speciosus <i>Sm.</i>	} Lmk.	large flowering	E. Indies	h.h	p
arabicus <i>Jacq.</i>					
Amonum hirsutum					
COTYLEDON		NAVEL WORT			
hemispherica L.		thick leaved	C. G. H.	g.h	s
CRABE		KALE or COLE WORT			
maritima L.		sea	Europe	Diet	h p
CRATÆGUS		HAW-THORN			
coccinea L.		scarlet fruited	N. Amer.	Arts	h s
cordata <i>Ait.</i>	} H. P.	maple leaved	do.	h	s
corallina <i>H. P.</i>		cock spur	do.	h	s
Mespilus acerifolia <i>Poir.</i>		common white	Europe	Arts	h t
crus galli L.					
oxyacantha L.					

<i>v. flore pleno</i>	double flowered do.				
<i>pyrifolia Ait.</i>	pear leaved	N. Amer.	h	s	
<i>leucophleas Moench.</i> }					
CREPIS	HAWK'S BEARD				
<i>coronopifolia Desf.</i>					
<i>succulenta Ait.</i>					
<i>Chondrilla hieracioides Roth.</i> }	fine leaved	Can. Isles	g.h	b	
<i>parviflora Desf.</i>	small flowered	Levant	h	a	
<i>pungens H. P.</i>	pungent	—	h	a	
<i>rubra L.</i>	red	Europe	h	s	
CRINUM	CRINUM				
<i>asiaticum L.</i>					
<i>Amarylhis vivipara Lmk.</i> }	viviparous	B. Indies	g.h	p	
CROCUS	CROCUS or SAFFRON				
<i>sativus L.</i>		Levant	Arts & Med.	h	p
<i>officinalis Sm.</i> }	autumnal				
<i>vernus Willd.</i>	spring	Europe	Med.	h	p
CROTALARIA	CROTALARIA				
<i>incanescens L.</i>					
<i>capensis Thunb.</i> }	downy or shrubby	C. G. H.	g.h	s	
<i>arborescens Lmk.</i>					
<i>juncea L.</i>	rush leaved	E. Indies	h	a	
<i>laburnifolia L.</i>	laburnum leaved	do.	h	a	
<i>parviflora Roth.</i>	small flowered	N. Amer.	h	a	
<i>retusa L.</i>	blunt leaved	E. Indies	h.h	a	
<i>sagittalis L.</i>	arrow leaved	N. Amer.	h	a	
<i>verrucosa Willd.</i> }					
<i>cœrulea Jacq.</i>	blue flowered	E. Indies	h	a	
<i>angulosa Lmk.</i>					
CUCUBALUS	CAMPION				
<i>behen L.</i>	bladder	Europe	h	p	
<i>Silene inflata Sm.</i> }					
<i>fabarius L.</i>	thick leaved	Sicily	g.h	p	
<i>stellatus L.</i>	four leaved	N. Amer.	h	p	
CUCUMIS	CUCUMBER				
<i>anguinis L.</i>	snake	E. Indies	h	a	
<i>anguria L.</i>	prickly fruited	W. Indies	h	a	
<i>chate L.</i>	hairy	Egypt	h	a	
<i>colocyntis L.</i>	bitter apple— <i>Cologuintida</i>	C. G. H.	Med.	h	a
<i>dudaim L.</i>	apple shaped	Levant	h	a	
<i>melo L.</i>	Musk Melon	Tartary	Diet	h	a
<i>sativus L.</i>	common	do.	Diet & Med.	h	a
CUCURBITA	GOURD				
<i>aurantia Willd.</i>	orange	—	h	a	
<i>citrullus L.</i>	Water Melon	S. Europe	Diet & Med.	h	a
<i>idolatrix Willd.</i>	pear	Guinea	h	a	
<i>lagenaria L.</i>	bottle	S. Amer.	Med.	h	a
<i>melopepo L.</i>	Squash	—	Diet	h	a
<i>ovifera L.</i>	egg	Asia	h	a	
<i>pepo L.</i>	Pumpkin or Pompion	Levant	Diet	h	a
<i>v. potiro Pers.</i>	large round	—	Diet		
<i>verrucosa L.</i>	warted	—	Diet	h	a
CUNILA	CUNILA				
<i>mariana L.</i>					
<i>pulegioides L.</i>	mint leaved	N. Amer.	Med.	h	p
<i>Hedeoma pulegioides Pers.</i> }	pennyroyal leaved	do.	Med.	h	a
CUPRESSUS	CYPRESS TREE				
<i>disticha L.</i>	deciduous— <i>Cypress</i>	N. Amer.	Arts	h	t
<i>sempervirens L.</i>	common European	Crete	Med	g.h	t
<i>thuyoides L.</i>	white cedar	N. Amer.	Arts	h	t

CURCUMA lauga L.	TUMERIC long rooted	E. Indies	Arts & Med.	h. h	p
CUSCUTA americana L.	DODDER American	N. Amer.		h	a
CYCAS revoluta L.	CYCAS or <i>Sago Palm</i> narrow leaved	E. Indies	Med	h. h	s
CYCLAMEN persicum <i>Ait.</i>	CYCLAMEN or <i>Sow bread</i> spring	Cyprus		g. h	p
CYMBIDIUM hyemale <i>Muhl.</i>	CYMBIDIUM				
Arethusa racemos: } Walt.	winter	N. Amer.		h	p
pulehellum <i>Willd.</i>					
Limodorum tuberosum L. }	beautiful	do.		h	p
— pulchellum <i>Sal.</i>					
CYNANCHUM obliquum L.	CYNANCHUM oblique flowered	N. Amer.		h	p
CYNARA cardunculus L.	ARTICHOKE cardoon	Crete	Diet	h	p
scolymus L.	garden	Europe	Diet & Med.	h	p
CYNOGLOSSUM amplexicaule <i>Mich.</i>	HOUND'S TONGUE American	N. Amer.		h	b
linifolium L.	flax leaved	Europe		h	a
officinale L.	common	do.	Med.	h	b
pictum <i>Ait.</i>					
creticum <i>Vill.</i>	painted	Crete		h	a
cherifolium <i>Jacq.</i>					
CYNOSURUS cristatus L.	DOG'S TAIL GRASS erect	Europe	Agr.	h	p
eclinatus L.	rough	do.	Agr.	h	a
erucæformis <i>Ait.</i>					
Phalaris erucæformis L. }	linear spiked	N. Amer.	Agr.	h	p
indicus L.					
Eleusine indica <i>Mich.</i>	opposite leaved	do.		h	a
CYPERUS compressus L.	CYPERUS or <i>Sedge</i> flat stemmed	N. Amer.	Agr.	h	p
odoratus L.	sweet scented	do.	Agr.	h	p
strigosus L.	rough	do.	Agr.	h	p
CYPRIPEDIUM humile <i>Willd.</i>	LADY'S SLIPPER large purple flowered	N. Amer.		h	p
acaule <i>Ait.</i>	small flowered	do.		h	p
parviflorum <i>Sal.</i>					
pubescens <i>Willd.</i>	American yellow	do.		h	p
flavescens <i>Red.</i>					
calceolus <i>Mich.</i>					
spectabile <i>Sal.</i>	tall white flowered	do.		h	p
canadense <i>Mich.</i>					
album <i>Ait.</i>					
CYRILLA caroliniana <i>Mich.</i>	CYRILLA				
racciniiflora L.	Carolinian	Carolina		h	s
Itea cyrilla <i>P. Her.</i>					
CYTISUS austriacus L.	CYTISUS Austrian	Austria		h	s
cajan L.	pigeon pea	E. Indies		g. h	b
capitatus <i>Jacq.</i>	headed	Austria		h	s
divaricatus <i>P. Her.</i>					
Spartium complicatum L. }	spreading	Europe		h	s
hirtus L.	hairy	do.		h	s

laburnum L.	laburnum	Austria		h	t
nigricans L.	blackish	Europe		h	s
sessilifolius L.	clammy podded	Italy		h	s
supinus L.	trailing	Europe		h	s
DACTYLIS	COCK'S FOOT GRASS				
glomerata L.	{ round headed—Or } chard grass	N. Amer.	Agr.	h	p
DALEA	DALEA				
alopecuroides Willd. }	fox tail or silky spiked	N. Amer.		h	a
limnai Mich. }					
DAPHNE	DAPHNE				
mezereum L.	common Mezereum	Europe	Med.	h	s
odora Ait.	sweet scented	China		g.h	s
tartouirai L.	silvery	S. Europe		g.h	s
DATURA	THORN APPLE				
ferox L.	long spined	China		h	a
lavis L.	smooth	Africa		h	a
metel L.	downy	do.		h	a
stramonium L.	common—Jameston weed	N. Amer.	Med.	h	a
tatula L.	blue	do.	Med.	h	a
DAUCUS	CARROT				
carota	garden	Europe	Diet & Med.	h	b
v. sylvestris	wild	N. Amer.	Med.	h	b
DELPHINIUM	LARK SPUR				
ajacis L.	rocket	Europe		h	a
consolida L.	field	do.	Med.	h	a
hybridum Willd. }	hairy	Siberia		h	p
hirsutum Pers. }	stavesacre	Europe	Med.	h	b
staphisagria L.					
DESMANTHUS Willd. }	DESMANTHUS				
MIMOSA Auct. }	grey	E. Indies		h.h	s
cinereus Willd.	slender twigged	do.		h.h	s
virgatus Willd.					
DIANTHUS	PINK				
atrorubens Jacq.	purplish	Europe		h	p
barbatus L.	Sweet William	do.		h	p
carthusianorum L.	Carthusian	do.		h	p
caryophyllus L.	Carnation or garden	Europe	Med.	h	p
chinensis L.	Chinese	China		h	b
collinus Wald.	Hungarian	Hungary		h	p
deltoides L.	maiden	Europe		h	p
plumarius L.	feathered	do.		h	p
superbus L.	night scented or fringed	do.		h	b
DICHONDRA	DICHONDRA				
sericea Swz.	silvery	W. Indies		h.h	p
DICTAMNUS	FRAXINELLA				
albus L.	common	Europe	Med.	h	p
DIGITALIS	DIGITALIS or Fox-glove				
lutea L.	yellow	Europe		h	p
purpurea L.	purple or common	do.	Med.	h	b
v. alba	white				
DIONÆA	VENUS'S FLY TRAP				
muscipula L.	sensitive	Carolina		g.h	p
DIOSCOREA	YAM				
akata L.	winged stem'd	E. Indies	Diet	h.h	p
sativa L.	cultivated	do.	Diet	h.h	p
villosa L.	American	N. Amer.		h	p
paniculata Mich. }					
DIOSMA	DIOSMA				
ericoides L.	heath leaved	C. G. H.		g.h	s
DIOSPYROS	PERSIMON or Date Plum				
virginiana L.	common—Medlar	N. Amer.	Diet & Med.	h	t

DIPSACUS	TEASEL				
fullonum L.	fullers	Europe	Arts	h	b
laciniatus L.	wild	N. Amer.		h	b
DIPTERIX	TONKA BEAN				
odorata Willd.	sweet scented	S. Amer.	Med.	h.h	t
<i>Rauosma tonga Gært.</i>					
DIRCA	LEATHER WOOD				
pulustris L.	marsh— <i>Moose Wood</i>	N. Amer.	Med.	h	s
DODONÆA	DODONÆA				
angustifolia L.	narrow leaved	B. Indies		g.h	s
triquetra <i>Wend.</i>	three sided	N. Holl.		g.h	s
DOLICHOS	DOLICHOS				
biflorus L.	two flowered	E. Indies		h	a
capensis L.	cape	C. G. H.		h	a
ensiformis L.	sword	W. Indies		h	a
lablab L.	purple flowered	Egypt		h	a
pruriens L.					
<i>Stizolobium pruriens Pers.</i>	Cowhage	B. Indies	Med.	h.h	s
sesquipedalis L.	long podded	S. Amer.		h	a
sinensis L.	Chinese	E. Indies		h	a
DOMBEYA	DOMBEYA				
ferruginea Cav.	ferrugineous	E. Indies		h.h	t
DORONICUM	LEOPARD'S BANE				
glutinosum Willd.	glutinous	Mexico		g.h	p
<i>Aster glutinosus Cav.</i>					
<i>Inula glutinosa Pers.</i>					
DORSTENIA	DORSTENIA				
contrajerva L.	angular— <i>Contrajerva</i>	S. Amer.	Med.	h.h	p
DORYCNium	DORYCNium				
monspeliense Willd.	shrubby	S. Europe		g.h	s
fruticans Pers.					
<i>Lotus dorycnium L.</i>					
DRABA	WHITLOW GRASS				
verna L.	spring	N. Amer.		h	a
DRACOCEPHALUM	DRAGON'S HEAD				
canariense L.	Balm of Gilead	Can. Isl.	Med.	g.h	s
moldavica L.	Moldavian balm	Siberia	Med.	h	a
sibiricum L.	Siberian	do.		h	p
DROSERA	SUN DEW or <i>Rosa solis</i>				
rotundifolia L.	round leaved	N. Amer.	Med.	h	a
ECHium	VIPER'S BUGLOSS				
candicans L.	hoary	Madeira		g.h	s
strictum L.	upright	Teneriffe		g.h	s
vulgare L.	common	N. Amer.		h	b
ECLIPTA	ECLIPTA				
erecta L.	upright	B. Indies	Arts	h	a
ELEPHANTOPUS	ELEPHANT'S FOOT				
carolinianus Willd.	Carolinian	N. Amer.	Med.	h	p
<i>scaber Mich.</i>					
ELSHOLTZIA	ELSHOLTZIA				
cristata Willd.	crested	Siberia		h	a
<i>Hyssopus oeymifolia Lmk.</i>					
<i>Mentha ovata Cav.</i>					
ELYMUS	LYME GRASS				
arenarius L.	sand	Europe		h	p
canadensis L.	Canadian	N. Amer.		h	p
striatus L.	striated	do.		h	p
virginicus L.	Virginian	do.		h	p
EPIGÆA	EPIGÆA				
repens L.	creeping— <i>Pigeon berry</i>	N. Amer.		h	s
EPILOBIUM	WILLOW HERB				
angustifolium L.	narrow leaved	N. Amer.		h	p

spicatum <i>Lmk.</i>	narrow leaved	N. Amer.	h	p
pubescens <i>Roth.</i>	soft leaved	Europe	h	p
villosum <i>Ait.</i>				
molle <i>Lmk.</i>	square stalked	N. Amer.	h	p
tetragonum <i>L.</i>				
ERICA	HEATH			
arbores L.	tree	Madeira	g.h	s
australis L.	Spanish	S. Europe	g.h	s
herbacea L.	early dwarf	do.	g.h	s
mediterranea L.	Mediterranean	do.	g.h	s
scoparia L.	small flowering	do.	g.h	s
tetralix L.	cross leaved	Europe	h	s
stricta <i>Donn.</i>	upright	Corsica	g.h	s
triflora L.	three flowered	C. G. H.	g.h	s
tubiflora L.	tubular	do.	g.h	s
vagans L.	Cornish	Europe	g.h	s
vulgaris L.	common	do.	g.h	s
<i>v. flore pleno</i>				
ERIGERON	ERIGERON or Flea Bane			
canadense L.	common field	N. Amer.	Med.	h a
heterophyllum <i>Muhl.</i>	different leaved	do.		h a
philadelphicum L.	spreading	do.		h a
strigosum <i>Muhl.</i>	harsh	do.		h a
ERIOPHORUM	COTTON GRASS—Wool grass.			
cyperinum L.	tall	N. Amer.	h	p
Scirpus eriorhorum } <i>Mich.</i>				
Trichophorum cype- rinum <i>Pers.</i>				
polystachyon L.	common	do.	h	p
ERODIUM <i>Ait.</i>				
GERANIUM <i>Auct.</i>	HIERON'S BILL GERANIUM			
ciconium <i>Willd.</i>	hairy	S. Europe	h	a
cicutarium <i>Sm.</i>	hemlock leaved	Europe	h	a
moschatum <i>Ait.</i>	musk smelling	do.	h	a
ERVUM	TARE			
lens L.	common	Europe	Med.	h a
tetraspermum L.	four seeded	do.		h a
ERYNGIUM	ERYNGO			
aquaticum L.	water	N. Amer.	Med.	h p
dilatatum <i>Lmk.</i>	broad leaved	Europe		h p
planum L.	flat leaved	do.		h p
suaveolens <i>Brous.</i>	sweet scented	S. Europe		g.h b
yuccifolium <i>Mich.</i>	yucca leaved	N. Amer.		h p
ERYSIMUM	HEDGE MUSTARD			
barbarea L.	winter cress	Europe	Med.	h p
officinale L.	common	N. Amer.	Med.	h a
ERYTHRINA	CORAL TREE			
corallodendron L.	common	S. Amer.	h.h	t
crista galli L. }	cockscornb	do.	h.h	s
laurifolia <i>Jacq.</i> }				
herbacea L.	herbaceous	Carolina	Med.	g.h p
ERYTHRONIUM	DOG'S TOOTH VIOLET			
dens canis L.	common	N. Amer.	h	p
EUCALYPTUS	EUCALYPTUS			
robusta <i>Sm.</i>	oval leaved	N. Holl.	g.h	t
EUCOMIS	CROWN ASPHODEL			
punctata <i>VHer.</i>	spotted	C. G. H.	g.h	p
EUGENIA	EUGENIA			
jambos L.	{ Malabar plumb— <i>Pome</i>	E. Indies	Med. & g.h	s
	<i>rose</i>		Diet	
uniflora	Indian cherry tree	S. Amer.	Diet g.h	t
EUONYMUS	SPINDLE TREE			
americanus L.	American	N. Amer.	h	s

europæus L.	European	Europe	Arts	h	s
EUPATORIUM	EUPATORIUM				
ageratoides Willd. }	nettle leaved	N. Amer.		h	p
urticifolium Willd. }	aromatic	do.		h	p
aromaticum L.					
coronopifolium Willd. }	coronopus leaved	do.		h	p
Chrysocoma coronopi- folia Mich. }					
fœniculaceum Willd. }	dog's fennel	do.		h	p
Chrysocoma capillacea Mich. }					
maculatum L.	spotted stalked	do.		h	p
perfoliatum L.	bone-sett— <i>Thorough-wort</i>	do.	Med.	h	p
pupureum L.	purple stalked	do.		h	p
sessilifolium L.	sessile leaved	do.		h	p
teucriifolium Willd.	germander leaved	do.		h	p
trifoliatum L.	three leaved	do.		h	p
verticillatum Muhl.	whorled	do.		h	p
BUPHORBIA	SPURGE				
chamaesyce L.	small	Europe		h	a
characias L.	cypress	do.	Med.	h	p
cyparissias L.	willow leaved	S. Europe		g.h	s
hypericifolia L.	St. John's wort leaved	W. Indies		h	a
lathyris L.	caper	Europe	Med.	h	b
maculata L.	spotted	N. Amer.		h	a
peplus L.	petty	do.		h	a
polygonifolia L.	polygonum leaved	do.		h	a
punicea Jacq.	scarlet	W. Indies		g.h	s
spinosa L.	thorny	S. Europe		g.h	s
verrucosa L.	warted	do.		g.h	b
FAGUS	BEACH				
ferruginea Ait. }	common American	N. Amer.	Arts	h	t
sylvestris Pers. }					
FERRARIA	FERRARIA				
maculata L. }	spotted	C. G. H.		g.h	p
punctata Pers. }					
FESTUCA	FESCUE GRASS				
bromoides	brome	Europe	Agr.	h	p
elatior L.	tall meadow	do.	Agr.	h	p
luitans L.	floating	do.	Agr.	h	p
lofiacea Sm. }	long spiked	do.	Agr.	h	p
elongata Ehrt. }					
monostachya Desf.	one spiked	Barbary		h	p
myurus L.	wall	Europe	Agr.	h	p
ovina L.	sheeps	do.	Agr.	h	p
pœreformis Pers.	spreading	do.	Agr.	h	p
rubra L.	meadow	do.	Agr.	h	p
spadicea L.	sheathed	do.	Agr.	h	a
tenuifolia Leers.	fine leaved	do.	Agr.	h	a
FICUS	FIG TREE				
carica L.	common	S. Europe	Med. & g.h Diet		t
stipulata Thunb. }	creeping	E. Indies	Diet	h.h	s
scandens Lmk. }					
FOTHERGILLA	FOTHERGILLA				
alnifolia L.	alder leaved	N. Amer.		h	t
FRAGARIA	STRAWBERRY				
chiloensis Ehrt.	Chili	S. Amer.	Diet	h	p
elatior Ehrt.	hautboy	do.	Diet	h	p
grandiflora Ehrt.	pine-apple	do.	Diet	h	p
vesca L.	common garden	Europe	Diet	h	p
v. alpina	monthly				
virginiana Ehrt.	wild	N. Amer.	Diet	h	p

FRAXINUS		ASH				
excelsior L.		European	Europe	Arts	h	t
platycarpa Mich.		Carolinian	N. Amer.	Arts	h	t
sambucifolia Muhl.		black or water	do.	Arts	h	t
FRUTILLARIA		FRITILLARY				
imperialis L.		Crown Imperial	Persia		h	p
meleagris L.		common	do.		h	p
persica L.		Persian	Europe		h	p
FUCHSIA		FUCHSIA or <i>Ear drop</i>				
coccinea Nit.		scarlet	Chili		g.h	s
magellanica Lmk. }						
FUMARIA		FUMITORY				
glauca Curt.		} glaucous	N. Amer.		h	a
sempervirens L.						
Corydalis sempervirens Mich.		common	Europe	Med.	h	a
officinalis L.		GALACTIA				
GALACTIA		smooth	N. Amer.		h	p
glabella Mich.		} smooth				
Ervum volubile Walt. }						
GALANTHUS		SNOW DROP				
navalis L.		common	Europe		h	p
v. flore pleno		double flowered				
GALAX		GALAX				
aphylla L.		} heart leaved				
Erythroriza rotundifolia Mich.						
Solanandra cordifolia Pers.			N. Amer.		h	p
Blandfordia cordata Donn.						
GALINSOGEA		GALINSOGEA				
trilobata Cav.		three lobed	Peru		h	a
GALIAM		LADIES' BED STRAW				
asprellum Mich.		rough	N. Amer.		h	p
circæzans Mich.		branching	do.		h	p
claytoni Mich.		Claytons	do.		h	p
puncticulosum Mich.		dotted	do.		h	p
tinctorium L.		dyers	do.	Arts	h	p
trifidum L.		three cleft	do.		h	p
GARDENIA		CAPE JASMINE				
florida L.		white	C. G. H.		g.h	s
thunbergia Nit.		starry	do.		g.h	s
GAULTHERIA		MOUNTAIN TEA				
procumbens L.		{ procumbent— <i>Partridge</i>	N. Amer.	Med.	h	s
		berry				
GAURA		GAURA				
biennis		biennial	N. Amer.		h	b
GENISTA		GENISTA				
canariensis L.		Canary	Can. Isl.		g.h	s
candicans L.		evergreen Cytisus	S. Europe		g.h	s
decumbens Willd.		} decumbent	do.		g.h	s
Spartium decumbens Nit. }						
tinctoria L.		dyers	Europe	Arts	h	s
GENTIANA		GENTIAN				
erinita Froel.		fringed	N. Amer.		h	b
saponaria L.		soap wort leaved	do.		h	p
GERANIUM		CRANE'S BILL GERANIUM				
carolinianum L.		Carolina	N. Amer.		h	a
columbinum L.		long stalked	Europe		h	a
maculatum L.		spotted— <i>Crow foot</i>	N. Amer.	Med.	h	p
robertianum L.		Herb Robert	do.	Med.	h	a

HORTUS ELGINENSIS.

25

sanguineum L.	bloody	Europe	h	p
v. prostratum	creeping			
sylvaticum L.	wood	do.	h	p
GERARDIA	GERARDIA			
crinita —	fringed	N. Amer.	h	a
flava L.	yellow	do.	h	p
glauca —	glaucous	do.	h	p
pedicularia L.	louse wort leaved	do.	h	p
purpurea L.	purple	do.	h	a
tenuifolia Vahl. }	fine leaved	do.	h	a
erecta Walt. }				
GEUM	AVENS or Herb Bennet			
rivale L.	water	N. Amer. Med.	h	p
strictum Ait. }	upright	do. Med.	h	p
aleppicum Jacq. }	virginianum	do.	h	p
virginianum L.				
GLADIOLUS	CORN FLAG			
carneus Jacq.	flesh coloured	C. G. H.	g.h	p
communis L.	common	S. Europe	h	p
securiger Ait.	copper coloured	C. G. H.	g.h	p
tristis L.	square stalked	do.	g.h	p
GLECHOMA	GROUND IVY			
hederacea L.	common	N. Amer. Med.	h	p
GLEDITSIA	GLEDITSIA			
sinensis Lmk.	Chinese	China	Arts	g.h
tricanthos L.	three thorned Acacia	N. Amer.	Arts	h
v. inermis	smooth do.			t
GLORIOSA	SUPERB LILY			
superba L.	climbing	E. Indies	h.h	p
Methonica superba H.P. }				
GLYCINE	GLYCINE			
angulosa Muhl.	angular	N. Amer.	h	a
apios L.	tuberous	do.	h	p
bimaculata Curt. }	simple leaved	N. Holl.	g.h	s
Kennedia monophyll. Pers. }				
caribæa Jacq. }	hairy podded	W. Indies	h.h	s
coccinea Curt. }	scarlet flowered	N. Holl.	g.h	s
Kennedia coccinea Pers. }				
comosa L.	hairy	N. Amer.	h	a
frutescens L.	shrubby	do.	h	s
monoica L.	monœcious	do.	h	a
rubicunda Curt. }	red flowered	N. Holl.	g.h	s
Kennedia rubicunda Pers. }				
GLYCYRRHIZA	LIQUORICE			
glabra L.	common	Europe	Med.	h
GNAPHALIUM	CUDWEED—Life Everlasting			
margaritaceum L.	pearly	N. Amer.	h	p
obtusifolium L. }	obtuse leaved	do.	h	p
polycepalum Mich. }				
conoideum Lmk. }	plantain leaved	do.	Med.	h
plantaginifolium L.	purple	do.	h	p
purpureum L.	narrow leaved	S. Europe	g.h	s
stæchas L.	marsh	N. Amer.	h	a
uliginosum L.				
GOMPHRENA	GLOBE AMARANTH			
globosa L.	garden	E. Indies	h	a
GOODENIA	GOODENIA			
levigata Curt. }	smooth	N. Holl.	g.h	s
Scevola levigata Pers. }				

GORDONIA

franklini *P'Her.*
 Franklinia alata *Mich.*
Bartr.

lasianthus L.

GOSSYPIUM

herbaceum L.

religiosum L.

GRATIOLA

anagallidea *Mich.*

officinalis L.

v. caroliniensis Pers.

GREWIA

occidentalis L.

orientalis L.

GUETTARDA

speciosa L.

GUILANDINA

bonduc L.

GYMNOCLADUS

canadensis *Mich.*

Guilandina dioica L.

GYPSOPHYLLA

perfoliata L.

viscosa L.

HALESIA

tetraptera L.

HALORAGIS

cercodia *Ait.*

tetragonia *P'Her.*

alata *Jacq.*

Tetragonia ivæfolia L.

HAMAMELIS

virginica L.

HAMILTONIA

oleifera *Muhl.*

Pyralaria pubera Mich.

HEDERA

helix L.

HEDYCHIMUM

coronarium *Retz.*

HEDYSARUM

canadense L.

canescens L.

caput galli L.

coronarium L.

gyrans L.

marilandicum L.

nudiflorum L.

onobrychis L.

pallasii *Willd.*

buxbaumianum Pal.

paniculatum L.

saxatile L.

viridiflorum L.

HELENIUM

autumnale L.

HELIANTHUS

altissimus L.

annuus L.

decapetalus L.

divaricatus L.

giganteus L.

tuberosus L.

GORDONIA

Franklin's

loblolly bay

COTTON

common

Nankin

HEDGE HYSSOP

chickweed leaved

common

GREWIA

elm leaved

eastern

GUETTARDA

shewy

BONDUC or Nicker tree

yellow seeded

GYMNOCLADUS

Kentucky coffee tree

GYPSOPHYLLA

perfoliate

clammy

SNOW DROP TREE or Silver Bell

four winged

HALORAGIS

whorl leaved

wing seeded

WITCH HAZEL

common

HAMILTONIA

American oil nut

IVY

common

HEDYCHIMUM

crowned

HEDYSARUM

Canadian

hoary

cock's head

French Honeysuckle

moving plant

Maryland

naked flowering

Saint Foin

Siberian

panicled

rock

green flowered

HELENIUM

smooth

SUNFLOWER

tall

common

ten petal'd

branching

giant

Jerusalem artichoke

N. Amer.

do.

B. Indies

E. Indies

N. Amer.

do.

C. G. H.

E. Indies

E. Indies

E. Indies

N. Amer.

Europe

do.

Carolina

S. Sea Isl.

N. Amer.

N. Amer.

Europe

E. Indies

N. Amer.

do.

Europe

do.

E. Indies

N. Amer.

do.

Europe

do.

N. Amer.

Europe

N. Amer.

N. Amer.

N. Amer.

S. Amer.

N. Amer.

do.

do.

do.

S. Amer.

h

h

h

h.h

h

h

g.h

h.h

h.h

h.h

h

h

h

h

g.h

h

h

Med.

h

h.h

h

h

h

h

h

h

h

h

h

h

h

h

h

h

h

h

h

h

h

h

h

s

s

a

s

a

a

t

t

t

t

t

p

a

s

s

s

s

s

p

p

a

a

b

p

p

p

p

p

p

p

p

p

p

p

p

a

p

p

p

p

p

HELICHRYSUM		GOLDEN SUNFLOWER			
chrysanthum Pers.	}	Botany Bay	N. Holl.	g.h	b
Xeranthemum bracteatum Vent.					
HELIOTROPICUM		TURN SOLE			
indicum L.		common or wild	N. Amer.	h	a
peruvianum L.		sweet	Peru	Arts g.h	s
parviflorum L.		small flowered	E. Indies	h	a
HELLEBORUS		HOLLEBORE			
trifolius L.		three leaved—Goldthread	N. Amer.	Med. h	p
viridis L.		green	Europe	Med. h	p
HELLENIA		HELLENIA			
allughas Willd.	}	broad leaved	B. Indies	h.h	p
Heritiera allughas Retz.					
HEMEROCALLIS		DAY LILY			
cœrulea Vent.		blue	Japan	g.h	p
flava L.		yellow	Europe	h	p
fulva L.		orange	China	h	p
HEMIMERIS		HEMIMERIS			
urticifolia Willd.	}	scarlet or nettle leaved	S. Amer.	g.h	s
Celsia urticifolia Curt.					
HERMANNIA		HERMANNIA			
alnifolia L.		alder leaved	C. G. H.	g.h	s
althæfolia L.		marsh mallow leaved	do.	g.h	s
denudata L.		smooth	do.	g.h	s
hirsuta Wend.		hairy	do.	g.h	s
hyssopifolia L.		hyssop leaved	do.	g.h	s
salvifolia L.		sage leaved	do.	g.h	s
scabra Cav.	}	rough	do.	g.h	s
aspera Wend.					
HESPERIS		ROCKET			
matronalis L.		garden	Europe	Med. h	p
tristis L.		yellow	do.	h	b
HEUCHERA		HEUCHERA			
americana L.	}	purple flowered	N. Amer.	h	p
enrta Mich.					
HIBISCUS		HIBISCUS			
abchnoschus L.		musk	B. Indies	Med. h.h	s
esculentus L.		Okra	do.	h	a
grandiflorus Mich.		large flowered	Florida	g.h	p
heterophyllus Vent.		prickly	N. Holl.	g.h	s
manihot L.		palmated	B. Indies	g.h	s
militaris Cav.	}	hastated	Louisiana	h	p
levis Scop.					
moscheutos		common—Marsh Mallow	N. Amer.	Med. h	p
mutabilis L.		changeable	China	g.h	s
palustris L.		marsh	N. Amer.	h	p
phœniceus L.		small flowering	E. Indies	h.h	s
rosa sinensis L.		China rose	do.	h.h	s
v. fl. pleno carneo		double flesh coloured			
v. fl. pleno coccineo		double scarlet			
riparius Pers.	}	river	N. Amer.	h	p
hastatus Mich.					
virginicus Walt.					
sabdariffa L.		various leaved	E. Indies	h	a
seaber Mich.		rough	Georgia	g.h	p
speciosus Nit.	}	scarlet	N. Amer.	h	p
coccineus Walt.					
spiralis Cav.		spiral	Mexico	g.h	s
syriacus L.		garden or Althea frutex	Syria	h	s
v. flore pleno		double flowered			
v. foliis variegatis		variegated leaved			
trionum L.		bladder Ketmia	Europe	h	a

virginicus L.	Virginian	N. Amer.		h	p
HIERACIUM	HAWK WEED				
aurantiacum L.	orange coloured	Europe		h	p
gronovii L.	Gronovius's	N. Amer.		h	p
Kalmii L.	Kalm's	do.		h	p
marianum Willd.	Maryland	do.		h	p
scabrum Mich.	rough	do.		h	p
venosum L.	veined	do.		h	p
HOLCUS	SOFT GRASS				
fragrans Willd. }	seneca grass	N. Amer.	Agr.	h	p
odoratus Mich. }		do.	Agr.	h	p
lanatus L.	meadow	Europe	Agr.	h	p
mollis L.	creeping				
HOLOSTEUM	HOLOSTEUM				
cordatum L.	heart leaved	W. Indies		h	a
HOPEA	HOPEA				
tinctoria L.					
Symplocos tinctoria }	dyers	Carolina	Med.	g.h	s
<i>P. Her.</i>					
HORDEUM	BARLEY				
distichon L.	two rowed	Tartary	Diet	h	a
hexastichon	six rowed—winter	—	Diet	h	a
maritimum Vahl.	sea	Europe	Agr.	h	a
vulgare L.	common	do.	Diet	h	a
zeocoriton L.	spratt or Battledore	—	Agr.	h	a
HOUSTONEA	HOUSTONEA				
coccinea Andr.	scarlet	Mexico		h.h	s
cœrulea L.	blue	N. Amer.		h	b
HUMULUS	HOP				
lupulus L.	common	Europe	Med.	h	p
HURA	SAND BOX TREE				
crepitans L.	common	S. Amer.	Arts	h.h	s
HYACINTHUS	HYACINTH				
botryoides L.	blue grape	Europe		h	p
comosus L.	purple grape	do.		h	p
muscaria L.	fragrant	Asia		h	p
orientalis L.	garden	do.		h	p
racemosus L.					
junciformis Lmk. }	hare bell	Europe		h	p
HYDRANGÆA	HYDRANGÆA				
arborescens L. }	common tree	N. Amer.		h	s
vulgaris Mich. }					
hortensis Sm.					
Hortensia rosea H. P.					
— speciosa Pers.	changeable or Japan	China		g.h	s
— opuloides Lmk.	Rose				
Primula mutabilis Lour.					
v. flore purpureo	purple flowered do.				
quercifolia Bartr. }					
radiata Sm.	oak leaved	Florida		h	s
radiata Willd. }					
nivea Mich. }	radiated	Carolina		h	s
HYDROCOTYLE	PENNY WORT				
americana L.	American	N. Amer.		h	p
repanda Pers. }	angular leaved	Carolina		g.h	p
ficarioides Mich. }		N. Amer.		h	p
vulgaris L.	common				
HYMENÆA	LOCUST TREE				
courbaril L.	two leaved	W. Indies	Med.	h.h	t
HYOSCYAMUS	HENBANE				
niger L.	black	N. Amer.	Med.	h	b
HYPERICUM	ST. JOHN'S WORT				
canadense L.	Canadian	N. Amer.		h	a
elatum Ait.	gall	do.		h	p

<i>hirsutum</i> L.	hairy	Europe		h	p
<i>maculatum</i> Mich.	spotted	N. Amer.		h	p
<i>monogynum</i> L.	Chinese	China		g.h	s
<i>nudiflorum</i> Mich.	naked flowered	N. Amer.		h	p
<i>parviflorum</i> Willd.	five nerved	do.		h	a
<i>quinquenervium</i> Walt. }		do.	Med.	h	p
<i>perforatum</i> L.	common	do.		h	s
<i>prolificum</i> L.	prolific	do.		h	p
<i>quadrangulum</i> L.	square stalked	Europe		h	p
<i>setosum</i> L.	bristly	N. Amer.		h	a
<i>virginicum</i> L.	Virginian	do.		h	p
HYPOCHÆRIS	CAT'S EAR				
<i>radiata</i> L.	long rooted	Europe		h	p
HYPOXIS	HYPOXIS				
<i>erecta</i> L.	upright	N. Amer.		h	p
HYSSOPUS	HYSSOP				
<i>officinalis</i> L.	common	Europe	Med.	h	p
JASMINUM	JASMINE				
<i>azoricum</i> L.	Azorian	Madeira		g.h	s
<i>fruticans</i> L.	yellow	Europe		h	s
<i>grandiflorum</i> L.	Catalonian	E. Indies		g.h	s
<i>humile</i> L.	dwarf yellow	Europe		h	s
<i>odoratissimum</i> L.	sweet scented	Madeira		g.h	s
<i>officinale</i> L.	white	China	Med.	h	s
<i>sambac</i> Ait.	Arabian				
<i>Nyctanthes sambac</i> L.		E. Indies		g.h	s
<i>Mongorium sambac</i> H. P.					
<i>simplicifolium</i> Forst. }	simple leaved	N. Holl.		g.h	s
<i>australe</i> Pers.					
JATROPHA	PHYSIC NUT				
<i>cureas</i> L.	angular leaved	S. Amer.	Med.	h.h	s
<i>multifida</i> L.	cut leaved	do.	Med.	h.h	s
IBERIS	CANDY TUFT				
<i>saxatilis</i> L.	rock	S. Europe		g.h	s
<i>umbellata</i> L.	common	Europe		h	a
ILEX	HOLLY				
<i>aquifolium</i> L.	common	Europe	Med.	h	t
<i>canadensis</i> L.	Canadian	N. Amer.		h	t
<i>opaca</i> Ait.	Carolinian	do.		h	t
<i>vomitaria</i> Ait.	South Sea tea	Florida	Med.	g.h	t
<i>Cassine peragua</i> L. }					
ILLECEBRUM	KNOT GRASS				
<i>capitatum</i> L.	headed	Europe		h	p
<i>echinatum</i> Desf.	prickly	Barbary		h	a
<i>ficoideum</i> L.	trailing	S. Amer.		g.h	p
ILICIIUM	ANISEED TREE				
<i>parviflorum</i> Mich.	yellow flowered	Florida		g.h	s
IMPATIENS	BALSAM				
<i>balsamina</i> L.	common	E. Indies		h	a
<i>biflora</i> Walt.	two flowered	N. Amer.		h	a
INDIGOFEA	INDIGO				
<i>argentea</i> P Her. }	silvery	E. Indies		h.h	s
<i>glauca</i> Lmk.					
<i>frutescens</i> L.	shrubby	C. G. H.		g.h	s
<i>sericea</i> L.	silky	do.		g.h	s
<i>tinctoria</i> L.	common	E. Indies	Arts	h.h	s
INGA Willd. }	INGA				
<i>MIMOSA</i> Auct.					
<i>microphylla</i> Humb.	small leaved	S. Amer.		h.h	s
<i>purpurea</i> Willd.	purple	W. Indies		h.h	s
<i>unguis cati</i> Willd.	four leaved or cat's paw	do.		h.h	s
INULA	ELECAMPANE				
<i>crithmifolia</i> L.	samphire leaved	Europe		h	p

helenium L.	common	N. Amer.	Med.	h	p
mariana L.	Maryland	do.	Med.	h	p
oculus christi L.	hoary	Europe		h	p
IPOMÆA	IPOMÆA				
coccinea L.	scarlet	N. Amer.		h	a
macrorrhiza Mich.	large rooted	Georgia		g.h	p
nil Pers. }					
trilobus Thunb. }	azure blue	Carolina		h	a
purpurea Pers.	purple	America		h	a
quamoclit L.	winged— <i>Cypress vine</i>	B. Indies		h	a
IRIS	IRIS or <i>Flower de Luce</i>				
fimbriata Vent.	fringed	China		g.h	p
florentina L.	Florentine— <i>Orris</i>	Europe	Med.	h	p
germanica L.	German	do.	Med.	g.h	p
martinicensis L.	Martinique	W. Indies		h.h	p
ochroleuca L.	pale yellow	Europe		h	p
persica L.	Persian	Persia		h	p
pumila L.	dwarf	Europe		h	p
sibirica L. }	Siberian	do.		h	p
pratensis Pers. }					
versicolor L.	various coloured	N. Amer.	Med.	h	p
virginica L.	Virginian	do.		h	p
xiphium L.	bulbous	Europe		h	p
ISATIS	WOAD				
tinctoria L.	dyers	Europe	Arts	h	b
ISNARDIA	ISNARDIA				
palustris L.	swamp	N. Amer.		h	p
Ludwigia nitida Mich. }					
ITEA	ITEA				
virginica L.	Virginian	N. Amer.		h	s
IVA	IVA or <i>Bastard Jesuit's Bark</i>				
frutescens L.	shrubby	N. Amer.		h	s
JUGLANS	WALNUT or HICKORY				
alba L. }	white heart	N. Amer.	Arts	h	t
tomentosa Mich. }		do.	Med. & Arts	h	s
cinerea L. }	butter nut— <i>white</i>				
cathartica Mich. f }		do.	Diet & Arts	h	t
compressa Gert. }	shell bark				
alba Mich. }		do.	Arts	h	t
squamosa Mich. f }					
glabra Muhl. }	pig or hog nut	do.	Arts	h	t
porcina Mich. f }	black	do.	Arts & Med.	h	t
nigra L.					
obcordata Muhl. }	bitter nut	do.	Arts	h	t
amara Mich. f }					
olivæformis Mich. }					
angustifolia Ait. }	pecan or <i>Illinois nut</i>	do.	Diet	h	t
pecan Walt. }					
cylindrica Lmk. }					
rubra Gert. }					
regia L.	common— <i>Madeira nut</i>	Persia	Diet	h	t
sulcata Willd. }	furrowed	N. Amer.	Arts	h	t
mucronata Mich. }					
JUNCUS	RUSH GRASS				
bufonius L.	toad	N. Amer.		h	a
effusus L.	soft	do.		h	p
nodosus L.	knotty	do.		h	p
pilosus L.	hairy	do.		h	p
squarrosus L.	moss or <i>Goose corn</i>	do.		h	p
sylvaticus L.	wood	do.		h	p
tenuis Willd.	slender	do.		h	p
JUNIPERUS	JUNIPER or <i>Cedar</i>				
bermudiana L.	Bermudian	W. Indies	Arts	h	t

<i>communis</i> L.	common	Europe	Arts & Med.	h	t
<i>oxycedrus</i> L.	brown berried	do.		h	t
<i>phœnicea</i> L.	Phœnicean	do.		h	t
<i>prostrata</i> Mich. } <i>repens</i> Donn. }	creeping	N. Amer.		h	t
<i>sabina</i> L.	Savin	Europe	Med.	h	t
<i>virginiana</i> L.	red	N. Amer.	Arts	h	t
JUSTICIA	JUSTICIA				
<i>adhatoda</i> L.	Malabar nut	E. Indies		g.h	s
<i>betonica</i> L.	blue flowered	do.		h.h	s
<i>coccinea</i> Ait.	scarlet	S. Amer.		h.h	s
<i>comata</i> Vahl.	whorled	W. Indies		h.h	p
<i>pieta</i> L.	painted	E. Indies		h.h	s
<i>peruviana</i> Cav.	Peruvian	Peru		h.h	p
<i>scorpioides</i> L.	revolute	W. Indies		h.h	s
<i>sexangularis</i> L.	six angled	do.		h.h	s
IXIA	IXIA				
<i>bulbocodium</i> L.	European	S. Europe		g.h	p
<i>maculata</i> Thunb.	spotted	C. G. H.		g.h	p
<i>polystachya</i> L.	many spiked	do.		g.h	p
IXORA	IXORA				
<i>coccinea</i> L.	scarlet	E. Indies		h.h	s
KÆMPFERIA	GALANGALE				
<i>galanga</i> L.	official	E. Indies	Med.	h.h	p
<i>rotunda</i> L.	round rooted	do.	Med.	h.h	p
KALMIA	KALMIA or <i>Laurel</i>				
<i>angustifolia</i> L.	narrow leaved	N. Amer.		h	s
<i>glauca</i> Ait.	glaucous	do.		h	s
<i>hirsuta</i> Bartr.	hairy	Carolina		g.h	s
<i>latifolia</i> L.	broad leaved	N. Amer.	Med.	h	s
KRIGIA	KRIGIA				
<i>virginica</i> Willd. } <i>Hyoseric</i> virginica L. }	Virginian	N. Amer.		h	a
LACTUCA	LETTUCE				
<i>crispa</i> Roth.	curled	—	Diet	h	a
<i>elongata</i> Muhl.	narrow leaved	N. Amer.		h	b
<i>sativa</i> L.	common	—	Diet & Med.	h	a
LAGASCA	LAGASCA				
<i>mollis</i> Cav.	soft	S. Amer.		h.h	a
LAGERSTRÆMIA	LAGERSTRÆMIA				
<i>indica</i> L.	Indian	E. Indies		h.h	a
LAMIUM	DEAD NETTLE or <i>Henbit</i>				
<i>amplexicaule</i> L.	common	N. Amer.		h	a
<i>garganicum</i> L.	woolly	Europe		h	p
LANTANA	LANTANA				
<i>aculeata</i> L.	prickly	W. Indies		h.h	s
<i>camara</i> L.	various coloured	do.		h.h	s
<i>involuerata</i> L.	round leaved	do.		h.h	s
<i>trifolia</i> L.	three leaved	do.		h.h	s
LATHYRUS	LATHYRUS				
<i>clymenum</i> L.	various flowered	Levant		h	a
<i>latifolius</i> L.	everlasting pea	Europe		h	p
<i>monanthos</i> L. } <i>Ervum monanthos</i> L. } <i>Vicia monanthos</i> Pers. }	one flowered	Russia		h	a
<i>nissolia</i> L.	crimson	Europe		h	a
<i>odoratus</i> L.	sweet pea	Sicily		h	a
<i>sativus</i> L.	chickling vetch	Europe	Agr.	h	a
<i>sphæricus</i> Roth. } <i>axillaris</i> Lmk. }	spherical	do.		h	a
<i>tingitanus</i> L.	Tangier pea	Barbary		h	a

LAVANDULA spica L.	LAVENDER common	Europe	Med.	h	s
LAVATERA arborea L.	LAVATERA Tree Mallow	Europe		h	b
maritima Cav.	sea side	S. Europe		g.h	s
olbia L.	downy leaved	do.		g.h	s
thuringiaca L.	large flowered	Europe		h	p
trimestris L.	common	do.		h	a
unguiculata H. P.					
tomentosa Dumont } Courset }	clawed	—		g.h	s
LAURUS æstivalis L.	BAY TREE or <i>Laurel</i> willow leaved	N. Amer.		h	t
camphora L.	Camphor	Japan	Med.	g.h	t
carolinensis Mich.	Carolinian or red	Carolina		g.h	t
cinnamomum L.	Cinnamon	E. Indies	Med.	h.h	t
geniculata Mich. }	jointed	N. Amer.		h	t
axillaris Lmk. }	sweet	S. Europe	Med.	g.h	t
nobilis L.	Avocado pear	S. Amer.	Diet	g.h	t
persea L.	Benjamin tree— <i>Wild Al-</i>	N. Amer.	Med.	h	t
psendo benzoin Mich. }	<i>spice</i>	do.	Med.	h	t
benzoin L.	Sassafras				
sassafras L.	LAWSONIA smooth	E. Indies	Arts & Med.	h.h	s
LAWSONIA inermis L.					
LEBECKIA cytisoides Thunb.	LEBECKIA Cytisus leaved	C. G. H.		g.h	s
Spartium cytisoides Ait. }					
Ebenus capensis L.					
LECHEA major L.	LECHEA large	N. Amer.		h	p
minor L.	small	do.		h	p
LEONTICE thalioides L.	LEONTICE meadow rue leaved	N. Amer.	Med.	h	p
Caulophyllum thalic- } troides Mich. }	<i>Poppoose root</i>				
LEERSIA oryzoides Willd.	LEERSIA rough	N. Amer.		h	p
Phalaris oryzoides L. }					
LEONTODON taraxacum L.	DANDELION common	N. Amer.	Diet & Med.	h	p
LEONURUS cardiaca L.	MOTHER WORT common	N. Amer.	Med.	h	p
crispus L.	curled	Siberia		h	p
marrubiastrum L.	small flowered	Europe		h	a
LEPECHINIA spicata Willd.	LEPECHINIA spiked	Mexico		h	a
Horminum caulescens } Ait. }					
LEPIDIUM latifolium L.	PEPPER WORT Dittander	Europe	Med.	h	p
sativum L.	garden cress	do.	Med. & Diet	h	a
suffruticosum L.	shrubby	S. Europe		g.h	s
virginicum L.	Virginian	N. Amer.		h	a
LEPTOSPERMUM scoparium Sm.	SOUTH SEA MYRTLE common	N. Holl.		g.h	s
Melaleuca scoparia } Wend. }					
Philadelphus scoparius } Ait. }					

thea Willd.	} Botany-Bay tea	N. Holl.	g.h	s
Melaleuca thea Wend.				
LESPEDEZA	LESPEDEZA	N. Amer.	h	a
polystachya Mich.	many spiked			
procumbens Mich.	trailing	do.	h	a
LEUCOJUM	SNOW FLAKE	Europe	h	p
æstivum L.	summer			
vernum L.	spring	do.	h	p
LIATRIS	LIATRIS	N. Amer.	h	p
elegans Willd.	rose spiked			
Serratula speciosa Ait.	sweet scented	do.	h	p
odoratissima Willd.	panicled	do.	h	p
paniculata Willd.	hairy	do.	h	p
pilosa Willd.	long spiked	do.	h	p
spicata Willd.				
macrostachya Mich.				
LIGUSTICUM	LOVAGE	Europe	Med.	h
levisticum L.	common			
LIGUSTRUM	PRIVET or Prim	N. Amer.	Med.	h
vulgare L.	common			
LILIUM	LILY	Europe	h	p
bulbiferum L.	bulb bearing			
canadense L.	Canadian	N. Amer.	h	p
candidum L.	white or garden	Levant	Med.	h
catesbæi Walt.	} Catesby's	N. Amer.	h	p
spectabile Sal.				
carolinianum Lmk.	Philadelphian	do.	h	p
philadelphicum L.	superb	do.	h	p
superbum L.				
LIMODORUM	LIMODORUM	China	h.h	p
incarvillei Swz.	Incarville's			
tankervillei Ait.				
LIMONIA	LIMONIA	E. Indies	Dict	h.h
trifoliata L.	three leaved			
LINUM	FLAX	Europe	h	p
maritimum L.	sea			
monogynum Forst.	South Sea	S. Sea Isl.	g.h	s
perenne L.	perennial	Europe	h	p
virginianum L.	Virginian	N. Amer.	h	b
viscosum L.	clammy	Europe	h	p
usitatissimum L.	common	do.	Arts & Med.	h
LIQUIDAMBAR	SWEET GUM	N. Amer.	Arts & Med.	h
styraciflua L.	maple leaved			
LIRIODENDRON	TULIP TREE	N. Amer.	Arts	h
tulipifera L.	white wood—white poplar			
LITHOSPERMUM	GROMWELL	Europe	Med.	h
arvense L.	corn			
officinale L.	officinal	do.	h	p
virginianum L.	} hispid	N. Amer.	h	p
Onosmodium hispidum Mich.				
LOBELIA	LOBELIA	N. Amer.	Med.	h
amena Mich.	deep blue			
cardinalis L.	scarlet—Cardinal flower	do.	h	p
claytoniana Mich.	Clayton's	do.	h	p
erasiuscula Mich.	glandulous	do.	h	p
glandulosa Walt.				
inflata L.	inflated	do.	Med.	h
kalmii L.	Kalm's	do.	h	p
longiflora L.	long flowered	W. Indies	h.h	p
syphilitica L.	large blue	N. Amer.	Med.	h
LOLIUM	DARNEL	Europe	Agr.	h
maximum Willd.	large			

perenne L.	common— <i>Ray grass</i>	Europe	Agr.	h	p
temulentum L.	annual	do.	Agr.	h	a
LONICERA	HONEY SUCKLE				
caprifolium L.	Italian	Europe		h	s
diervilla L.	yellow	N. Amer.	Med.	h	s
Diervilla lutea Desf. }					
dioica L.					
parviflora Pers. }	glaucous	do.		h	s
Caprifolium bracteolum Mich. }					
peridymenum L.	woodbine—common	Europe	Med.	h	s
v. quercifolia	oak leaved do.				
sempervirens L.	trumpet	N. Amer.		h	s
symphoricarpos L.					
Symphoricarpos vulgaris Mich. }	St. Peter's wort	do.	Med.	h	s
LOTUS	BIRD'S FOOT TREFOIL				
jacobæus L.	dark flowered	S. Sea Isl.		g h	s
LUDWIGIA	LUDWIGIA				
alternifolia L.	alternate leaved	N. Amer.		h	p
macrocarpa Mich. }					
LUNARIA	MOON WORT				
annua L.	annual	Europe		h	a
rediviva L.	perennial	do.		h	p
LUPINUS	LUPINE				
fruticosus Donn.	shrubby	S. Amer.		g h	s
hirsutus L.	great blue	Europe		h	a
luteus L.	yellow	do.		h	a
perennis L.	perennial	N. Amer.		h	p
pilosus L.	rose	Europe		h	a
villosus Willd. }	hairy	N. Amer.		h	p
pilosus Walt. }					
LYCHNIS	LYCHNIS				
chalconica L.	scarlet	Europe		h	p
flos euculi L.	Ragged Robin	do.		h	p
viscaria L.	clammy	do.		h	p
LXCIUM	BOX THORN				
barbarum L.	willow leaved	Asia		h	s
carolinianum Mich. }	samphire	N. Amer.		h	s
salsum Bartr. }					
LYCOPODIUM	CLUB MOSS				
complanatum L.	arbor vitæ leaved	N. Amer.		h	p
obscureum L.	fan	do.		h	p
rupestre L.	rock	do.		h	p
LYCOPSIS	WILD BUGLOSS				
ægyptiaca L.					
Asperugo ægyptiaca Willd. }	warted	Egypt		h	a
Anchusa verrucosa Lmk. }					
LYCOPUS	WATER HOREHOUND				
europæus L.	European	Europe		h	p
virginicus L.	American	N. Amer.		h	p
LYSIMACHIA	LYSIMACHIA				
ciliata L.	ciliated	N. Amer.		h	p
quadrifolia L. }	four leaved	do.		h	p
hirsuta Mich. }					
racemosa Mich. }					
stricta Ait. }	bulb bearing	do.		h	p
bulbifera Curt. }					
thyrsiflora L.	clustered	do.		h	p
LYTHRUM	LOOSE STRIFE				
parsonsia L.	small flowered	W. Indies		h h	p
verticillata L.	whorled	N. Amer.		h	p

MAGNOLIA	MAGNOLIA				
acuminata L.	Cucumber tree	N. Amer.	h	t	
auriculata Lmk.					
fraseri Walt.	ear leaved	Carolina	h	s	
pyramidata Bartr.					
glauca L.	swamp sassafras- <i>Beaver tree</i>	N. Amer.	h	t	
<i>v. latifolia</i>	broad leaved do.				
<i>v. longifolia</i>	long leaved do.				
grandiflora L.	large flowered	Carolina	g.h	t	
macrophylla Mich.	large leaved	N. Amer.	h	t	
obovata Thumb.					
purpurea Curt.	purple	China	g.h	s	
discolor Vent.					
pumila Andr.	dwarf	do.	g.h	s	
tripetala L.	umbrella tree	N. Amer.	h	t	
umbrellata Lmk.					
MALAXIS	MALAXIS				
lilifolia Swz.	lily leaved	N. Amer.	h	p	
Ophrys lilifolia L.					
MALVA	MALLOW				
americana L.	American	N. Amer.	h	a	
caroliniana L.	creeping	do.	h	a	
crispa L.	curled leaved	Syria	h	a	
fragrans Jacq.	sweet	C. G. H.	g.h	s	
moschata L.	musk	Europe	h	p	
parviflora L.	small flowered	Africa	h	a	
polystachya Cav.	many spiked	Peru	g.h	s	
rotundifolia L.	round leaved	N. Amer.	Diet h	a	
scoparia Cav.	yellow upright	Peru	g.h	s	
spicata L.	spiked	W. Indies	g.h	s	
virgata Cav.	slender	C. G. H.	g.h	s	
MANGIFERA	MANGO TREE				
indica L.	Indian	E. Indies	Diet h.h	t	
MANULEA	MANULEA				
oppositifolia Vent.	opposite leaved	C. G. H.	g.h	s	
MARANTA	ARROW ROOT				
arundinacea L.	Indian	S. Amer.	Med.& Diet h.h	p	
MARICA	MARICA				
paludosa Willd.	marsh	S. Amer.	h.h	p	
MARRUBIUM	HOREHOUND				
alyssum L.	plaited leaved	Europe	h	p	
candidissimum L.	white	Levant	h	p	
vulgare L.	common	N. Amer.	Med. h	p	
MARTYNIA	MARTYNIA				
proboscidea Ait.					
annua L.	Cuckold's horns	N. Amer.	h	a	
alternifolia Lmk.					
MATRICARIA	MATRICARIA				
chamomilla L.	wild chamomile	Europe	Med. h	a	
MAURANDIA	MAURANDIA				
semperflorens Jacq.					
scandens Pers.	climbing	Mexico	g.h	p	
Ustera scandens Cav.					
MEDEOLA	MEDEOLA				
virginica L.	Cucumber root	N. Amer.	Diet h	a	
MEDICAGO	MEDICK				
aculeata Willd.	prickly		h	a	
arborea L.	tree	Italy	g.h	s	
denticulata Willd.	toothed	Europe	h	a	
elegans Jacq.					
rugosa Lmk.	crenated	Sicily	h	a	
glutinosa Willd.	clammy	Asia	h	p	
lupulina	black— <i>None such</i>	N. Amer.	Agr. h	a	

marina L.	sea	Europe		h	p
sativa L.	Lucern	do.	Agr.	h	p
scutellata Lmk.	snail	do.		h	a
tribuloides Lmk.	hedge hog	do.		h	a
MELALEUCA	MELALEUCA				
genistifolia Sm.	genista leaved	N. Holl.		g.h	t
hypericifolia Sm.					
myrtifolia Hort. }	myrtle leaved	do.		g.h	t
MELANTHIUM	MELANTHIUM				
virginicum L.	Virginian	N. Amer.		h	p
MELAMPYRUM	COW-WHEAT				
lineare Lmk.	American	N. Amer.		h	a
americanum Mich. }					
MELIA	BEAD-TREE				
azedarach L.	common	Syria	Arts & Med.	h	t
	evergreen	W. Indies		g.h	t
MELICA	MELIC GRASS				
altissima L.	tall	Europe	Agr.	h	p
cornulea L.	blue	do.	Agr.	h	p
nutans L.	nodding	do.	Agr.	h	p
MELISSA	BALM				
officinalis L.	common	Europe	Med.	h	p
v. hirsuta	hairy do.				
MELOTHRIA	MELOTHRIA				
pendula L.	pendulous	Carolina	Diet	g.h	p
MENISPERMUM	MOON SEED				
canadense L.	Canadian	N. Amer.		h	s
MENTHA	MINT				
borealis Mich.	northern	N. Amer.	Med.	h	p
piperita L.	pepper	Europe	Med.	h	p
pulegium L.	Pennyroyal	do.	Med.	h	p
rotundifolia L.	round leaved	do.		h	p
sylvestris L.	strong scented	do.	Med.	h	p
tennis Mich.	slender	N. Amer.	Med.	h	p
viridis L.	spear	Europe	Med.	h	p
MENYANTHES	BUCK BEAN				
trifoliata L.	marsh trefoil	N. Amer.	Med.	h	p
MESEMBRYANTHEMUM	FIG MARYGOLD				
aciniaciforme L.	seymitar leaved	C. G. H.		g.h	s
albidum L.	white	do.		g.h	s
aureum L.	golden	do.		g.h	s
barbatum L.	shrubby bearded	do.		g.h	s
bicolorum L.					
occineum Haw. }	scarlet	do.		g.h	s
cordifolium L.	heart leaved	do.		g.h	s
crystallinum L.	Ice plant	Greece	Med.	h	a
deltoides L.	small delta	C. G. H.		g.h	s
glaucum L.	glaucous	do.		g.h	s
pinnatifidum L.	jagged leaved	do.		h	a
spectabile Haw.	shewy	do.		g.h	s
tenuifolium L.	slender leaved	do.		g.h	s
MESPILUS	MEDLAR				
germanica L.	common	Europe	Med. & Diet	h	t
MESSERSCHMIDIA	MESSERSCHMIDIA				
fruticosa L.	shrubby	Can. Isl.		g.h	s
METROSIDEROS	METROSIDEROS				
lanceolata Sm. }	spear leaved	N. Holl.		g.h	s
citrina Curt. }					
saligna Sm.	willow leaved	do.		h.h	s
MIKANIA Willd.	MIKANIA				
EUPATORIUM Auct.	Houston's	W. Indies		h.h	p
houstonis Willd.					

scandens <i>Willd.</i>	climbing	N. Amer.	Med.	h	p
MILIMUM	MILLET GRASS				
effusum L.	common	Europe	Agr.	h	p
MIMOSA	MIMOSA				
concinna <i>Willd.</i>	handsome	E. Indies		h.h	s
saponaria <i>Rox.</i>	humble plant	S. Amer.		h.h	s
pubica L.	sensitive plant	do.		h.h	s
MIMULUS	MONKEY FLOWER				
alatus <i>Ait.</i>	winged stemmed	N. Amer.		h	p
ringens L.	gaping flowered	do.		h	p
MIMUSOPS	MIMUSOPS				
elongi L.	oval leaved	E. Indies		h.h	s
MIRABILIS	MARVEL OF PERU				
jakapa L.	common—four o' Clock	Mexico		h	a
longiflora L.	long flowered	do.		h	a
MITCHELLA	MITCHELLA				
repens L.	creeping	N. Amer.	Med.	h	s
MOLLUGO	MOLLUGO				
verticillata L.	whorled leaved	N. Amer.		h	a
MOLUCELLA	MOLUCCA BALM				
lævis L.	smooth	Syria	Med.	h	a
MOMORDICA	MOMORDICA or <i>Balsam Apple</i>				
balsamina L.	common	E. Indies	Med.	h	a
luffa L.	Egyptian	do.	Med.	h	a
MONARDA	MONARDA or <i>Mountain Mint</i>				
didyma L.	Oswego tea	N. Amer.	Med.	h	p
fistulosa L.	Robin run-away	do.	Med.	h	p
MORÆA	MORÆA				
chinensis L.	Chinese	China		h	p
ixia chinensis <i>Ait.</i>	sword leaved	C. G. H.		g.h	p
gladiata L.					
MORUS	MULBERRY				
alba L.	white	China	Diet	h	t
nigra L.	common	Europe	Diet & Med.	h	t
	American	N. Amer.	Diet	h	t
MUHLBERGIA	MUHLBERGIA				
diffusa <i>Schr.</i>					
Dilepyrum minutiflorum <i>Mich.</i>	small flowered	N. Amer.		h	p
MUSA	MUSA				
sapientum L.	Banana tree	W. Indies	Diet	h.h	p
MYAGRUM	GOLD OF PLEASURE				
perfoliatum L.	perfoliate	Europe		h	a
MYOSOTIS	SCORPION GRASS				
lappula L.	marsh	N. Amer.		h	a
scorpioides L.	prickly seeded	do.		h	a
virginiana L.	Virginian	do.		h	a
MYRICA	CANDLE BERRY MYRTLE or <i>Bay berry</i>				
carolinensis <i>Willd.</i>	large seeded	N. Amer.	Arts	h	s
cerifera L.	wax bearing	do.	Arts	h	s
MYRTUS	MYRTLE				
communis L.	common	S. Europe	Med.	g.h	s
v. boetica	broad leaved				
v. belgica	narrow leaved				
v. micronata	small leaved				
v. romana	roman				
tomentosa <i>Ait.</i>	woolly	China		g.h	s
NAPÆA	NAPÆA				
lævis L.	smooth	N. Amer.		h	p
scabra L.	rough	do.		h	p
NARCISSUS	NARCISSUS				
bicolor L.	two coloured	Europe		h	p

<i>biflorus</i> Curt.	two flowered	Europe	h	p
<i>jonquilla</i> L.	Jonquil	do.	h	p
<i>odorus</i> L.	sweet smelling	do.	h	p
<i>poeticus</i> L.	poet's	do.	h	p
<i>pseudo narcissus</i> L.	<i>D. affodil</i>	do.	h	p
<i>tazetta</i> L.	<i>Polyanthus</i>	do.	h	p
NEOTTIA	NEOTTIA			
<i>æstivalis</i> —				
<i>Ophrys æstivalis</i> Mich.	} summer	N. Amer.	h	p
<i>cernua</i> Willd.				
<i>Ophrys cernua</i> L.	} drooping— <i>Ladies' traces</i>	do.	h	p
<i>pubescens</i> Willd.				
<i>Satyrium repens</i> Mich.	} variegated	do. Med.	h	p
NEPETA	CATMINT or <i>Catnep</i>			
<i>cataria</i> L.	common	N. Amer. Med.	h	p
<i>melissæfolia</i> H. P.	balm leaved	Europe	h	p
NERIUM	OLEANDER or <i>Rose-bay</i>			
<i>coronarium</i> Jacq.	broad leaved	E. Indies	g.h	s
<i>v. flore pleno</i>	double flowered do.			
<i>odorum</i> Ait.	sweet scented	do.	g.h	s
<i>v. fl. pleno</i>	double flowered do.			
<i>oleander</i> L.	common	S. Europe	g.h	t
<i>v. flore pleno</i>	double flowered			
<i>v. flore roseo</i>	rose coloured			
NEPHRODIUM Mich.	SHIELD FERN			
POLYPODIUM L.				
<i>acrostichoides</i> Mich.	terminal	N. Amer.	h	p
<i>asplenoides</i> Mich.	spleen wort leaved	do.	h	p
<i>cristatum</i> Mich.	crested	do.	h	p
<i>filix femina</i> Mich.	female	do.	h	p
<i>marginale</i> Mich.	marginal	do.	h	p
<i>noveboracense</i> —	New-York	do.	h	p
<i>punctilobulum</i> Mich.	small flowered	do.	h	p
<i>rufidulum</i> Mich.	brown flowered	do.	h	p
<i>tenuè</i> Mich.	slender	do.	h	p
<i>thelypteroides</i> Mich.	marsh	do.	h	p
NICOTIANA	TOBACCO			
<i>crispa</i> H. P.	curled leaved	S. Amer.	h	a
<i>fruticosa</i> L.	shrubby	China	g.h	s
<i>glutinosa</i> L.	clammy	S. Amer.	h	a
<i>paniculata</i> L.	panicked	do.	h	a
<i>rustica</i> L.	common	N. Amer. Med.& Arts	h	a
<i>tobaccum</i> L.	Virginian	do. Med.& Arts	h	a
<i>tomentosa</i> Pers.	Havannah	S. Amer. Med.& Arts	h.h	s
<i>undulata</i> Vent.				
<i>odorata</i> Donn.	} waved leaved	N. Holl.	h	a
NIGELLA	FENNEL FLOWER			
<i>damascena</i> L.	common	Europe	h	a
<i>sativa</i> L.	small flowered	do.	h	a
NYPHÆA	WATER LILY			
<i>advena</i> Ait.	striped flowered	N. Amer. Med.	h	p
<i>lutea</i> L.	yellow	do.	h	p
<i>odorata</i> Ait.	sweet scented	do.	h	p
NYSSA	TUPELO TREE			
<i>biflora</i> Mich.				
<i>aquatica</i> L.	} water— <i>Sour gum</i>	N. Amer. Arts	h	t
<i>integrifolia</i> Ait.				
<i>villosa</i> Mich.				
<i>multiflora</i> Wang.	} rough— <i>Pepperidge</i>	do. Arts	h	t

OCHROMA					
<i>lagopus Swz.</i>					
<i>Bombax pyramidal Cav.</i> }	silky /	W. Indies	h.h	t	
OCYMU					
<i>basilicum L.</i>	BASIL sweet	E. Indies	Diet & Med.	h	a
<i>minimum L.</i>	rush	do.		h	a
<i>monachorum L.</i>	Monk's	do.		h	a
<i>tenuiflorum L.</i>	slender	do.		h	a
<i>thyrsiflorum L.</i>	clustered	do.		h	a
CENOTHIERA	TREE PRIMROSE				
<i>biennis L.</i>	common	N. Amer.	Med.	h	b
<i>fruticosa L.</i>	perennial	do.		h	p
<i>grandiflora Ait.</i>	large flowered	do.		h	b
<i>muricata L.</i>	prickly	do.		h	b
<i>odorata Jacq.</i>	sweet scented	S. Amer.		g.h	b
<i>parviflora L.</i>	small flowered	N. Amer.		h	b
<i>purpurea Curt.</i> }	purple	do.		h	a
<i>humilis Donn</i> }					
<i>rosea Ait.</i> }	rose flowered	Peru		g.h	p
<i>rubra Cav.</i> }					
<i>sinuata Mur.</i>	scollop leaved	N. Amer.		h	a
<i>tetraptera Cav.</i>	square capsuled	S. Amer.		h	a
OLEA	OLIVE				
<i>americana L.</i>	American	Carolina		g.h	t
<i>europæa L.</i>	European	S. Europe	Med.& Diet	g.h	t
<i>v. buxifolia</i>	box leaved do.				
<i>fragrans Thunb.</i>	sweet scented	China	Arts	gh	t
ONOCLEA	ONOCLEA				
<i>sensibilis L.</i>	sensitive fern	N. Amer.		h	p
ONONIS	REST HARROW				
<i>cherleri L.</i>	dwarf	Europe		h	p
<i>fruticosa L.</i>	shrubby	do.		h	s
ONOPORDUM	COTTON THISTLE				
<i>acanthion L.</i>	dwarf	Europe		h	b
<i>arabicum L.</i>	Arabian	do.		h	b
<i>illyricum L.</i>	Illyrian	do.		h	b
ORCHIS	ORCHIS				
<i>blephariglotis Willd.</i>	white	N. Amer.		h	p
<i>ciliaris L.</i>	orange coloured	do.		h	p
<i>spectabilis L.</i>	showy	do.		h	p
ORIGANUM	MARJORAM				
<i>ægyptiacum L.</i>	Egyptian	Egypt		g.h	s
<i>dictamnus L.</i>	Dittany of Crete	Crete	Med.	g.h	s
<i>heracleoticum L.</i>	winter	Greece		h	p
<i>marjorana L.</i>	sweet	Portugal	Med.& Diet.	h	a
<i>marjoranoides Willd.</i>	false			g.h	s
<i>vulgare L.</i>	common	Europe	Med.	h	a
ORNITHOGALUM	STAR OF BETHLEHEM				
<i>aureum Curt.</i>	golden	C. G H.		g.h	p
<i>pyramidale L.</i>	pyramidal	Europe		h	p
<i>umbellatum L.</i>	umbel flowered	do.		h	p
ORNITHOPUS	BIRD'S FOOT				
<i>scorpioides L.</i>	purslane leaved	Europe		h	p
OROBANCHE	BROOM RAPE				
<i>uniflora L.</i>	one flowered	N. Amer.		h	p
<i>virginiana L.</i>	Virginian— <i>Cancer Root</i>	do.	Med.	h	p
ORONTIUM	ORONTIUM				
<i>aquaticum L.</i>	water	N. Amer.	Med.	h	p
ORTEGIA	ORTEGIA				
<i>hispania L.</i>	Spanish	Spain		h	p

ORYZA sativa L.	RICE cultivated	E. Indies	Arts & Med.	h	a
OSMUNDA cinnamomea Mich. interrupta Mich. regalis L.	OSMUNDA woolly interrupted flowering fern	N. Amer. do. do.		h h h	p p p
OSTEOSPERMUM cœruleum Lit. pinnatifidum P'Her. } moniliferum L.	BONE SEED blue flowered poplar leaved	C. G. H. do.		g.h g.h	s s
OSTRYA virginiana Willd. Carpinus virginiana Lmk. }	HOP HORNBEAM Virginian	N. Amer.	Arts	h	t
OXALIS acetosella L. caprina L. corniculata L. incarnata L. purpurea L. stricta L. versicolor L. violacea L.	WOOD SORREL common goat's foot procumbent flesh coloured purple upright striped flowered violet coloured	N. Amer. C. G. H. N. Amer. C. G. H. do. N. Amer. C. G. H. N. Amer.	Med.	h g.h h g.h g.h h g.h h	p p p p p p p p
PEONIA anomala L. laciniata Pal. } corallina Retz. officinalis L.	PEONY jagged leaved entire leaved common	Siberia do. S. Europe		h Med. h Med. h	p p p
PANAX quinquefolium L. trifolium L.	GINSENG official three leaved	N. Amer. do.	Med.	h h	p p
PANCRATIUM fragrans Sal. maritimum L. v. carolinianum mexicanum L.	PANCRATIUM fragrant Sea Daffodil Carolinian do. Mexican	S. Amer. S. Europe Carolina Mexico		h.h g.h g.h g.h	p p p p
PANDANUS odoratissimus L.	SCREW PINE sweet scented	B. Indies		h.h	s
PANICUM capillare L. clandestinum L. erus galli L. dichotomum L. germanicum L. glaucum L. hirtellum L. italicum L. latifolium L. miliaceum L. muricatum Mich. ramulosum L. sanguinale L. verticillatum L. virgatum L. viride L.	PANIC GRASS hair hidden flowered cock's foot divided branched German glaucous rough Italian broad leaved millet rough seeded branching bloody whorl flowered river green	N. Amer. do. do. do. Europe N. Amer. W. Indies Europe N. Amer. E. Indies N. Amer. do. do. Europe N. Amer. do.	Agr. Agr. Agr. Agr. Agr. Agr. Agr. Agr. Agr. Agr. Agr. Agr. Agr. Agr. Agr.	h h h h h h h h h h h h h h h	a p a a a a a a p a a a a p a
PAPAVER dubium L. rhœas L. somniaferum L. v. flore pleno albo v. flore pleno rubro	POPPY small corn official or garden double white flowered double red do.	Europe do. Levant		h Med. h Med. h	a a a
PARKINSONIA aculeata L.	PARKINSONIA prickly	W. Indies		h.h	s

HORTUS ELGINENSIS

41

PARNASSIA caroliniana <i>Mich.</i>	GRASS OF PARNASSUS Carolinian	N. Amer.	h	p
PASPALUM stoloniferum <i>Jacq.</i>	PASPALUM stoloniferous	Peru	g.h	p
PASSERINA filiformis L.	AFRICAN SPARROW WORT heath leaved	C. G. H.	g.h	s
PASSIFLORA alata <i>Ait.</i>	PASSION FLOWER winged stalked	W. Indies	h.h	s
caerulea L.	blue flowered	S. Amer.	g.h	s
hirsuta L.	hairy	W. Indies	h.h	s
incarnata L.	flesh coloured	N. Amer.	Diet h	s
laurifolia L.	laurel leaved	W. Indies	Diet h.h	s
lutea L.	yellow flowered	N. Amer.	g.h	s
rubra L.	red fruited	W. Indies	h.h	s
PASTINACA sativa L.	PARSNIP garden	Europe	Med. & Diet h	b
PAVONIA præmorsa <i>Willd.</i>	PAVONIA wedge leaved	C. G. H.	g.h	s
Hibiscus præmorsus L. }				
PEDICULARIS canadensis L.	LOUSE WORT Canadian	N. Amer.	Med. h	p
gladiata <i>Mich.</i>	yellow flowered	do.	Med. h	p
PELARGONIUM <i>Her.</i> }	STORK'S BILL GERANIUM			
GERANIUM <i>Auct.</i> }	maple leaved or lemon	C. G. H.	g.h	s
acrifolium <i>Her.</i> }	scented	do.	g.h	s
citriodorum <i>Cav.</i> }	sorrel	do.	g.h	p
acetosum <i>Ait.</i>	Lady's mantle leaved	do.	g.h	s
alchemilloides <i>Ait.</i>	angular leaved	do.	g.h	s
angulosum <i>Ait.</i> }	Beaufort's	do.	g.h	s
acrifolium <i>Cav.</i> }	birch leaved	do.	g.h	s
beaufortianum <i>Donn.</i>	smaller do.	do.	g.h	s
betulinum <i>Ait.</i>	rose scented	do.	g.h	p
v. minor	dove's foot	do.	g.h	s
capitatum <i>Ait.</i>	heart leaved	do.	g.h	s
eolumbinum <i>Jacq.</i> }	curled	do.	g.h	s
alceoides L.	hollow leaved	do.	g.h	s
cordatum <i>Ait.</i> }	prickly stalked	do.	g.h	p
cordifolium <i>Cav.</i> }	carrot leaved	do.	g.h	s
crispum <i>Her.</i>	gouty stalked	do.	g.h	s
cucullatum <i>Ait.</i>	spear leaved	do.	g.h	s
echinatum <i>Curt.</i> }	clammy	do.	g.h	s
hamatum <i>Jacq.</i> }	large flowered	do.	g.h	s
flavum <i>Ait.</i>	Odour of Rose	do.	g.h	s
dancifolium <i>Cav.</i> }	hybrid	do.	g.h	s
gibbosum <i>Ait.</i>	rose coloured do.	N. Holl.	g.h	b
glaucum <i>Her.</i> }	small flowered	C. G. H.	g.h	s
lanceolatum <i>Cav.</i> }	scarlet			
glutinosum <i>Her.</i> }	lesser do.			
viscosum <i>Cav.</i>	myrrh leaved	do.	g.h	s
grandiflorum <i>Andr.</i>	sweet scented	do.	g.h	s
graveolens <i>Her.</i>	oval leaved	do.	g.h	s
terebinthinaceum <i>Cav.</i> }	butterfly	do.	g.h	s
hybridum <i>Ait.</i> }				
coccineum <i>Ehrt.</i> }				
v. roseum				
inodorum <i>H. P.</i>				
inquinans <i>Ait.</i>				
v. minor				
myrrhifolium <i>Ait.</i> }				
betonicum <i>Jacq.</i> }				
odoratissimum <i>Ait.</i>				
ovale <i>Her.</i>				
papilionaceum <i>Her.</i>				

<i>peltatum Ait.</i>	shield leaved	C. G. H.	g. h	s
<i>quercifolium P'Her.</i>	oak leaved	do.	g. h	s
<i>radula P'Her.</i>	rasp leaved	do.	g. h	s
<i>revolutum Jacq.</i>				
<i>v. minus</i>	lesser do.			
<i>v. roseum</i>	rose coloured do.			
<i>scabrum P'Her.</i>	rough	do.	g. h	s
<i>tabulare P'Her.</i>	rough stalked	do.	g. h	b
<i>elongatum Cav.</i>				
<i>tomentosum Jacq.</i>	downy	do.	g. h	s
<i>tricuspidatum P'Her.</i>	three pointed	do.	g. h	s
<i>vitifolium Ait.</i>	vine leaved	do.	g. h	s
<i>zonale Ait.</i>	horse shoe	do.	g. h	s
<i>v. album</i>	white do.			
<i>v. roseum</i>	red do.			
<i>v. marginatum</i>	variegated leaved do.			
PENSTEMON	PENSTEMON			
<i>pubescens Ait.</i>	purple	N. Amer.	h	p
<i>Chelone penstemon L.</i>				
PENTAPETES	PENTAPETES			
<i>phænicea L.</i>	scarlet	E. Indies	h. h	b
PENTHORUM	PENTHORUM			
<i>sedoides L.</i>	common	N. Amer.	h	p
PERIPLOCA	PERIPLOCA			
<i>græca L.</i>	common	Syria	Med. h	s
PETIVERIA	GUINEA-HEN WEED			
<i>allinea L.</i>	common	W. Indies	h. h	s
PHALARIS	CANARY GRASS			
<i>arundinacea L.</i>	reed	Europe	Agr. h	p
<i>Arundo colorata Ait.</i>				
<i>v. striata</i>	ribbon grass			
<i>eauariensis L.</i>	common	Can. Isl.	Agr. h	a
PHASEOLUS	KIDNEY BEAN			
<i>capensis Thumb.</i>	cape	C. G. H.	h. h	p
<i>caracalla L.</i>	snail flowered	E. Indies	h. h	s
<i>helvolus L.</i>	deltoid leaved	N. Amer.	h	a
<i>lathyroides L.</i>	chickling vetch	W. Indies	Diet h	a
<i>multiflorus Willd.</i>	scarlet runners	S. Amer.	Diet h	a
<i>coccineus Lmk.</i>				
<i>v. albus</i>	Dutch white runners			
<i>nanus L.</i>	six weeks	E. Indies	Diet h	a
<i>semierectus L.</i>	upright	S. Amer.	h	a
<i>vulgaris L.</i>	common	E. Indies	Diet h	a
PHILADELPHUS	SYRINGA or Mock Orange			
<i>coronarius L.</i>	common	Europe	Arts h	s
<i>v. nanus</i>	dwarf			
<i>inodorus L.</i>	large flowered	N. Amer.	Arts h	s
PHILLYREA	PHILLYREA			
<i>angustifolia L.</i>	narrow leaved	S. Europe	g. h	s
<i>latifolia L.</i>	broad leaved	do.	g. h	s
<i>media L.</i>	privet leaved	do.	g. h	s
PHLEUM	CAT'S TAIL GRASS			
<i>nodosum L.</i>	knotted stalked	Europe	h	p
<i>pratense L.</i>	meadow— <i>Timothy</i>	do.	h	p
PHLOMIS	PHLOMIS			
<i>fruticosa L.</i>	Jerusalem Sage	S. Europe	Med. g. h	s
<i>herba venti L.</i>	rough leaved	do.	g. h	p
<i>leonurus L.</i>	lion's tail	C. G. H.	g. h	s
<i>martiniensis Swz.</i>	globular leaved	W. Indies	h	a
<i>caribæa Jacq.</i>				
<i>purpurea Sm.</i>	purple	S. Europe	g. h	s
PHLOX	LYCHNIDEA			
<i>maculata L.</i>	spotted stalked	N. Amer.	h	p
<i>paniculata L.</i>	panicked	do.	h	p

HORTUS ELGINENSIS.

49

<i>villosa</i> L.	hairy	N. Amer.	h	p
<i>setacea</i> L.	bristly	do.	h	p
<i>suaveolens</i> Ait.	white flowered	do.	h	p
<i>subulata</i> L.	awl shaped	do.	h	p
PHICENIX	DATE PALM			
<i>daetylifera</i> L.	common	Syria	Diet & Med.	h h t
PHRYMA	PHRYMA			
<i>leptostachya</i> L.	small flowered	N. Amer.	Med.	h p
PHYLICA	PHYLICA			
<i>ericoides</i> L.	heath leaved	C. G. H.	g.h	s
<i>plumosa</i> L.	feathered	do.	g.h	s
PHYSALIS	WINTER CHERRY			
<i>alkekengi</i> L.	common	Europe	Med.	h p
<i>angulata</i> L.	angular	B. Indies	h	a
<i>inegra</i> H. P.	hoary	—	g.h	p
<i>pennsylvanica</i> L.	Pennsylvanian	N. Amer.	Med.	h p
<i>soteniifera</i> L.	cluster flowered	Mexico	g.h	s
PHYTOLACCA	POKE WEED			
<i>decandra</i> L.	common	N. Amer.	Diet & Med.	h p
PICRIS	OX TONGUE			
<i>globulifera</i> H. P.	globular	—	h	a
<i>hieracioides</i> L.	hawk weed	Europe	h	p
PIMPINELLA	BURNET SAXIFRAGE			
<i>anisum</i> L.	Anise	Egypt	Med.	h a
PINUS	PINE or Fir tree			
<i>alba</i> Ait.	white or single Spruce	N. Amer.	Arts	h t
<i>laxa</i> Ehrt.				
<i>Abies alba</i> H. P.				
<i>balsamea</i> L.	Silver Fir— <i>Balm of Gilead</i>	do.	Med.	h t
<i>Abies balsamea</i> H. P.				
<i>canadensis</i> L.	Hemlock Spruce	do.	Arts	h t
<i>Abies canadensis</i> H. P.				
<i>inops</i> Ait.	Jersey or scrub Pine	do.	Arts	h t
<i>larix</i> L.	common Larch	Europe	Arts & Med.	h t
<i>Larix europæa</i> H. P.				
<i>nigra</i> Ait.	black or double Spruce	N. Amer.	Arts	h t
<i>mariana</i> Ehrt.				
<i>Abies nigra</i> H. P.				
<i>palustris</i> Ait.	long leaved or Georgia pitch Pine	do.	Arts	h t
<i>pendula</i> Ait.	black Larch	do.	Arts	h t
<i>pinæa</i> L.	Italian or stone Pine	S. Europe	Diet	h t
<i>resinosa</i> Ait.	pitch Pine	N. Amer.	Arts	h t
<i>rigida</i> Michx.				
<i>serotina</i> Mich.	pond Pine	do.	Arts	h t
<i>strobus</i> L.	Weymouth or white	do.	Arts	h t
PIPER	PEPPER			
<i>nigrum</i> L.	black	B. Indies	Med. & Diet	h h s
PISCIDIA	PISCIDIA			
<i>erythrina</i> L.	Coral tree leaved	S. Amer.	h.h	s
PISUM	PEA			
<i>maritimum</i> L.	sea	N. Amer.	Diet	h p
<i>sativum</i> L.	common	Europe	Diet	h a
PLANTAGO	PLANTAIN			
<i>amplexicaulis</i> Cav.	stem clasping	Europe	h	a
<i>crassa</i> Willd.	thick leaved	do.	h	p
<i>crispa</i> Lmk.				
<i>lanceolata</i> L.	Ribwort	N. Amer.	Med.	h p
<i>major</i> L.	great	do.	Med.	h p
<i>maritima</i> L.	sea	do.	h	p
<i>maxima</i> Jacq.	broad or cowl leaved	Siberia	h	p
<i>cucullata</i> Lmk.				

virginica L.	Virginian	N. Amer.	h	p
PLATANUS	PLANE TREE or <i>Large Button Wood</i>			
occidentalis L.	American	N. Amer.	Arts	h
PLUMBAGO	LEAD WORT			
rosea L.	red flowered	W. Indies	h.h	s
PLUMERIA	PLUMERIA			
alba L.	white	W. Indies	h.h	s
rubra L.	red	do.	h.h	s
POA	MEADOW GRASS			
angustifolia L.	narrow leaved	Europe	Agr.	h
annua L.	dwarf	N. Amer.	Agr.	h
compressa L.	blue grass	do.	Agr.	h
flava L.	yellow	do.	Agr.	h
lineata Pers. }	striped seeded	do.	Agr.	h
striata Mich. }				
pectinacea Mich.	comb flowered	do.	Agr.	h
pratensis L.	common	do.	Agr.	h
trivialis L.	field	do.	Agr.	h
PODALYRIA	PODALYRIA or <i>Wild Indigo</i>			
australis Willd. }	blue flowered	N. Amer.	Arts	h
Sophora australis L. }				
tinctoria Willd. }	dyer's	do.	Arts	h
Sophora tinctoria L. }				
PODOPHYLLUM	DUCK'S FOOT or <i>May Apple</i>			
peltatum L.	peltated	N. Amer.	Med.	h
POLYANTHES	TUBEROSE			
tuberosa L.	common	E. Indies	g.h	p
POLYGALA	MILK WORT			
incarnata L.	flesh coloured	N. Amer.	h	a
senega L.	Seneca snake root	do.	Med.	h
verticillata L.	whorled leaved	do.	h	a
POLYGONUM	PERSICARIA			
arifolium L.	spear leaved	N. Amer.	h	a
aviculare L.	Knot grass	do.	Med.	h
bistorta L.	Bistort or <i>Snake weed</i>	Europe	Med.	h
convolvulus L.	black bind weed	N. Amer.	Med.	h
fagopyrum L.	Buck-wheat	Asia	Diet	h
hydropiper L.	water pepper	N. Amer.	Med.	h
lapathifolium Ait. }	pale flowered	do.	h	a
pennsylvanicum Curt. }				
minus Ait. }	small	do.	Med.	h
angustifolium Roth. }				
orientale L.	eastern or tall	E. Indies	h	a
pennsylvanicum L.	Pennsylvanian	N. Amer.	Med.	h
persicaria L.	spotted	do.	Med.	h
ramosissimum Mich.	branched Knot grass	do.	h	a
sagittatum L.	arrow leaved	do.	h	a
scandens L.	climbing	do.	h	p
tenue Mich.	slender Knot grass	do.	h	a
virginicum L.	Virginian	do.	h	p
POLYPODIUM	POLYPODY			
connectile Mich.	small flowered	N. Amer.	h	p
vulgare L.	common	do.	Med.	h
PONTERERIA	PONTERERIA			
cordata L.	heart leaved	N. Amer.	h	p
POPULUS	POPLAR TREE			
alba L.	European white	Europe	h	t
angulata Ait. }	angular— <i>Cotton tree</i>	N. Amer.	Arts	h
angulosa Mich. }				
balsamifera L.	Tacamahac	do.	Med.	h
dilatata Ait. }				
fastigiata Desf. }	Italian or Lombardy	Italy	h	t
italica Hort. }				
grandidentata Mich.	Canada	N. Amer.	Arts	h

<i>heterophylla</i> L.	various leaved	N. Amer.	Arts	h	t
<i>nigra</i> L.	black	do.	Arts	h	t
<i>tremuloides Mich.</i>	aspen	do.	Arts	h	t
PORTULACCA	PURSLANE				
<i>oleracea</i> L.	common	N. Amer.	Diet	h	a
POTENTILLA	CINQUEFOIL				
<i>argentea</i> L.	silvery	Europe		h	p
<i>canadensis</i> L.	Canadian	N. Amer.		h	p
<i>fruticosa</i> L.	shrubby	do.		h	s
<i>hirta</i> L.	hairy	Europe		h	p
<i>norvegica</i> L.	Norway	Norway		h	p
<i>opaca Jacq.</i>	saw leaved	Europe		h	p
<i>reptans</i> L.	creeping	N. Amer.	Med.	h	p
<i>simplex Mich.</i>	common	do.	Med.	h	p
POTERIUM	BURNET				
<i>sanguisorba</i>	common	Europe	Med.& Diet	h	p
POTHOS	POTHOS				
<i>fetida Ait.</i>	skunk cabbage	N. Amer.	Med.	h	p
<i>Dracontium foetidum L.</i>					
PRENANTHES	PRENANTHES				
<i>alba</i> L.	white flowered	N. Amer.	Med.	h	p
<i>altissima</i> L.	tall	do.		h	p
PRIMULA	PRIMROSE				
<i>auricula</i> L.	Auricula	Europe		h	p
<i>v. lutea</i>	yellow flowered do.				
<i>elatio</i> L.	Oxlip	do.		h	p
<i>farinosa</i> L.	bird's eye	do.		h	p
<i>veris</i> L.	Cowslip or <i>Paigle</i>	do.	Med.	h	p
<i>vulgaris</i> L.	common	do.	Diet	h	p
<i>acaulis Sm.</i>					
<i>grandiflora Lmk.</i>					
PRINOS	WINTER BERRY				
<i>glabra</i> L.	evergreen— <i>Ink berry</i>	N. Amer.	Arts	h	s
<i>verticillatus</i> L.	deciduous	do.		h	s
PROSERPINACA	PROSERPINACA				
<i>palustris</i> L.	marsh	N. Amer.		h	b
PROTEA	PROTEA				
<i>argentea</i> L.	Silver tree	C. G. H.		g.h	t
<i>sericea</i> L.	silky	do.		g.h	s
PRUNELLA	SELF HEAL				
<i>pensylvanica Willd.</i>	common American	N. Amer.	Med.	h	p
<i>ovata H. P.</i>					
PRUNUS	CHERRY TREE				
<i>armeniaca</i> L.	Apricot tree	Levant	Diet	h	t
<i>avium</i> L.	small bird	Europe	Med.	h	t
<i>caroliniana Ait.</i>	evergreen	Carolina	Diet	g.h	t
<i>cerasus</i> L.	common	Europe	Diet& Med.	h	t
<i>v. flore pleno</i>	double flowered do.				
<i>cerasifera Ehrt.</i>	Myrobalans	N. Amer.	Diet& Med.	h	t
<i>chicasa Mich.</i>	Chickasaw Plumb	do.	Diet	h	t
<i>domestica</i> L.	common Plumb	Europe	Diet	h	t
<i>lauro cerasus</i> L.	common Laurel	Levant	Med.	g.h	t
<i>nigra</i> L.	black	N. Amer.		h	t
<i>padus</i> L.	common bird	Europe	Med.	h	t
<i>pensylvanica Ait.</i>	upright	N. Amer.	Diet	h	t
<i>pumila</i> L.	dwarf	do.	Diet	h	t
<i>pygmæa Willd.</i>	American Sloe	do.	Diet	h	s
<i>semperflorens Ehrt.</i>	choak	do.	Med.	h	t
<i>scrotina Roth.</i>	wild	do.	Med.	h	t
<i>scrotina Ehrt.</i>		do.	Diet	h	t
<i>sphaerocarpa Mich.</i>	sea Plumb				

<i>spinosa</i> L.	black thorn or <i>European</i>	Europe	Med.	h	t
<i>virginiana</i> L.	<i>sloe</i> Virginian	N. Amer.	Diet	h	t
PSIDIUM	GUAVA				
<i>pomiferum</i> L.	apple fruited	W. Indies	Diet	h.h	t
PSORALEA	PSORALEA				
<i>aculeata</i> L.	prickly	C. G. H.		g.h	s
<i>bituminosa</i> L.	bituminous	Italy		g.h	s
<i>hirta</i> <i>Ait.</i>	hairy	C. G. H.		g.h	s
<i>palestina</i> L.	Palestine	Levant		g.h	s
<i>pinnata</i> L.	winged leaved	C. G. H.		g.h	s
<i>verrucosa</i> <i>Willd.</i>	narrow leaved	do.		g.h	s
<i>angustifolia</i> <i>Jacq.</i>					
PTELEA	SHRUBBY TREFOIL				
<i>trifoliata</i> L.	three leaved	N. Amer.		h	s
PTERIS	BRAKE				
<i>aquilina</i> L.	common	N. Amer.		h	p
<i>atropurpurea</i> L.	purple	do.		h	p
PULMONARIA	LUNG WORT				
<i>officinalis</i> L.	common	Europe	Med.	h	p
<i>virginica</i> L.	Virginian	N. Amer.	Med.	h	p
PUNICA	POMEGRANATE				
<i>grauatum</i> L.	common	S. Europe	Med.& Diet	g.h	s
<i>v. flore pleno</i>	double flowered do.				
PYCNANTHEMUM	MOUNTAIN MINT				
<i>incanum</i> <i>Mich.</i>	} hoary	N. Amer.	Med.	h	p
<i>Clinopodium incanum</i> L.					
<i>virginicum</i> <i>Pers.</i>	} narrow leaved	do.	Med.	h	p
<i>Thymus virginicus</i> L.					
<i>Brachystemum virginicum</i> <i>Mich.</i>					
PYRETHRUM	FEVER FEW				
<i>parthenium</i> <i>Willd.</i>	} common	Europe	Med.	h	p
<i>Matricaria parthenium</i> L.					
<i>ptarmicefolium</i> <i>Willd.</i>	} sneeze wort leaved	Tartary		h	p
<i>Anthemis ptarmicefolia</i> <i>Hort.</i>					
<i>serotinum</i> <i>Willd.</i>	late flowering	N. Amer.		h	p
PYROLA	WINTER GREEN				
<i>maculata</i> L.	variegated leaved	N. Amer.	Med.	h	p
<i>rotundifolia</i> L.	round leaved	do.	Med.	h	p
<i>umbellata</i> L.	umbelled	do.		h	p
PYRUS	PEAR OR APPLE				
<i>arbutifolia</i> <i>Willd.</i>	} black fruited	N. Amer.		h	p
<i>Mespilus arbutifolia</i> L.					
<i>Aronia arbutifolia</i> <i>Pers.</i>	Siberian Crab	Siberia	Diet	h	t
<i>baccata</i> L.	} blue fruited	N. Amer.		h	t
<i>botryapium</i> <i>Willd.</i>					
<i>Aronia botryapium</i> <i>Pers.</i>	common Pear	Europe	Med.& Diet	h	t
<i>communis</i> L.	sweet scented Crab	N. Amer.	Diet	h	t
<i>coronaria</i> L.	common Quince	Europe	Med.& Diet	h	t
<i>cydonia</i> L.	common Apple	do.	Med.& Diet	h	t
<i>malus</i> L.	powdered	do.		h	t
<i>pollveria</i> L.	Lady Apple	Siberia	Diet	h	t
<i>prunifolia</i> <i>Willd.</i>	Chinese	China		h	t
<i>spectabilis</i> <i>Ait.</i>	QUASSIA				
QUASSIA	bitter	Surinam	Med.	h.h	t
<i>amara</i> L.					

QUERCUS		OAK							
alba L.		common white	N. Amer.	Med. & Arts	h	t			
coccinea Mich.		scarlet	do.	Arts	h	t			
discolor Ait.									
tinctoria v. sinuosa Mich.	}	swamp white	do.	Arts	h	t			
ilicifolia Willd.									
banisteri Mich.	}	scrub or barren	do.		h	t			
macrocarpa Mich.		large fruited	do.	Arts	h	t			
montana Willd.									
prinus v. monticola Mich.	}	rock chesnut	do.	Arts	h	t			
nigra L.		black	do.	Arts	h	t			
palustris Mich.		pin	do.	Arts	h	t			
phellos L.		willow leaved	do.	Arts	h	t			
prinus L.									
prinus v. palustris Mich.	}	chesnut white	do.	Arts	h	t			
rubra L.		red	do.	Arts & Med.	h	t			
stellata Willd.	}								
obtusiloba Mich.		post white	do.	Arts	h	t			
tinctoria Bartr.									
tinctoria v. angulosa Mich.	}	Quercitron or black	do.	Arts & Med.	h	t			
velutina Lmk.									
virens Mich.		live	do.	Arts	h	t			
QUERIA		QUERIA							
canadensis L.	}								
Anychia dichotoma Mich.		forked	N. Amer.		h	a			
RANUNCULUS		CROW FOOT							
abortivus L.		kidney leaved	N. Amer.		h	p			
acris L.		upright	Europe	Med.	h	p			
v. flore pleno		double flowered do.							
bulbosus L.		bulbous	N. Amer.	Med.	h	p			
flammula L.		small Spear wort	do.		h	a			
hispidus Mich.		rough	do.		h	p			
pennsylvanicus L.		Pennsylvanian	do.		h	p			
repens L.		creeping	do.		h	p			
sceleratus L.		celery leaved	do.	Med.	h	a			
RAPHANUS		RADISH							
raphanistrum		white	Europe		h	a			
sativus L.		garden	China	Diet & Med.	h	a			
RESEDA		RESEDA							
luteola L.		Dyer's Weed	Europe	Arts	h	a			
odorata L.		Mignonette	Egypt		h	b			
undata L.		wave leaved	Europe		h				
RHAMNUS		BUCK THORN							
alaternus L.		Alaternus	S. Europe		g h	s			
v. foliis variegatis		variegated do.							
RHEUM		RHUBARB							
palmatum L.		officinal	China	Med.	h	p			
undulatum L.		wave leaved	Siberia	Med.	h	p			
RHEXIA		RHEXIA							
glabella Mich.		smooth leaved or Deer-grass	Carolina		g h	p			
mariana L.		ciliated	N. Amer.		h	p			
virginica L.		common	do.		h	p			
RHODODENDRON		ROSE BAY							
maximum L.		Rock Rose—Mountain laurel	N. Amer.	Med.	h	s			

ponticum L.	purple	Europe		h	s
RHUS	SUMACH				
copallinum L.	copal	N. Amer.	Arts	h	s
cotinus L.	Venice	Europe	Arts	h	s
glabrum L.	common	N. Amer.	Arts & Med.	h	s
radicans L.	climbing— <i>poison vine</i>	do.	Med.	h	s
toxicodendron L.	poison oak	do.		h	s
typhinum L.	woolly	do.	Arts	h	s
vernix L.	poison ash or <i>Varnish tree</i>	do.		h	s
RIBES	CURRENT				
grossularia L.	common Gooseberry	Europe	Diet	h	s
nigrum L.	European black	do.	Med. & Diet	h	s
pensylvanicum Lmk. }	American black	N. Amer.	Diet	h	s
floridum Willd. }	red	Europe	Med. & Diet	h	s
rubrum L.	white				
v album	smooth Gooseberry	do.	Diet	h	s
uva crispa L.					
RICINUS	PALMA CHRISTI or <i>Castor Oil plant</i>				
africanus Willd. }	African	Africa		h.h	s
communis Desf. }	common	E. Indies	Med.	h	a
communis L.	green	do.		h	a
viridis Willd.					
RIVINA	RIVINA				
lævis L.	smooth	W. Indies		h.h	s
ROBINIA	ROBINIA or <i>Locust tree</i>				
caragana L.	Caragana	Siberia		h	t
hispidia Ait.	Rose Acacia	N. Amer.		h	t
pseud-acacia L.	common or <i>False Acacia</i>	do.	Arts	h	t
pygmaea L.	dwarf	Siberia		h	t
viscosa Vent. }	clammy	N. Amer.		h	t
glutinosa Curt. }					
ROSA	ROSE				
alba L.	white	Europe	Med.	h	s
bifera Poir. }	monthly	do.		h	s
semperflorens H.P. }	pomponne or <i>burgundy</i>	do.		h	s
burgundica H.P. }	Carolinian	N. Amer.	Med.	h	s
carolina L. }	hundred leaved	Europe	Med.	h	s
corymbosa Ehrt. }	pale China	China		g.h	s
centifolia L.					
chinensis Jacq.	Cinnamon	Europe		h	s
cinnamomea L. }	damask	Europe	Med.	h	s
collineola Ehrt. }	single yellow	do.		h	s
majalis Retz. }	red officinal	do.	Med.	h	s
damascena Ait.	variegated				
eglanteria L. }	Kamschatka	Kamschatka		h	s
lutea Ait. }	Cherokee	Carolina		h	s
gallica L.	shining leaved	N. Amer.		h	s
v. versicolor	musk	Africa	Arts	h	s
kamschatica Vent. }	many flowering	Japan		h	s
ferox? Donn. }	moss	Europe		h	s
lævigata Mich. }	Pennsylvanian	N. Amer.	Med.	h	s
lucida Ehrt. }	Champagne	S. Europe		h	s
moschata Ait. }	barnet leaved	do.		h	s
multiflora Thunb. }					
muscosa Ait. }					
parviflora Ehrt. }					
pennsylvanica Mich. }					
parvifolia Ehrt. }					
remensis H.P. }					
pimpinellifolia L.					

provincialis <i>Ait.</i>	Provence	S. Europe	h	s
ruliginosa L.	sweet briar	N. Amer.	h	s
semperflorens <i>Curt.</i> }	red China	China	g.h	s
diversifolia <i>Vent.</i>				
setigera <i>Mich.</i>	bristly	N. Amer.	h	s
spinosissima L.	Scotch			
v. flore pleno	double flowered do.	Europe	h	s
ROSMARINUS	ROSEMARY			
officinalis L.	common	S. Europe	Med. g.h	s
ROTHIA	ROTHIA			
cheiranthifolia <i>Willd.</i> }				
Andryala sinuata L.	stock leaved	Europe	h	a
— laciniata <i>Lmk.</i>				
RUBUS	BRAMBLE			
ideus L.	garden Raspberry	Europe	Med. & h	s
			Diet	
occidentalis L.	American Raspberry	N. Amer.	Diet & h	s
			Med.	
odoratus L.	flowering Raspberry	do.	h	s
saxatilis L.	small American	do.	h	s
v. americana }	mountain	do.	h	s
strigosus <i>Mich.</i>	American Dewberry	do.	Diet & h	s
trivialis <i>Mich.</i>			Med.	
		do.	Diet & h	s
villosus <i>Ait.</i> }	American Blackberry		Med.	
vulpinus <i>Desf.</i> }				
RUDBECKIA	RUDBECKIA			
amplexifolia <i>Jacq.</i> }	stem clasping	S. Amer.	h	a
perfoliata <i>Cav.</i>	cut leaved	N. Amer.	h	p
laciniata L.	purple flowered	do.	h	p
purpurea L.				
RUMEX	DOCK			
acetosa L.	garden Sorrel	Europe	Diet & h	p
			Med.	
acetosella L.	sheep Sorrel	N. Amer.	Diet & h	p
			Med.	
acutus L.	sharp pointed	do.	h	p
alpinus L.	Monk's Rhubarb	Europe	Med. h	p
crispatulus <i>Mich.</i> }	common American	N. Amer.	h	p
persicarioides <i>Poir.</i> }				
sanguineus L.	bloody	do.	h	p
xanthoriza <i>Pers.</i> }	yellow rooted	do.	h	p
britannica L.				
RUSCUS	BUTCHER'S BROOM			
aculeatus L.	prickly	Europe	Med. h	s
androgynus L.	climbing	Can. Isl.	g.h	s
RUta	RUE			
graveolens L.	common	Europe	Med. h	s
SABAL	DWARF PALM			
minor <i>Pers.</i>				
Corypha minor <i>Jacq.</i> }	fan	Carolina	Arts g.h	s
Chamærops aculeis				
Mich.				
SACCHARUM	SUGAR CANE			
officinatum L.	common	B. Indies	Diet h.h	p
SAGINA	PEARL WORT			
procumbens L.	procumbent	Europe	h	b
SAGITTARIA	ARROW HEAD			
lanceifolia L.	spear leaved	N. Amer.	h	p
latifolia <i>Willd.</i>	broad leaved	do.	h	p
obtusa <i>Muhl.</i> }	simple stalked	do.	h	p
simplex <i>Pers.</i> }				
SALICORNIA	GLASS WORT			
virginica L.	common Sampire	N. Amer.	Diet h	a

SALIX

alba L.

babylonica L.

conifera Willd. }

longirostris Mich. }

lucida Muhl. }

muhlenbergiana Willd. }

incana Mich. }

tristis Muhl. }

nigra Muhl. }

caroliniana Mich. }

viminalis L.

viticellina L.

SALSOLA

caroliniana Mich.

kali L.

soda L.

SALVIA

acuminata Vent.

ceratophylla L.

coccinea L.

erosa H. P.

formosa V'Her. }

nodosa Vent. }

hispanica L.

horminum L.

lyrata L.

officinalis L.

patula Desf. }

atlantica Pers. }

pinnata L.

pratensis L.

sclarea L.

spielmanniana Donn.

verticillata L.

viridis L.

SAMBUCUS

canadensis L.

nigra L.

pubescens Mich.

SAMOLUS

valerandi L.

SANGUINARIA

canadensis L.

SANUISORBA

canadensis L.

officinalis L.

SANICULA

marilandica L.

SAPINDUS

saponaria L.

SAPONARIA

officinalis L.

v. flore pleno

porrigens L.

vaccaria L.

SARACENIA

flava L.

psytacina Mich.

purpurea L.

variolaris Mich.

WILLOW

white

weeping

cone bearing

shining leaved

hoary

black

common Osier

yellow

SALT WORT

red flowered

prickly

long leaved

SAGE

narrow leaved

stag's horn leaved

scarlet flowered

torn leaved

shining leaved

Spanish

red topped

lyre leaved

officinal or common

spreading

wing leaved

meadow

common Clary

saw leaved

whorl flowered

green topped

ELDER

Canadian

common

mountain

WATER PIMPERNEL

common

BLOOD ROOT

American—Puccoon

BURNET SAXIFRAGE

Canadian

common

SANICLE

American

SOAP BERRY

common

SOAP WORT

common

double flowered do.

hairy

perfoliate

SIDE SADDLE FLOWER

yellow

red

purple

small

Europe Med.& h t

Arts

Levant h t

N. Amer. Arts h t

do. h t

do. h t

do. Arts h t

Europe Arts h t

do. Arts h t

N. Amer. Arts h a

do. Arts h a

do. Arts h a

Carolina g.h p

Persia g.h b

Florida g.h s

h a

Peru g.h s

Spain Med. h a

Europe h a

N. Amer. h p

Europe Diet& h s

Med.

Barbary g.h p

Levant g.h b

Europe h p

do. Med. h b

do. h a

do. h p

do. h b

N. Amer. Med. h s

Europe Med. h s

N. Amer. h s

N. Amer. h p

N. Amer. Med.& h p

Arts

N. Amer. h p

Europe Med. h p

N. Amer. Med. h p

Carolina g.h s

Europe Med. h p

do. h a

Levant h a

N. Amer. h p

Carolina g.h p

N. Amer. h p

Carolina g.h p

SATUREJA <i>hortensis</i> L.	SAVORY summer	Europe	Med. & Diet	h	a
<i>montana</i> L.	winter	do.	Diet	h	s
SAURURUS <i>cernuus</i> L.	LIZARD'S TAIL nodding	N. Amer.		h	p
SAXIFRAGA <i>crassifolia</i> L.	SAXIFRAGE thick leaved	Siberia		h	p
<i>pennsylvanica</i> L.	common American	N. Amer.		h	p
<i>sarmentosa</i> Ait. }	creeping or strawberry	China		g. h	p
<i>stolonifera</i> Jacq. }	Virginian	N. Amer.		h	p
<i>virginica</i> Mich. }	SCABIOUS sweet	Europe	Med.	h	b
SCABIOSA <i>atropurpurea</i> L.	cat's eye	do.		h	a
<i>stellata</i> L.	CICELY				
SCANDIX <i>cerefolium</i> L.	Chervil	Europe	Diet	h	a
<i>Cherophyllum sativum</i> Pers. }	sweet scented or <i>Myrrh</i>	do.	Med.	h	a
<i>odorata</i> L.	Venus's comb	do.		h	p
<i>pectens</i> L.	SCHISANDRA scarlet	Carolina		g. h	s
SCHISANDRA <i>coccinea</i> Mich.	BOG RUSH white	N. Amer.		h	p
SCHENUS <i>albus</i> L.	brown	do.		h	p
<i>fuscus</i> L.	glomerated	do.		h	p
<i>glomeratus</i> L.	SQUILL officinal	S. Europe	Med.	g. h	p
SCILLA <i>maritima</i> L.	Hare bell	Europe	Arts	h	p
<i>nutans</i> Sm. }					
<i>Hyacinthus non scriptus</i> L. }					
SCIRPUS <i>americanus</i> Pers. }	CLUB RUSH three sided	N. Amer.	Arts	h	p
<i>triqueter</i> Mich. }	hair shaped	do.		h	a
<i>capillaris</i> Mich.	headed	do.		h	p
<i>capitatus</i> L.	bulrush	do.	Arts	h	p
<i>lacustris</i> L.	large spiked	do.	Arts	h	p
<i>macrostachyus</i> Mich.	wood	do.		h	p
<i>sylvaticus</i> L.	KNAWEL annual	N. Amer.		h	a
SCLERANTHUS <i>annuus</i> L.	GOLDEN THISTLE perennial	Europe		h	p
SCOLYMUS <i>hispanicus</i> L.	CATERPILLARS common	Europe		h	a
SCORPIURUS <i>vermiculata</i> L.	VIPER'S GRASS common	Europe	Diet	h	p
SCORZONERA <i>hispanica</i> L.	FIG WORT American	N. Amer.	Med.	h	p
SCROPHULARIA <i>marilandica</i> L.	SCULL CAP hyssop leaved	N. Amer.		h	p
SCUTELLARIA <i>hyssopifolia</i> L.	oval leaved	do.		h	p
<i>integrifolia</i> L. }	lateral flowered	do.	Med.	h	p
<i>ovalifolia</i> Pers. }	RYE common	S. Europe	Diet	h	a
<i>lateriflora</i> L.	STONE CROP evergreen	Europe		h	p
SECALE <i>cereale</i> L.	poplar leaved	do.		h	s
SEDUM <i>anacampseros</i> L.	reflexed leaved	do.		h	p
<i>populifolium</i> Ait.	rock	do.		h	p
<i>reflexum</i>	six angled	do.		h	p
<i>rupestre</i> L.					
<i>sexangulare</i> L.					

telephium L.	common Orpine	Europe	Med.	h	p
ternatum Mich.	three leaved	N. Amer.		h	p
SEMPERVIVUM	HOUSELEEK				
arborescens L.	tree	Levant		g.h	s
tectorum L.	common	Europe	Med.	h	p
SENECIO	GROUNDSEL				
doria L.	broad leaved	Europe		h	p
elegans L.	purple Jacobæa	C. G. H.		h	a
halimifolius L.	halimus leaved	do.		g.h	s
sessilis Thunb. }	hawk weed leaved	N. Amer.	Med.	h	a
hieracifolius L.	common	Europe	Med.	h	a
vulgaris L.					
SERISSA	BOX THORN				
fetida Willd.					
Lycium fetidum L. }	Japanese	Japan		g.h	s
— japonicum Lmk. }					
v. flore pleno	double flowered do.				
SESAMUM	SESAMUM				
orientale L.	oriental— <i>Bhenne</i>	E. Indies	Diet & Med.	h	a
SHERARDIA	FIELD MADDER				
arvensis L.	corn	Europe		h	a
SICYOS	SINGLE SEEDED CUCUMBER				
angulata L.	angular leaved	N. Amer.		h	a
SIDA	SIDA				
abutilon L.	round leaved	Europe		h	b
alnifolia L.	alder leaved	E. Indies		h	a
angustifolia L. }	narrow leaved	do.		h	a
ulmifolia Retz. }	small flowered	do.		h	a
asiatica L.	blue flowered	Mexico		h	a
cristata L.	Indian	E. Indies		h	a
Anoda triloba Cav. }	poplar leaved	do.		h	a
indica L.	rhomboid leaved	do.		h.h	s
populifolia Cav. }	prickly	do.		h	a
beloere P. Her. }	three lobed	do.		h	a
rhombifolia L.					
spinosa L.					
triloba Cav.					
SIDEROXYLUM	IRON WOOD				
lanuginosum Mich.					
Bumelia lanuginosa Pers. }	Silver Thorn	Carolina		h	t
SILENE	CATCHFLY				
armeria L.	Lobel's	Europe		h	a
antirrhina L.	snapdragon	N. Amer.		h	a
conica L.	corn	Europe		h	a
dichotoma Ehrh.	branched	Hungary		h	b
fruticosa L.	shrubby	Sicily		g.h	s
mutabilis L.	changeable	Europe		h	p
nocturna L.	night smelling	Europe		h	a
ornata Ait.	dark flowering	C. G. H.		g.h	b
pennsylvanica Mich.	Pennsylvanian	N. Amer.		h	b
picta H. P.	striped flowered	—		h	a
quinquevulnera L.	spotted	Europe		h	a
SILPHIUM	SILPHIUM				
laciniatum L.	jagged leaved	N. Amer.		h	p
SINAPIS	MUSTARD				
alba L.	white	Europe	Diet & Med.	h	a
nigra L.	black	do.	Diet & Med.	h	a
SIPHONANTHUS	TUBE FLOWER				
indica L.	Indian	E. Indies		h.h	s

SISON		HONE WORT	
canadense L.	} cana- dense Pers.	Canadian	N. Amer. h p
Cherophyllum			
trifoliatum L.		three leaved	do. Med. h p
SISYMBRIUM		SISYMBRIUM	
amphibium L.		Water Radish	N. Amer. Med. h p
nasturtium L.		Water Cress	do. Diet & Med. h p
sophia L.		Flix weed	do. Med. h a
SISYRINCHIUM		SISYRINCHIUM	
anceps Lmk.	} Curt	grass leaved	N. Amer. h p
gramineum			
mucronatum Mich.		blue eyed grass	do. h p
SIUM		WATER PARSNEP	
falcaria L.		sickle leaved	Europe h p
lineare Mich.		linear leaved	N. Amer. h p
rigidius L.		stiff stalked	do. h p
sisarum L.		Skirrets	China Diet h p
SMILAX		SMILAX	
cordifolia Humb.		heart leaved	Mexico g.h s
herbacea L.		herbaceous	N. Amer. h p
laurifolia L.		laurel leaved	do. h s
quadrangularis Muhl.		square staked	do. h s
rotundifolia L.		round leaved	do. h s
peduncularis Muhl.	} Mich.	powdered	do. h p
pulverulenta			
sarsaparilla L.	} Humb.	medicinal	do. Med. h s
glauca Mich.			
syphilitica		true Sarsaparilla	S. Amer. Med. h.h s
SMYRNIUM		ALEXANDERS	
cordatum Mich.		heart leaved	N. Amer. Med. h p
SOLANUM		NIGHTSHADE	
dulcamara L.		Bitter Sweet	N. Amer. Med. h s
insanum L.		large prickly Egg plant	E. Indies h a
lycopersicum L.		Love apple—Tomatoes	S. Amer. Diet h a
mamosum L.		smaller prickly Egg plant	do. Diet h a
melongena L.		common Egg plant	do. Diet h a
nigrum L.	} v. virginicum	common	N. Amer. Med. h a
pseudo capsicum L.		Jerusalem Cherry	Madeira g.h s
tuberosum L.		common Potatoc	Peru Diet h p
SOLIDAGO		GOLDEN ROD	
altissima L.		tall	N. Amer. h p
bicolor L.		two coloured	do. h p
canadensis L.		Canadian	do. h p
flexicaulis L.		bent stalked	do. h p
laevigata Ait.		smooth leaved	do. h p
lanceolata Ait.	} folia L.	spear leaved	do. h p
Chrysocoma graminifolia L.			
lateriflora Ait.		lateral flowered	do. h p
nemorialis Ait.		wood	do. h p
noveboracensis L.		New-York	do. h p
odora Ait.		sweet scented	do. h p
procera Ait.		large	do. h p
reflexa Ait.		reflex leaved	do. h p
sempervirens L.		narrow leaved	do. h p
SONCHUS		SOW THISTLE	
oleraceus L.		common	N. Amer. Med. h a
pallidus Willd.	} Lactuca canadensis L.	pale	do. h p
palustris L.		marsh	do. h p

SOPHORA

japonica L.
 microphylla Ait. }
 tetraptera L.
 tomentosa L.

SORGHUM Pers. }

HOLCUS Auct. }

bicolor Pers.
 saccharatum Pers.
 spicatum Pers.
 vulgare Pers.

SORBUS

aucuparia L.
 canadensis Donn.

SPARGANIUM

simplex Sm.

SPARMANNIA

africana L.

SPARTIUM

junceum L.
 Genista juncea Desf. }
 linifolium Desf.
 Genista linifolia L. }
 monospernum L.
 multiflorum L'Her.
 album Desf. }
 Genista alba Lmk. }

scoparium L.

SPERGULA

arvensis L.

SPIGELIA

marilandica L.

SPILANTHUS

oleraceus L.

SPINACIA

oleracea L.

SPIRÆA

crenata L.
 hypericifolia L.
 opulifolia L.
 salicifolia L.
 tomentosa L.
 trifoliata L.
 Gillenia trifoliata }
 Manch. }

SPONDIAS

dulcis Forst. }
 cytherea Lmk. }

STACHYS

annua L.
 aspera Mich. }
 tenuifolia Muhl. }
 lanata L.

STÆHELINA

chamepuce L.

STAPELIA

aperta Willd.
 hirsuta L.
 variegata L.

STAPHYLEA

trifolia L.

STATICE

armeria L.

SOPHORA

Japan

small leaved

silvery

BROOM CORN or Indian Millet

two coloured

common

oval spiked

cultivated

SERVICE TREE

Mountain Ash

Canadian

BURR REED

American

SPARMANNIA

maple leaved

BROOME

Spanish

flax leaved

single seeded

white Portugal

common

SPURREY

corn

SPIGELIA or Worm grass

Carolina Pink Root

SPILANTHUS

eatable

SPINACH

common

SPIRÆA

crenated

St. John's wort leaved

Snowball leaved

willow leaved

woolly

Bowman's root

Indian Physic—Ipeca-
 cuanha

HOG PLUM

Otaheite Goosberry

HEDGE NETTLE

annual

rough leaved

woolly

STÆHELINA

narrow leaved

STAPELIA

open flowered

hairy

variegated

BLADDER NUT

three leaved

THRIFT

common

Japan g.h s

S. Sea Isl. g.h s

E. Indies h.h s

Persia Arts h a

E. Indies Diet h a

do. Arts h a

do. Diet h a

Europe Med. h t

N. Amer. h t

N. Amer. h p

C. G. H. g.h s

Europe Arts h s

Spain g.h s

do. g.h s

Portugal h s

Europe Med. h s

N. Amer. h a

N. Amer. Med. h p

E. Indies Diet g.h b

E. Indies Diet & h a

Med.

N. Amer. h p

do. h s

do. h s

do. h s

do. h s

do. Med. h p

S. Sea Isl. Diet h.h s

Europe h a

N. Amer. h p

Siberia h p

S. Europe g.h s

C. G. H. h.h s

do. h.h s

do. h.h s

N. Amer. h s

Europe h p

limonium L.	Sea Lavender— <i>Marsh</i>	N. Amer.	Med.	h	p
sinuata L.	<i>Rosemary</i>	Levant		g.h	p
STEWARTIA	wing stemmed				
malacodendron L. }	STEWARTIA	N. Amer.		h	s
virginica Cav. }	Virginian				
STILLINGIA	STILLINGIA				
sebifera Willd. }	Tallow tree	China	Arts	g.h	s
Croton sebiferum L. }					
STIPA	FEATHER GRASS				
avenacea L.	oat	N. Amer.		h	p
STRELITZIA	STRELITZIA				
reginae Ait. }	oval leaved	C. G. H.		h.h	p
Heliconia alba L. }					
STYRAX	STYRAX				
grandifolium Ait. }	bay leaved	N. Amer.	Med.	h	t
officinale Walt. }					
laevigatum Ait. }	smooth leaved	do.		h	t
americanum Lmk. }					
SYMPHITUM	COMFREY				
officinale L.	officinal	Europe	Med.	h	p
SYRINGA	LILAC				
chinensis Willd. }	Chinese	China		h	s
dubia Pers. }	Persian	Persia		h	s
persica L.	laciniated do.				
v. laciniata	common	do.		h	s
vulgaris L.	white do.				
v. alba	TAGETES				
TAGETES	African Marygold	Mexico	Diet	h	a
erecta L.	shining	do.		h	a
lucida Cav.	French Marygold	do.	Arts	h	a
patula L.	TAMARIND TREE				
TAMARINDUS	common	B. Indies	Diet & Med.	h.h	t
indicus L.					
TAMARIX	TAMARISK				
germanica L.	German	Europe	Med.	h	s
TANACETUM	TANSEY				
vulgare L.	common	Europe	Med.	h	p
TEPHROSIA	TEPHROSIA				
toxicaria Pers. }	Fish-poison	W. Indies		h.h	s
Galega toxicaria Swz. }					
TEUCRIUM	GERMANDER				
campanulatum L.	small flowered	Levant		h	b
canadense L.	nettle leaved	N. Amer.	Med.	h	p
fruticans L.	shrubby	S. Europe		g.h	s
v. latifolium	broad leaved do.				
massilense L.	sweet scented	do.		g.h	s
scorodonia L.	wood sage	Europe	Med.	h	p
THALIA	THALIA				
dealbata Donn.	white	Carolina		g.h	p
THALICTRUM	MEADOW RUE				
glaucum H. P.	glaucous	—		h	p
laevigatum Mich. }	smooth leaved	N. Amer.		h	p
dioicum L. }					
polygamum Muhl.	tall	do.		h	p
purpurascens L.	purple	do.		h	p
rugosum Ait.	rough leaved	do.		h	p
THEA	TEA TREE				
bohea L.	bohea	China	Med. & Diet	g.h	s
		do.	Med. & Diet	g.h	s
viridis L.	green				

THLASPI		BASTARD CRESS					
arvense L.		Penny Cress	N. Amer.	Med.	h	a	
bursa pastoris L.		Shepherd's Purse	do.		h	a	
campestre L.		Mithridate Mustard	do.		h	a	
THUYA		ARBOR VITÆ					
occidentalis L.		American— <i>White Cedar</i>	N. Amer.	Arts	h	t	
orientalis L.		Chinese	China	Med.	g.h	s	
THYMUS		THYME					
acinos L.		basil	Europe	Med.	h	p	
grandiflorus <i>Curt.</i>	}	large flowered	N. Amer.		h	p	/
carolinianus <i>Mich.</i>		lemon scented	Europe		h	s	
lanuginosus <i>Willd.</i>		wild— <i>Mother of Thyme</i>	do.	Med.	h	s	
serpyllum L.		common	do.	Med.& Diet	h	s	
vulgaris L.							
TIARELLA		TIARELLA					
cordifolia L.		heart leaved	N. Amer.		h	p	
TIGRIDIA		TIGER FLOWER					
pavonia <i>H. P.</i>	}	Mexican	Mexico		g.h	p	
Moræa tigridia <i>Thunb.</i>							
Ferraria tigridia L.							
TILIA		LIME OR LINDEN TREE					
americana L.		American— <i>Bass Wood</i>	N. Amer.	Arts	h	t	
europæa L.		European	Europe	Arts	h	t	
TILLANDSIA		TILLANDSIA					
usneoides L.		Carolina moss	Carolina	Arts	g.h	p	
TOLPIS		TOLPIS					
barbata <i>Gert.</i>	}	bearded	Europe		h	a	
Crepis barbata L.							
Drepania barbata <i>H. P.</i>							
TRACHYNOTIA <i>Mich.</i>	}	ROUGH GRASS					
DACTYLIS <i>Auct.</i>		dog's tail	N. Amer.		h	p	
cynosuroides <i>Mich.</i>		many spiked	do.		h	p	
TRADESCANTIA		SPIDER WORT					
discolor <i>Sm.</i>		purple leaved	S. Amer.		h.h	p	
rosea <i>Mich.</i>		rose coloured	Carolina		g.h	p	
virginica L.		Virginian	N. Amer.		h	p	
TRAGOPOGON		GOAT'S BEARD					
porrifolium L.		purple— <i>Salsafy</i>	Europe	Med.& Diet	h	b	
TRICHODIUM		HAIR GRASS					
laxiflorum <i>Mich.</i>	}	fine	N. Amer.		h	p	
Cornucopiae hyemalis <i>Walt.</i>							
TRICHOSANTHES		TRICHOSANTHES					
anguina L.		Snake Gourd	China		h	a	
TRICHOSTEMMA		TRICHOSTEMMA					
dichotoma L.		branched	N. Amer.		h	a	
TRIENTALIS		CHICKWEED WINTERGREEN					
europæa L.	}	American	N. Amer.		h	p	
v. americana							
TRIFOLIUM		CLOVER or Trefoil					
arvense L.		hare's foot	N. Amer.	Agr.	h	a	
cæruleum L.		blue flowered	Europe		h	a	
dentatum <i>Wald.</i>		toothed	Hungary		h	b	
indicum L.		Indian	E. Indies		h	a	
involveratum <i>Willd.</i>		stripe flowered	N. Amer.		h	p	
officinale L.		Melilot	Europe	Med.	h	a	
pratense L.		meadow	N. Amer.	Agr.	h	p	
procumbens L.		hop	do.		h	a	
repens L.		dutch or white	do.	Agr.	h	p	
TRIGLOCHIN		ARROW GRASS					
maritimum L.		sea	N. Amer.		h	p	


TRIGONELLA foenum græcum L.	FENUGREEK common	Europe	Med.	h	a
TRILLIUM cernuum L. erythrocarpum Mich. rhomboideum Mich. } erectum L. sessile L.	TRILLIUM drooping flowered red fruited upright flowered sessile flowered	N. Amer. do. do. do.	h Med. Med. h	p p p p	
TRIOSTEUM perfoliatum L. } majus Mich. }	FEVER WORT perfoliate	N. Amer.	Med.	h	p
TRIPSACUM dactyloides L. monostachyon Willd.	TRIPSACUM three spiked single spiked	N. Amer. do.	h h	p p	
TRITICUM æstivum L. compositum L. hybernium L. juncæum Sm. loliaceum Sm. } unilaterale Ait. } Poa loliacea Huds. } repens L.	WHEAT or <i>Wheat Grass</i> summer Egyptian winter rush leaved sea creeping— <i>Couch Grass</i>	———— Egypt ———— Europe do. do.	Diet Diet Diet Agr. Agr. Diet & Med.	h h h h h h h	a a a a a p a
spelta L.	Spelt	————	Diet	h	a
TROPÆOLUM majus L. minus L.	INDIAN CRESS greater smaller	Peru do.	Diet & Med. Diet	h h h	a a a
TROXIMON virginicum Pers. Tragopogon virgini- cum L. Hyoseris prenanthoi- des Willd. ———— amplexicau- lis Mich. }	TROXIMON Virginian	N. Amer.	h	p	
TULIPA gesneriana L. suaveolens Roth.	TULIP garden sweet or <i>Van Tol</i>	Levant Europe	h h	p p	
TURRITIS hirsuta L.	TOWER MUSTARD hairy	Europe	Diet	h	b
TUSSILAGO farfara L. integrifolia Mich. Perdicium semifloscu- lare Walt. } Chaptalia tomentosa Vent. }	COLT'S FOOT common entire leaved	Europe Carolina	Med. Med.	h g.h	p p
TYPHA angustifolia L. latifolia L.	CAT'S TAIL or <i>Reed Mace</i> narrow leaved broad leaved	N. Amer. do.	Arts Arts	h h	p p
VACCINIUM album L. corymbosum L. amœnum Ait. } disomorphum Mich. } frondosum L. glaucom Lmk. hispidulum L. Oxycoccus hispidulus Pers. } Arbutus thymifolia Ait. ———— filiformis Lmk. }	WHORTLE BERRY white Bilberry obtuse leaved glaucous small fruited American Cranberry	N. Amer. do. do. do. do.	Diet Diet & Med. Diet Diet Diet & Med.	h h h h h	s s s s s

macrocarpon <i>Ait.</i>	}	large fruited American Cranberry	do.	Med. & Diet	h	s
Oxycooccus macrocarpus <i>Pers.</i>						
myrsinites <i>Lmk.</i>	}	myrtle leaved	do.	Diet	h	s
oxycooccus <i>L.</i>						
Oxycooccus palustris <i>Pers.</i>		European Cranberry	Europe	Diet	h	s
pensylvanicum <i>Lmk.</i>	}	sugar	N. Amer.	Diet	h	s
resinosum <i>Ait.</i>		clammy	do.	Diet	h	s
stamineum <i>L.</i>		green wooded	do.	Diet	h	s
tenellum <i>Ait.</i>		gale leaved	do.	Diet	h	s
VALERIANA	}	VALERIAN				
olitoria <i>L.</i>		Lamb's Lettuce	Europe	Diet	h	a
phu <i>L.</i>		garden	do.	Med.	h	p
radiata <i>Willd.</i>		radiated	N. Amer.		h	a
Fedia radiata <i>Mich.</i>						
VANGUIERA	}	VANGUIERA				
edulis <i>Vahl.</i>		esulent	E. Indies	Diet	h.h	t
VERATRUM	}	SWAMP HELLEBORE				
viride <i>Ait.</i>		green flowered	N. Amer.	Med.	h	p
VERBASCUM	}	MULLEIN				
blattaria <i>L.</i>		moth	N. Amer.	Med.	h	b
v. alba		white do.				
lychnitis <i>L.</i>		wedge leaved	Europe		h	b
thaspus <i>L.</i>		great	N. Amer.	Med.	h	b
VERBENA	}	VERVAIN				
angustifolia <i>Mich.</i>		narrow leaved	N. Amer.		h	p
hastata <i>L.</i>		halbert leaved	do.	Med.	h	p
officinalis <i>L.</i>		common	Europe	Med.	h	b
triphylla <i>V. Her.</i>						
Aloysia citriodora <i>Ort.</i>	}	lemon scented	Peru		g.h	s
urticifolia <i>L.</i>		nettle leaved	N. Amer.	Med.	h	p
VERBESINA	}	VERBESINA				
alata <i>L.</i>		wing stalked	S. Amer.		h.h	p
VERONICA	}	SPEEDWELL				
agrestis <i>L.</i>		field	Europe		h	a
anagallis <i>L.</i>		Pimpernel or water	N. Amer.		h	p
arvensis <i>L.</i>		corn	do.		h	a
hybrida <i>L.</i>		Welsh	Europe		h	p
maritima <i>L.</i>		sea	do.		h	p
officinalis <i>L.</i>		officinal	N. Amer.	Med.	h	p
peregrina <i>L.</i>						
marilandica <i>Mur.</i>		knot grass leaved	do.		h	a
scutellata <i>L.</i>		scull cap or marsh	do.		h	p
serpillifolia <i>L.</i>		Paul's Betony	do.		h	p
spuria <i>L.</i>		hybrid	Europe		h	p
virginica <i>L.</i>		Virginian	N. Amer.		h	p
VERNONIA	}	VERNONIA				
noveboracensis <i>Mich.</i>		common	N. Amer.		h	p
VIBURNUM	}	VIBURNUM				
acerifolium <i>L.</i>		maple leaved	N. Amer.		h	s
dentatum <i>L.</i>		toothed	do.		h	s
lantanoides <i>Mich.</i>		Hobble bush	do.		h	s
lentago <i>L.</i>		pear leaved	do.		h	s
nudum <i>L.</i>		oval leaved	do.		h	s
opulus <i>L.</i>		Guelder Rose	do.		h	s
v. roseum		Snow Ball				
prunifolium <i>L.</i>		plum leaved	do.		h	s
tinus <i>L.</i>		Laurestine	S. Europe		g.h	s
VICIA	}	VETCH				
cracca <i>L.</i>		tufted	N. Amer.		h	p
ervilia <i>Willd.</i>						
Ervum ervilia <i>L.</i>		officinal	Europe	Med.	h	a
fabia <i>L.</i>	}	garden Bean	Egypt	Diet	h	a

<i>v. minor</i>	smaller do.				
<i>monantha H. P.</i>					
<i>Ervum monanthos L.</i>	one flowered	Russia	h	a	
<i>Lathyrus monanthos Willd.</i>					
<i>nissoliana L.</i>	red flowered	Europe	h	a	
<i>sativa L.</i>	common				
VINCA	PERIWINKLE				
major L.	greater	Europe	Med.	h	s
minor L.	small	do.	Med.	h	s
rosea L.	Madagascar	E. Indies		h.h	s
<i>v. alba</i>	white do.				
VIOLA	VIOLET				
<i>canadensis L.</i>	Canadian	N. Amer.		h	p
<i>ecullata Ait.</i>	hollow leaved	do.		h	p
<i>odorata L.</i>	sweet scented	Europe	Med.	h	p
<i>v. flore pleno</i>	double flowered do.				
<i>obliqua Ait.</i>	oblique flowered	N. Amer.		h	p
<i>palmata L.</i>	palmated	do.		h	p
<i>pedata L.</i>	multifid	do.		h	p
<i>primulifolia L.</i>	primrose leaved	do.		h	p
<i>pubescens Ait.</i>	yellow flowered	do.		h	p
<i>pennsylvanica Mich.</i>					
<i>sagittata Ait.</i>	arrow leaved	do.		h	p
<i>tricolor L.</i>	Heart's ease— <i>Pansy</i>	Europe	Med.	h	p
VITEX	CHASTE TREE				
<i>agnus castus L.</i>	common	S. Europe	Med.	g.h	s
VITIS	VINE OR GRAPE				
<i>æstivalis Mich.</i>	summer	N. Amer.	Diet	h	s
<i>labrusca Walt.</i>					
<i>cordifolia Mich.</i>	winter or Chicken	do.	Diet	h	s
<i>vulpina L.</i>					
<i>labrusca L.</i>	fox	do.	Diet	h	s
<i>taurina Walt.</i>					
<i>riparia Mich.</i>	river or sand	do.	Diet	h	s
<i>rotundifolia Mich.</i>	Muscadine or bullet	do.	Diet	h	s
<i>vinifera L.</i>	common	—	Diet & Med.	h	s
ULEX	WHIN or Furze				
<i>europæus L.</i>	common	Europe	Arts	h	s
ULMUS	ELM TREE				
<i>alata Mich.</i>	dwarf	N. Amer.	Arts	h	t
<i>americana L.</i>	common	do.	Arts	h	t
<i>campestris L.</i>	English	Europe	Med. & Arts	h	t
<i>fulva Mich.</i>	slippery	N. Amer.	Med.	h	t
UNIOLA	UNIOLA				
<i>paniculata L.</i>	sea Rush grass	N. Amer.		h	p
<i>maritima Mich.</i>					
URTICA	NETTLE				
<i>dioica L.</i>	common	Europe	Med.	h	p
<i>divaricata L.</i>	branched	N. Amer.		h	p
<i>pilulifera L.</i>	Roman	Europe	Med.	h	a
<i>pumila L.</i>	dwarf	N. Amer.		h	a
UVULARIA	UVULARIA				
<i>perfoliata L.</i>	perfoliate	N. Amer.	Med.	h	p
<i>sessilifolia L.</i>	sessile leaved	do.	Med.	h	p
WEDELIA	WEDELIA				
<i>perfoliata Willd.</i>	perfoliate	Mexico		h	a
<i>Aleina perfoliata Cav.</i>					
XANTHIUM	XANTHIUM				
<i>orientale L.</i>	eastern	Japan		h	a
<i>strumarium L.</i>	lesser Burdock	N. Amer.		h	a

XERANTHEMUM annuum L.	XERANTHEMUM annual	Europe	h	a
XEROPHYLLUM setifolium Mich.	BASKET GRASS			
Helonias aphodeloides L. }	narrow leaved	N. Amer.	Arts h	p
XIMENESIA encelioides Cav.	XIMENESIA hoary leaved	Mexico	g.h	p
XYRIS anceps Pers. } jupicai Mich. }	YELLOW EYED GRASS flat stemmed	N. Amer.	h	p
YUCCA aloifolia L. filamentosa L. gloriosa L.	ADAM'S NEEDLE Aloe leaved thready or <i>Adam's thread</i> broad leaved	Carolina N. Amer. Carolina	g.h h g.h	s s t
ZANTHORHIZA apiifolia V'Her.	YELLOW ROOT parsley leaved	N. Amer.	Med.& Arts h	s
ZANTHOXYLUM fraxineum Willd. americanum Wang. }	TOOTH-ACHE TREE common	N. Amer.	Med. h	t
ZEA mays L.	MAIZE or Indian Corn common	S. Amer.	Dict h	a
ZINNIA multiflora L. pauciflora L.	ZINNIA red flowered yellow flowered	Carolina Peru	h h	a a
ZIZANIA aquatica L.	CANADA RICE or Water Oats common	N. Amer.	h	a
ZORNIA Mich.	ZORNIA			
HEDYSARUM Auct. diphyllum Pers. strobiliferum Pers.	two leaved cone bearing	E. Indies do.	h.h h.h	s e

ENGLISH INDEX.



	Page		Page		Page
ACACIA	1	Bastard cress	56	Borage	10
Adam's needle	60	Bastard jasmine	14	Bondue	26
Adam's thread	60	Bastard Jesuit's bark	30	Botany-Bay tree	33
African marygold	56	Bastard indigo	4	Bowman's root	54
Africau sparrow wort	41	Bastard sensitive plant	2	Box thorn	34, 52
Agrimony	2	Battledore	28	Box tree	11
Alder	3	Bay-berry	37	Brake	46
Alexanders	53	Bay tree	32	Bramble	49
Almond	5	Beach	23	Bread fruit tree	7
Aloe	3	Bead tree	36	Briony	10
Althæa frutex	27	Bean	58	Brome grass	10
Amaranth	4	Beard grass	5	Broome	54
American oil nut	26	Bear's breech	1	Broom corn	54
Angelica tree	17	Beaver tree	35	Broom grass	5
Anise	43	Beet	9	Broom rape	39
Aniseed tree	29	Belladonna lily	4	Buckbean	36
Apple	46	Bell flower	12	Buckthorn	47
Apricot	45	Bellpepper	12	Buckwheat	44
Arbor vitæ	56	Belvedere	14	Bugloss	5
Arnotto	10	Benjamin tree	32	Bulrush	51
Arrow grass	56	Bent grass	2	Burdock	7, 59
Arrow head	49	Betony	9	Burnet	45
Arrow wort	35	Bhenne	52	Burnet saxifrage	43, 50
Artichoke	19	Bilberry	57	Burr marygold	10
Asarabacca	7	Bindweed	16	Burr reed	54
Ash	24	Birch	9	Butterfly weed	7
Ash wort	15	Bird pepper	12	Butternut	30
Asphodel	8	Bird's foot	39	Button wood	13
Atamasco lily	4	Bird's foot trefoil	34	Butcher's broom	49
Avens	25	Birlawort	7	Cabbage	10
Avocado pear	32	Bistort	44	Cactus	11
Auricula	45	Bitter apple	18	Calamus	2
Balm	36	Bitter sweet	13, 53	Camphor	32
Balm of Gilead	21, 43	Blackberry	49	Campion	13
Balsam	29	Black ebony	6	Canada rice	60
Balsam apple	37	Black snake root	2	Canary grass	42
Banana tree	37	Black thorn	46	Caneer root	39
Barbadoes flower fence	11	Bladder ketmia	27	Candle berry myrtle	37
Barbadoes gooseberry	11	Bladder nut	54	Candy tuft	29
Barbadoes lily	4	Bladder senna	16	Cape-Coast lily	4
Barberry	9	Blessed thistle	13	Cape jasmine	24
Barley	23	Blood root	50	Caraway	12
Base mustard	15	Blue bottle	13	Cardinal flower	33
Base parsley	13	Blue eyed grass	53	Cardoon	19
Basil	30	Hog rush	51	Carnation	20
Basket grass	60	Bone seed	40	Carolina alspice	11
Basswood	56	Boneset	23	Carolina jasmine	10

	Page		Page		Page
Carolina moss	56	Cotton grass	22	Fennel	6
Carolina or sweet potatoe	16	Cotton thistle	39	Fennel flower	38
Carolina pink root	55	Cotton tree	44	Fenugreek	57
Carpenter's leaf	24	Couch grass	57	Fern	38
Carrot	20	Couhage	21	Fescue grass	23
Cashew nut	5	Cowslip	45	Fever-few	46
Castor oil plant	48	Cow wheat	36	Fever-wort	57
Catalpa tree	10	Cranberry	57, 58	Field madder	52
Catch fly	52	Crane's bill geranium	24	Field thyme	15
Caterpillars	51	Crow foot	24, 47	Fig marygold	36
Catmint	38	Crown asphodel	22	Fig tree	23
Catnep	38	Crown imperial	24	Figwort	51
Cat's ear	29	Cuckhold's horns	55	Filbert	17
Cat's tail	57	Cucumber	18	Fir tree	40
Cat's tail grass	42	Cucumber root	35	Fish poison	55
Cedar	30	Cucumber tree	35	Flax	33
Gelandine	14	Cudweed	25	Flea bane	16, 22
Celery	6	Currants	48	Flix weed	53
Centaury	13	Custard apple	6	Flos adonis	2
Cereus	11	Cypress tree	18	Flower de luce	30
Chaddock	15	Cypress vine	30	Flowering fern	40
Chaff flower	2	Daffodil	38	Foxglove	20
Chamomile	6	Daisy	9	Fox-tail grass	4
Chaste tree	59	Dandelion	32	Fraxinella	20
Cherry tree	45	Darnel	33	French honeysuckle	26
Chesnut	13	Date palm	43	French marygold	55
Chickling vetch	31	Dele plumb	20	Fringe tree	14
Chick pea	14	Day lily	27	Fritillary	24
Chick weed	4, 5	Deadly nightshade	8	Fumitory	24
Chick weed winter green	56	Dead nettle	31	Furze	59
China rose	27	Dear grass	47	Galangale	31
Chinese spinach	9	Devil's bit	3	Garden cress	32
Chinquapin	13	Dewberry	49	Garlick	3
Chives	3	Dill	6	Gentian	24
Cicely	51	Dittander	32	Georgia bark	15
Cinnamon	32	Dittany of Crete	39	Geranium	52, 24, 41
Cinquefoil	45	Dock	49	Germander	55
Citron	15	Dodder	19	Ginger	4
Clary	50	Dog's bane	6	Ginseng	40
Clover	56	Dog's tail grass	19	Glass wort	49
Club moss	34	Dog's tooth violet	22	Globe amaranth	25
Club rush	51	Dogwood	17	Goat's beard	56
Cochineal	11	Dragon's head	21	Golden rod	53
Cock's comb	4, 13	Duck's foot	44	Golden sunflower	27
Cock's foot grass	20	Dwarf palm	49	Golden thistle	51
Coffee	16	Dyer's weed	47	Gold of pleasure	37
Cole seed	10	Ear drop	24	Gold thread	27
Cole wort	17	Egg plant	53	Gold tree	8
Coloquintida	18	Elder	50	Goldly locks	14
Colt's foot	57	Elecampane	29	Gonseberry	48
Columbine	6	Elephant's foot	21	Goose foot	14
Comfrey	55	Elm tree	59	Goose corn	30
Contrajerba	21	Enchanter's night shade	15	Gourd	18
Copaiba balsam	16	Endive	14	Grape	59
Coral and pearl	2	English mercury	14	Grass of Parnassus	41
Coral tree	22	Eryngo	22	Green tea	55
Coriander	17	Eschallots	3	Gromwell	33
Cornelian cherry	17	Everlasting pea	31	Ground ivy	25
Corn flag	6, 25	False acacia	48	Ground-nut	7
Costmary	9	False cacao	1	Groundsel	52
Cotton	26	False grape	3	Guava	46
		Feather grass	55	Guelder rose	59
				Guernsey lily	4

ENGLISH INDEX.

63

	Page		Page		Page
Guinea-hen weed	42	Jerusalem sage	42	Loose strife	34
Guinea pepper	12	Illinois nut	30	Lovage	33
Gum arabic tree	1	Indian cherry tree	22	Love apple	59
Gum tree	33	Indian corn	60	Love lies bleeding	4
Hair grass	3, 56	Indian cress	57	Louse wort	41
Hard grass	2	Indian fig	11	Lucerne	36
Hare bell	28, 51	Indian hemp	6	Lungwort	46
Hare's ear	11	Indian millet	54	Lupine	34
Hawk's beard	18	Indian physic	54	Lychnidea	42
Hawthorn	17	Indian reed	12	Madeira nut	30
Hawk weed	28	Indian shot	12	Madwort	4
Hazel nut	17	Indian turnep	7	Magothy bay bean	12
Heath	22	Indigo	29	Maiden hair	2
Heart pea	12	Indigo wild	44	Maize	60
Hearts ease	59	Ink berry	45	Malabar nightshade	9
Hedge hog	36	Job's tears	16	Malabar nut	31
Hedge hyssop	26	Jonquil	38	Malabar plumb	22
Hedge mustard	22	Ipecacuanha	54	Mallow	35
Hedge nettle	54	Iron wood	52	Mangel wurzel	9
Hellebore	27	Judas tree	13	Mango tree	35
Hemlock fern	10	July flower	14	Maple tree	1
Hemlock spruce	43	Juniper	30	Marjoram	39
Hemp	12	Jupiter's beard	6	Marmelade apple	2
Henbane	28	Kale	17	Marsh marygold	11
Henbit	31	Kentucky coffee tree	26	Marsh mallow	27
Herb bennet	25	Kidney bean	42	Marsh rosemary	54
Herb Christopher	2	Kidney vetch	6	Marsh trefoil	36
Herb Robert	24	King's spear	8	Marvel of Peru	37
Herd's grass	2	Knot grass	29, 44	Marygold	55
Heron's bill geranium	22	Knawel	51	May apple	44
Illickory	30	Labdanum	15	May weed	6
Hobble bush	58	Laburnum	20	Meadow saffron	16
Hog plumb	54	Ladies' bed straw	24	Meadow grass	44
Hog weed	4	Ladies' mantle	3	Medick	35
Hog wood	10	Ladies' slipper	19	Medlar	36
Holly	29	Ladies' traces	38	Melic grass	36
Hollyhock	4	Lamb's lettuce	58	Melilot	56
Hone wort	53	Lamb's quarters	14	Melon thistle	11
Honeysuckle	34	Larch	43	Mexican lily	4
Honey wort	13	Lark spur	20	Mezereon	20
Hop	28	Lavender	32	Mignonette	47
Hop horn-beam	40	Laurel	31, 32	Millet	54
Horehound	35	Laurestine	58	Millet grass	37
Horehound water	34	Leatherwood	21	Milk vetch	8
Horn-beam	12	Lead wort	44	Milk weed	7
Horned poppy	7, 14	Leek	3	Milk wort	44
Horse balm	16	Leopard's bane	21	Mint	56
Horse chesnut	2	Lemon	15	Mithridate mustard	56
Horseradish	16	Lemon grass	5	Mock orange	42
Hound's tongue	19	Lettuce	31	Moldavian balm	21
House leek	52	Life everlasting]	25	Molucca balm	37
Humble plant	37	Liquorice	25	Monk's rhubarb	49
Humming-bird tree	14	Lilac	55	Monkey flower	37
Hyacinth	28	Lily	33	Moon seed	36
Hyssop	29	Lily of the valley	16	Moon wort	36
Jacobæa lily	4	Lily thorn	13	Moose wood	21
Jamestown weed	20	Lime	15	Mother of thyme	56
Japan rose	11, 28	Lime tree	56	Mother wort	32
Jasmine	29	Linden tree	56	Mountain ash	54
Jee plant	36	Liver wort	5	Mountain ebony	9
Jerusalem artichoke	26	Lizard's tail	51	Mountain laurel	47
Jerusalem cherry	53	Locust tree	28, 48	Mountain mint	37, 47
Jerusalem oak	14	Loblolly bay	26	Mountain tea	24

	Page		Page		Page
Mouse ear chickweed	13	Pine	43	Saffron	12, 18
Mulberry	37	Pine-apple	19	Safflower	12
Mullein	58	Pink	20	Sage	50
Musk melon	18	Pink root	54	Sago	19
Mustard	52	Pitchpine	43	Salt wort	50
Myrtle	37	Plane tree	44	Samphire	34, 49
Navel wort	17	Plantain	43	Sand-box tree	28
Nectarine	5	Pleurisy root	7	Sandwort	7
Nettle	59	Plumb	45	Sanicle	50
Nettle tree	13	Poison ash	48	Sapota	2
New-Jersey tea tree	13	Poison oak	48	Sarsaparilla	7, 53
Nicker tree	26	Poison tree	48	Sassafras	32
Nightshade	53	Poison vine	48	Savory	51
None such	53	Pokeweed	43	Saxifrage	51
Oak	47	Polyanthus	38	Scabious	51
Oat grass	8	Pomeroose	22	Scarcity root	9
Oats	8	Pomegranate	46	Scorpion grass	37
Oil seed or bhenne	52	Pompion	18	Scorpion senna	17
Okra	27	Poplar	44	Screw pine	40
Oleander	37	Poppoose root	32	Scurvy grass	16
Olive	39	Poppy	40	Scullcap	51
Onion	3	Potatoe	16, 58	Sea daffodil	40
Orach	8	Pot marygold	11	Sea lavender	54
Orange	15	Pride of India, <i>see</i>		Sea-side grass	16
Orchard grass	20	Bead tree.		Sedge	19
Orchis	30	Prim	33	Self heal	45
Orpine	51, 52	Primrose	45	Seneca grass	28
Oswego tea	54	Prince's feather	4	Seneca snake root	44
Otaheite gooseberry	54	Privet	33	Senna	13
Ox eye	11	Puccoon	50	Sensitive plant	37
Ox lip	45	Pumpkin	18	Service tree	54
Ox tongue	43	Purslane	45	Shaddock, <i>see</i> Chaddock	
Palma christi	48	Quaking grass	10	Shield fern	59
Panic grass	40	Quercitron	47	Shepherd's purse	51
Pansey	59	Quince	46	Shrubby trefoil	46
Papaw tree	12	Radish	47	Side-saddle flower	50
Paper mulberry	16	Ragged robin	34	Silk weed	7
Parsley	6	Raspberry	49	Silver hell	26
Parsnep	41	Rattle tree	13	Silver fir	43
Partridge berry	21	Ray grass	34	Silver tree	45
Passion flower	41	Reed grass	7	Single seeded cucum-	
Paul's betony	58	Reed mace	57	ber	52
Pea	43	Red bud	13	Skirrets	53
Peach	5	Rest harrow	39	Skunk cabbage	45
Peacock flower	2	Rhubarb	47	Sloe	45
Peanut	7	Rib wort	43	Snail's	36
Pear	46	Ribbon grass	42	Snake root	7
Pearl wort	49	Rice	40	Snake weed	44
Penny cress	56	Ringworm tree	12	Snap dragon	16
Penny wort	28	Robin-runaway	37	Sneeze wort	2
Pennyroyal	36	Rock rose	15	Snowball	58
Pepper	43	Rocket	27	Snow-drop	24
Pepper wort	32	Rose	48	Snow-drop tree	26
Pepperidge	38	Rose acacia	43	Snow flake	33
Periwinkle	59	Rose bay	47	Soap berry	50
Persicaria	44	Rosemary	49	Soap wort	50
Persimon	20	Rosemary marsh	55	Soft grass	23
Pheasant's eye	2	Rough grass	56	Solonon's seal	18
Physic nut	29	Rosa solis	21	Sorrel	49
Pigeon berry	21	Rose campion	2	Sour gum	38
Pigeon pea	19	Rash grass	50, 59	Sour sop	2
Pimpernel	5	Rue	49	Southernwood	7
Pimpernel water	50	Rye	51	South Sea myrtle	32

ENGLISH INDEX.


65

	Page		Page		Page
South Sea tea	20	Tamarisk	55	Wall flower	14
Sowbread	19	Tangier pea	51	Walnut	30
Sow thistle	53	Tannier	11	Water cress	50
Spear wort	47	Tansey	55	Water hemlock	14
Speedwell	58	Tare	22	Water horehound	34
Spider wort	6, 56	Tarragon	7	Water lily	38
Spikenard	7	Teasel	21	Watermelon	18
Spinach	54	Tea tree	55	Water oats	60
Spindle tree	22	Thistle	12, 13, 16	Water parsnep	53
Spleen wort	8	Thorn apple	20	Water pepper	44
Sponge tree	1	Thorough wax	10	Water pimpernel	50
Sprat	28	Thoroughwort	23	Water plantain	3
Spruce	43	Three thorned acacia	25	Water radish	53
Spurge	28	Thrift	54	Wheat	57
Spurrey	54	Thyme	56	Wheat grass	57
Squash	18	Tickseed sunflower	17	Whin	52
Squill	51	Timothy grass	42	White cedar	18, 55
Staff tree	13	Toad flax	6	White poplar	33
Star apple	14	Tobacco	38	White wood	33
Star grass	3	Tomatoes	13	Whitlow grass	21
Star of Bethlehem	39	Tonka bean	21	Whortleberry	57
Star wort	8	Tooth-ache tree	60	Widow wail	16
Stavesacre	20	Torch thistle	11	Wild alspice	32
Stinking horehound	9	Tower mustard	57	Wild bugloss	34
Stock	14	Tree mallow	32	Wild chamomile	35
Stone crop	51	Tree primrose	39	Wild chervil	14
Stork's bill geranium	41	Trumpet flower	10	Wild ginger	7
Strawberry	23	Tube flower	52	Wild hemp	2
Strawberry blite	10	Tuberose	44	Wild indigo	44
Succory	14	Tulip	57	Wild ivy	5
Succotrine aloe	5	Tulip tree	33	Wild liquorice	1
Sugar cane	49	Tupelo tree	38	Wild potatoe	18
Sumach	48	Turneric	19	Willow	50
Summer cypress	14	Turnep	10	Willow herb	21
Summer savory	51	Turn sole	27	Wind flower	5
Sundew	21	Tyger flower	56	Winter berry	45
Sunflower	26	Valerian	58	Winter cherry	43
Superb lily	25	Van tol	57	Winter green	46
Swallow wort	7	Varnish tree	48	Wire grass	14
Swamp bellebore	58	Venus' comb	51	Witch hazel	26
Swamp sassaparila	35	Venus' fly trap	20	Woad	30
Sweet basil	39	Venus' looking-glass	12	Wolf's bane	2
Sweet fern	16	Vernal grass	6	Woodbine	33
Sweet flag	2	Vervain	58	Wood sorrel	40
Sweet gum	33	Vetch	58	Wool grass	22
Sweet pea	31	Vine	59	Worm grass	54
Sweet potatoe	16	Violet	59	Worm seed	14
Sweet scented shrub	12	Viper's bugloss	21	Wormwood	7
Sweet sultan	13	Viper's grass	51	Yam	20
Sweet-william	20	Virgin's bower	15	Yarrow	2
Syringa	42	Umbrella tree	35	Yellow eyed grass	60
Tacamahao	44	Upright honey-suckle	9	Yellow root	60
Tallow tree	55	Walking leaf	8		
Tamarind	55	Wall cress	9		

Since the foregoing Catalogue has been printed, I have received from that distinguished Botanist, M. Thouin, Professor of Agriculture and Botany at Paris, a third collection of seeds, amounting to 300 species, of such plants as are not contained in this collection. The unceasing exertions of that gentleman, for the promotion of science in this country, as well as his own, deserve a greater tribute of praise than I am able to bestow.

The improvements which may hereafter take place in this institution, and the additions which may be made to the collection of plants, will in future be regularly published, as an annual report to the Legislature, and the Regents of the University.

D. H.



Med. Hist.

WZ

270

H 825 cat

1811

c.1

am

NATIONAL LIBRARY OF MEDICINE



NLM 01068593 3